IMPERIAL AGRICULTURAL BUREAUX

INSTITUTE OF ENTOMOLOGY

PARASITE SERVICE

A CATALOGUE

OF

THE PARASITES AND PREDATORS OF INSECT PESTS

PREPARED UNDER THE DIRECTION OF

W. R. THOMPSON, F.R.S.

BY THE STAFF OF THE IMPERIAL PARASITE SERVICE

SECTION 1

PARASITE HOST CATALOGUE

PART 8

PARASITES OF THE LEPIDOPTERA.

(N-P)

BELLEVILLE, ONT., CANADA

THE IMPERIAL PARASITE SERVICE

1946


Digitized by the Internet Archive
in 2023

https://archive.org/details/catalogueofparas0000unse_d9s4

5 OCT 1961

CABI BIOSCIENCE
EGHAM
- 9 NOV 2017
Egham books THO

CAB INTERNATIONAL
30008363

IMPERIAL AGRICULTURAL BUREAUX

INSTITUTE OF ENTOMOLOGY

PARASITE SERVICE

A CATALOGUE

OF

THE PARASITES AND PREDATORS OF INSECT PESTS

PREPARED UNDER THE DIRECTION OF

W. R. THOMPSON, F. R. S.

BY THE STAFF OF THE IMPERIAL PARASITE SERVICE

SECTION 1

PARASITE HOST CATALOGUE

PART 8

PARASITES OF THE LEPIDOPTERA,

(N-P)

BELLEVILLE, ONT., CANADA

THE IMPERIAL PARASITE SERVICE

1946

Reprinted 1960 with Errata

© *Commonwealth Agricultural Bureaux, 1960*

E R R A T A

Page 391, line 31 - for "Nomphila" read "Nomophila"

" 392, " 36 - for "albisquamma" read "albisquama"

" 396, " 1 - for "knodonis" read "kondonis"

" 396, " 23 - for "palaecritae" read "paleacritae"

" 397, " 29 - for "Först." read "Thoms."

" 397, " 39 - for "Istochaeta" read "Istocheta"

" 400, " 6 - for "tatahae" read "tatchae"

" 407, " 39 - for "Grav." read "Gmel."

" 409, " 25 - for "semifulpinus" read "semivulpinus"

" 412, " 13 - for "Dryinid" read "Bethylid"

" 414, " 15 - for "Dryinid" read "Bethylid"

" 414, " 31 - for "Ichneumonid" read "Braconid"

" 416, " 34 - for "heriolator" read "hariolator"

" 425, " 53 - for "coruscator" read "corruscator"

" 427, " 44 - for "pumila" read "pùmilum"

" 433, " 44 - for "Red." read "Rad."

" 434, " 20 - for "Red." read "Rad."

" 436, " 4 - for "Torymid" read "Ichneumonid"

" 436, " 31 - for "Rushka" read "Ruschka"

" 439, " 10 - for "pomonella" read "pomonellae"

" 443, " 10 - for "Pteromalid" read "Ichneumonid"

" 443, " 11 - for "platyhypenae" read "plathypenae"

" 444, " 4 - for "palliartorius" read "palliatorius"

" 449, " 31 - for "Phalaenid" read "Phaloniid"

" 453, " 15 - for "Dryinid" read "Bethylid"

" 456, " 4 - for "Syntaeris" read "Synetaeris"

" 459, " 23 - for "haglundi" read "haglundii"

Page 461, line 2 - for "phycidis" read "phyciodis"

" 463, " 32 - for "Först." read "Nees"

" 463, " 33 - for "Tetrastichus" read "Tetrastichodes"

" 464, " 5 - for "Braconid" read "Britain"

" 471, " 12 - for "platyhypenae" read "plathypenae"

" 471, " 22 - for "platyhypenae" read "plathypenae"

" 471, " 41 - for "Ichneumonid" read "Braconid"

" 473, " 39 - for "Plectoptera" read "Plecoptera"

" 478, " 18 - for "cintipes" read "cinctipes"

" 478, " 39 - for "exoleata" read "exoleta"

" 479, " 44 - for "Astiphromma" read "Astomaspis"

" 482, " 25 - for "Ichneumonid" read "Braconid"

" 484, " 11 - for "Grav." read "Gmel."

" 488, " 18 - for "malenarius" read "melanarius"

" 488, " 36 - for "agea" read "egea"

" 493, " 3 - for "Grav." read "Gmel."

" 494, " 19 - for "Först." read "Thoms."

" 495, " 45 - for "Istochaeta" read "Istocheta"

" 502, " 3 - for "Microbracon" read "Amyosoma"

" 503, " 14 - for "platyhypenae" read "plathypenae"

" 504, " 12 - for "nawaii" read "nawai"

" 504, " 21 - for "platyhypenae" read "plathypenae"

" 517, " 22 - for "Chosen" read "Korea"

" 522, " 2 - for "facialis" read "facilis"

L E P I D O P T E R A
(continued)

(N.B. Where the original paper has been consulted, the author's name is given in the list of references.)

- - - - - - - - -

Nacoleia accepta Butl. - See Omiodes

Nacoleia anastrepta Meyr. - See Omiodes

Nacoleia annubilata Swinh. - See Lamprosema

Nacoleia asaphombra Meyr. - See Omiodes

Nacoleia blackburni Butl. - See Omiodes

Nacoleia continuatalis Wllgrn. - See Omiodes

Nacoleia diemenalis Guen. - See Hedylepta

Nacoleia indicata F. - See Hedylepta

Nacoleia localis Butl. - See Omiodes

Nacoleia meyricki Sw. - See Omiodes swezeyi Hmps.

Nacoleia monogona Meyr. - See Omiodes

Nacoleia musicola Sw. - See Omiodes

Nacoleia octasema Meyr. - See Lamprosema

Nacoleia scotala Hmps. - See Omiodes

Nacophora quernaria A. & S. (Geometrid)
Aplomya helvina Coq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Nadata gibbosa A. & S. (Notodontid)
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Nadiasa concolor Walk. (Lasiocampid)
Chalcid sp. (Hym.) - S. Africa (A, xxiv, 335).
Ichneumonid sp. (Hym.) - S. Africa (A, xxiv, 335).
Sturmia dilabida Vill. (Dipt. Tachinid) - S. Africa (A, xxiv, 335).

Naenia typica L. - See Phalaena

Naranga aenescens Moore (Phalaenid)
Apanteles ruficrus Hal. (Hym. Braconid) - Formosa (Watanabe, A, xxi, 211).
Hemiteles narangae Uch. (Hym. Ichneumonid) - Japan (A, xviii, 208).
Mesochorus narangae Uch. (Hym. Ichneumonid) - Japan (A, xviii, 286).
Nesopimpla narangae Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191; xvii, 343).
Pimpla spuria nipponica Uch. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Pimpla turionellae L. (Hym. Ichneumonid) - Japan (A, xxi, 548).
Rogas narangae Rohw. (Hym. Braconid) - China (Chu, A, xxiv, 105): Formosa (A, xxii, 324).
Trichogramma sp. (Hym. Trichogrammid) - Japan (A, xxiv, 630).
Zacharops narangae Cush. (Hym. Ichneumonid) - China (A, xxiii, 207; Chu, xxiv, 105): Formosa (A, xiii, 292).

Naranga diffusa Walk. (Phalaenid)
Apanteles ruficrus Hal. (Hym. Braconid) - Formosa (A, xvii, 153).

Narosa conspersa Walk. (Limacodid)
Euplectrus sp. (Hym. Eulophid) - India (A, xxv, 65).
Ichneumonid sp. (Hym.) - India (A, xxiv, 40).
Rogas sp. (Hym. Braconid) - Ceylon (King, A, xix, 573; Austin, xx, 497).
Tachinid sp. (Dipt.) - India (A, xxiv, 40).
Zenillia heterusiae Coq. (Dipt. Tachinid) - India (A, xxiv, 40).

Narycia melanella Haw. (Tineid)
Chelonus annulatus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Natada furva Wilen. (Limacodid)
Charops arctornisae Sonan (Hym. Ichneumonid) - Formosa (A, xix, 196).

Natada nararia Moore - See Macroplectra

Neleucania albilinea Hb. - See Protoleucania

Nemapogon granella L. (Tineid)
Apanteles sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Dibrachys cavus Walk. (Hym. Pteromalid) - ? (Faure & Zolotarewsky, A, xiii, 593).
Hemiteles bipunctator Thnbg. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Idechthis canescens Grav. (Hym. Ichneumonid) - Germany (A, xxv, 263).

Nematocampa limbata Haw. (Geometrid)
Meteorus trachynotus Vier. (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Nemeta sp. (Limacodid)
Apanteles belippae Rohw. (Hym. Braconid) - Japan (King, A, xix, 573).
? Spinaria nigriceps Cam. (Hym. Braconid) - India (A, xxi, 131).

Nemeta laleana Moore (Limacodid)
Spinaria nigriceps Cam. (Hym. Braconid) - Ceylon, India (Beeson & Chatterjee, A, xxiv, 197).

Nemeta lohor Moore (Limacodid)
Apanteles belippae Rohw. (Hym. Braconid) - Java (A, vii, 104; xvii, 153).

Nemoria grataria F. - See Haematopis

Neophasia menapia Fall. (Pierid)
Theronia fulvescens Cress. (Hym. Ichneumonid) - U.S.A. (A, xiii, 82; xv, 79).

Nephantis serinopa Meyr. (Xyloryctid)
Apanteles sp. (Hym. Braconid) - Ceylon (A, xix, 137): India (A, xv, 127; Ramakrishna Ayyar, xvi, 48; xvii, 113).
Apanteles taragamae Vier. (Hym. Braconid) - India (A, xvii, 507).
Brachymeria nephantidis Gahan (Hym. Chalcid) - India (A, xviii, 285).
Elasmus nephantidis Rohw. (Hym. Elasmid) - India (A, ix, 136; Ramakrishna Ayyar, x, 183; Ramakrishna Ayyar, xiii, 645; xv, 127; Ramakrishna Ayyar, xvi, 48; xvii, 113; xviii, 193, 198, 532; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Microbracon sp. (Hym. Braconid) - India (A, xv, 127; xviii, 193).
Microbracon serinopae Cherian (Hym. Braconid) - Cochin (A, xviii, 532): India (A, xviii, 532; xxiii, 731).
Perilampus microgastris Ferr. (Hym. Perilampid) - India (A, xix, 28).
Perisierola sp. (Hym. Bethylid) - India (A, xv, 127; xvii, 113; xviii, 193, 285, 532; xxiii, 731).
Perisierola nephantidis Mues. (Hym. Bethylid) - India (A, xxii, 713).
Stomatoceras sulcatiscutellum Gir. (Hym. Chalcid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar, xiii, 645; xv, 127; Ramakrishna Ayyar, xvi, 48; xvii, 113; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Stomatomyia bezziana Bar. (Dipt. Tachinid) - Ceylon (Baranoff, A, xxii, 555).
Trichospilus pupivora Ferr. (Hym. Eulophid) - Ceylon (A, xix, 28; Ramakrishna Ayyar, xxii, 380; xxiv, 765): India (A, xix, 28; xxii, 261; Ramakrishna Ayyar, xxii, 380; Ramakrishna Ayyar & Margabandu, xxiii, 209, 731).
Xanthopimpla punctata F. (Hym. Ichneumonid) - India (Ramakrishna Ayyar, A, xxiii, 209).

Nephelodes sp. (Phalaenid)
Rogas testaceus Spin. (Hym. Braconid) - France, Germany, Italy (Chu & Hsia, A, xxv, 508).

Nephelodes emmedonia Cram. (Phalaenid)
Aplomya trisetosa Coq. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).
Ophionine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia futilis O.S. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Nephelodes emmedonia violans Guen. (Phalaenid)
Apanteles rufocoxalis Riley (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Nephopteryx sp. (Phycitid)
Apanteles importunus Wlkn. (Hym. Braconid) - India (A, xvii, 153).
Microbracon brevicornis Wesm. (Hym. Braconid) - India (Husain & Mathur, A, xii, 383).

Nephopteryx genistella Dup. (Phycitid)
? Lissonota halidaii Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Jackson, A, xxv, 767).
Syzeuctus maculatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nephopteryx hostilis Steph. (Phycitid)
Campoplex difformis Gmel. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127; Schutze & Roman, xix, 239).

Nephopteryx pergratiella Hulst. - See Monoptilota pergratialis Hulst.

Nephopteryx pirivorella Mats. - See Numonia

Nephopteryx rhodobasalis Hmps. (Phycitid)
Apanteles importunus Wlkn. (Hym. Braconid) - India (A, xvii, 506; Beeson & Chatterjee, xxiv, 197).
Phanerotoma hendecasisella Cam. (Hym. Braconid) - India (Wilkinson, A, xix, 173; Beeson & Chatterjee, xxiv, 197): Ceylon, Australia, Egypt (Beeson & Chatterjee, A, xxiv, 197).

Nephopteryx spissicella F. - See Phycita

Nephopteryx vacciniella Zell. - See Metriostola

Nepticula anomalella Goeze (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula argyropeza Zell. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula aucupariae Frey (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Angitia (?) elishae Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Colastes braconius Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula basiguttella Hein. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula betulicola Staint. (Nepticulid)
Mirax spartii Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula centifoliella Zell. (Nepticulid)
Gelis sp. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula marginicolella Staint. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula myrtillella Staint. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Nepticula plagicolella Staint. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula poterii Staint. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula pyri Glitz (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Nepticula salicis Staint. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula septembrella Staint. (Nepticulid)
Mirax spartii Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula trimaculella Haw. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nepticula weaveri Staint. (Nepticulid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Neptis aceris Lep. (Nymphalid)
Apanteles vanessae Reinh. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Neptis agatha Cram. (Nymphalid)
Tetrastichus sculpturatus Wtstn. (Hym. Eulophid) - Uganda (A, iv, 65; vi, 51).

Nepytia canosaria Walk. (Geometrid)
Pimpla conquisitor Say (Hym. Ichneumonid) - ? (Schedl, A, xix, 725).

Nesamiptis obsoleta Butl. (Phalaenid)
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Neurobathra strigifinitella Clem. (Gracilariid)
Apanteles rohweri Mues. (Hym. Braconid) - U.S.A. (A, iii, 415; Muesebeck, ix, 169).
Arthrolytus sp. (Hym. Pteromalid) - U.S.A. (A, iii, 415).
Sympiesis flavipes Ashm. (Hym. Eulophid) - U.S.A. (A, iii, 415).

Noctua sp. (Phalaenid)
Microplitis coactus Lund. (Hym. Braconid) - Greenland (Muesebeck, A, x, 551).

Noctua brunnea Schiff. - See Diarsia

Noctua c-nigrum L. - See Amathes

Noctua clandestina Harr. - See Spaelotis

Noctua ditrapezium Borkh. - See Agrotis

Noctua plecta L. - See Ochropleura

Noctuelia elautalis Grote (Pyraustid)
Heterospilus melanocephalus Rohw. (Hym. Braconid) - U.S.A. (A, xiii, 277).

NOCTUID sp. - See PHALAENID sp.

Nola cucullatella L. (Nolid)
Apanteles viminetorum Wesm. (Hym. Braconid) - England (Lyle, Ent. Month. Mag., lxii, p.268).
Mesochorus anomalus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus vittator Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus fragilis Wesm. (Hym. Braconid) - England (Waterston, Ent. Month. Mag., lxii, pp.239, 268).

Nomphila noctuella D. & S. (Pyraustid)
Apanteles pyralidis Mues. (Hym. Braconid) - U.S.A. (A, ix, 169).
Meteorus dejeanus Rond. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nonagria cannae Ochs. - See Archanara

Nonagria exitiosa Oll. - See Phragmatiphila truncata Walk.

Notarcha ruralis Scop. - See Sylepta

Nothopteryx carpinata Borkh. (Geometrid)
Microgaster circumvecta Lyle (Hym. Braconid) - Britain (A, vi, 381).
Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc London, lxxxi, pp.133-183, 1933).

Nothopteryx sexalata Vill. L. - See Mysticoptera sexalata Ratz.

Nothris marginella F. - See Dichomeris

Nothris sulcella Stgr. (Gelechiid)
Microbracon brevicornis Wesm. (Hym. Braconid) - ? (Genieys, A, xiii, 462).

Nothris senticetella Stgr. (Gelechiid)
Copidosoma thompsoni Mercet (Hym. Encyrtid) - France (Parker & Thompson, A, xvii, 285; Parker & Thompson, B, xvii, 101): ? (Parker, A, xix, 436).

Nothris verbascella Hb. (Gelechiid)
Angitia rufipes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133 183, 1933)
Campoplex difformis Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Cremastus decoratus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Cremastus interruptor Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Cremastus ornatus Szep. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).
Triclistus congener Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Triclistus curvator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Notocelia roborana Tr. - See Epiblema cynosbana F.

Notocelia udmanniana L. - See Epiblema

Notodonta anceps Goeze (Notodontid)
Argyrophylax atropivora R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Bigonichaeta setipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Campoplex falcator F (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Lydella albisquamma Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Notodonta cycnoptera Lower - See Pheressaces

Notodonta dromedarius L. (Notodontid)
Agrypon flaveolatum Grav (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles abjectus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933)
Apanteles glomeratus L (Hym. Braconid) - Germany (Wagner, A, xix, 127)
Apanteles octonarius Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon fabricator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus tetricus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla instigator F. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Notodonta phoebe Scriba (Notodontid)
Eversmannia ruficauda Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Notodonta trepida Esp. - See N. anceps Goeze

Notodonta ziczac L. (Notodontid)
Apanteles glomeratus L. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Apanteles octonarius Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles rubripes Hal. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Apanteles vanessae Reinh. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Campoplex falcator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex pugillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas pulchripes Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Therion circumflexum L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Notolophus antiquus L. (Lymantriid)
Anilastus carbonarius Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Anilastus vulgaris Tschek (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Apanteles formosus Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles solitarius Ratz. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Astomaspis nanus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Carcelia amplexa Coq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Carcelia gnava Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Casinaria ischnogaster Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Casinaria nigripes Grav. (Hym. Ichneumonid) - France (A, xi, 295).
Casinaria senicula Grav. (Hym. Ichneumonid) - France (A, xi, 295).
Comedo longicornis Thoms. (Hym. Eulophid) - Germany (A, xviii, 456).
Comedo orgyiae Fitch (Hym. Eulophid) - Canada (A, vii, 177).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, xiv, 257; Schaffner & Griswold, xxii, 688).
Dibrachys cavus Walk. (Hym. Pteromalid) - U.S.A. (A, iii, 268): ? (Faure & Zolotarewsky, A, xiii, 593).

Exorista impotens Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - Canada (A, i, 114): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Hyposoter pallipes Prov. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Mesochorus pallidus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus hyphantriae Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Meteorus versicolor Wesm. (Hym. Braconid) - U.S.A. (A, vi, 511; Muesebeck, xi, 447; Schaffner & Griswold, xxii, 688; xxiii, 168).
Ophion mocsaryi Brauns. (Hym. Ichneumonid) - England (A, xvi, 9).
Phobocampe obscurella Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pimpla arctica Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla compunctor L. (Hym. Ichneumonid) - England (A, xvi, 9).
Pimpla conquisitor Say (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pimpla examinator F. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127): Latvia (Ozols, A, xvii, 55): ? (Jackson, A, xxv, 767).
Pimpla flavonotata Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla graminellae Schrank (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla indagatrix Cress. (Hym. Ichneumonid) - Canada (A, vii, 177).
Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla inquisitoriella D.T. (Hym. Ichneumonid) - Canada (A, vii, 177): U.S.A. (A, iii, 268).
Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Japan (Uchida, A, xvii, 191).
Pimpla pacifica Cush. (Hym. Ichneumonid) - N. America (A, ix, 169).
Psychophagus omnivorus Walk. (Hym. Pteromalid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pteromalus sp. (Hym. Pteromalid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas geniculator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Sagaritis raptor Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (A, xi, 295).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Telenomus dalmanni Ratz. (Hym. Scelionid) - Europe (Girault, A, ii, 310): Britain (A, xiv, 642; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (A, xi, 295): Russia (A, iii, 638; Meier, xviii, 131): Sweden (A, xiii, 163): Canada (Treherne, A, iv, 527): U.S.A. (A, viii, 509).
Telenomus orgyiae Fitch (Hym. Scelionid) - U.S.A. (A, iii, 268).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Russia (Lesovoi, A, xviii, 609).

Xanthopimpla punctata F. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Zenillia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; Schaffner & Griswold, xxii, 688).

Notolophus antiquus badia Hy. Edw. (Lymantriid)
Pimpla pedalis Cress. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Schedl, xix, 725).

Notolophus aurolimbatus Guen. (Lymantriid)
Brachymeria secundaria Ruschka (Hym. Chalcid) - Spain (A, xi, 327).

Notolophus oslari Barnes - See Hemerocampa

Notolophus posticus Walk. (Lymantriid)
Apanteles colemani Vier. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xvi, 48; xvii, 153; Ramakrishna Ayyar & Margabandu, xxiii, 209; Beeson & Chatterjee, xxiv, 197).
Apanteles liparidis Bché. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211; xxiii, 131).
Apanteles posticae Sonan (Hym. Braconid) - Formosa (A, xvi, 482).
Apanteles riverae Porter (Hym. Braconid) - Chile (A, vii, 253).
Charops flavipetiolus Sonan (Hym. Ichneumonid) - Formosa (A, xviii, 8).
Delopia nigrifemur Sonan (Hym. Ichneumonid) - Formosa (A, xviii, 8).
Enicospilus striatus Cam. (Hym. Ichneumonid) - Formosa (A, xiii, 292; xvi, 482; xvii, 546).
Exorista larvarum L. (Dipt. Tachinid) - Formosa (A, xvi, 482).
Holocremmus posticae Sonan (Hym. Ichneumonid) - Formosa (A, xviii, 8).
Hymenobosmina posticae Sonan (Hym. Ichneumonid) - Formosa (A, xviii, 8).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Ceylon (A, xi, 3; xiii, 605; xiv, 233): Malaya (A, xiii, 605; Corbett & Miller, xxi, 676).
Xanthopimpla punctata F. (Hym. Ichneumonid) - Formosa (A, xvi, 482): China, Formosa, Japan, India, Ceylon, Amboina, Java, Singapore, Philippines, Sumatra, Celebes, Borneo, Kei Is. (Chu & Hsia, A, xxv, 508).
Zenillia modicella Wulp (Dipt. Tachinid) - Ceylon (Baranoff, A, xxii, 555).

Notolophus vetustus Hmps. (Lymantriid)
Apanteles africanus Cam. (Hym. Braconid) - Uganda (A, xvii, 694; xxi, 135).
Mesochorus nigellus Wlkn. (Hym. Ichneumonid) - Tanganyika (A, xxiii, 665).

Nudaurelia cytherea F. (Saturniid)
Apanteles maculitarsis Cam. (Hym. Braconid) - S. Africa (A, xxiv, 335).

Nudaurelia wahlbergi Bdv. (Saturniid)
Echthromorpha variegata Brulle (Hym. Ichneumonid) - S. Africa (A, v, 263).

Numonia pirivorella Mats. (Phycitid)
Cremastus flavoorbitalis Cam. (Hym. Ichneumonid) - Japan (A, xxi, 548): India, Ceylon, Burma, Philippines, Singapore, Formosa, Japan, Chosen, China, America, Canada, Hawaii (Chu & Hsia, A, xxv, 508).

Diaparsis coreanus knodonis Uch. (Hym. Ichneumonid) - Manchuria (Uchida, A, xvi, 692).
Pimpla bernuthi Htg. (Hym. Ichneumonid) - E. Asia (A, xvii, 586).
Pimpla hakonensis Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Pimpla ventricosa Tschek (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Numonia purivora Ger. - See N. pirivorella Mats.

Nyctemera annulatum Bdv. (Hypsid)
Cerosomyia nyctemeriana Hutt. (Dipt. Tachinid) - New Zealand (Gourlay, A, xviii, 653).
Echthromorpha intricatoria F. (Hym. Ichneumonid) - New Zealand (A, xvii, 733; Gourlay, xviii, 653).
Lydella casta Rond. (Dipt. Tachinid) - New Zealand (A, xvii, 733; Gourlay, xviii, 653).

Nyctemera apicalis Walk. (Hypsid)
Microgaster fasciipennis Gahan (Hym. Braconid) - Africa (A, vii, 104): Uganda (Wilkinson, A, xvii, 608).

Nyctemera lacticinia Cram. (Hypsid)
Euplectrus nyctemerae Crwf. (Hym. Eulophid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xiii, 645; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Nycteola revayana Scop. - See Sarrothripus

Nyctobia anguilineata G. & R. (Geometrid)
Apanteles palaecritae Riley (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Nygmia flava Brem. - See Euproctis

Nygmia phaeorrhoea Don. (Lymantriid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112).
Actia pilipennis Fall. (Dipt. Tachinid) - Rumania (Suster, A, xix, 21).
Anagrus ovivorus Rond. (Hym. Mymarid) - Europe (Girault, A, ii, 310).
Anastatus bifasciatus Fonsc. (Hym. Eupelmid) - U.S.A. (A, vi, 178; xiv, 288).
Apanteles inclusus Ratz. (Hym. Braconid) - Europe (A, xiii, 370): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles lacteicolor Vier. (Hym. Braconid) - Europe (Muesebeck, A, ix, 169): Russia (Meier, A, xvi, 200): Canada (A, iii, 62; iv, 118, 119, 336; Treherne, iv, 527; vii, 178, 526; x, 163): N. America (A, iv, 178): U.S.A. (A, ii, 135, 186, 393; iv, 242; vi, 178, 511; viii, 96; Muesebeck, ix, 169; xi, 175, 555; xxii, 359): U.S.A.-Canada (A, xi, 368; xv, 38): ? (Burgess & Crossman, A, xviii, 170).
Apanteles liparidis Bché. (Hym. Braconid) - Japan (A, xxiii, 131).
Apanteles melanoscelus Ratz. (Hym. Braconid) - U.S.A. (A, x, 403; Burgess, xiv, 288; xxiii, 168).
Apanteles solitarius Ratz. (Hym. Braconid) - Russia (Meier, A, xvi, 200).

Apanteles ultor Reinh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Apanteles vitripennis Hal. (Hym. Braconid) - Russia (Meier, A, xvi, 200): U.S.A. (Burgess, A, xiv, 288).
Bigonichaeta setipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Brachymeria intermedia Nees (Hym. Chalcid) - Russia (Meier, A, xviii, 131): U.S.A. (A, xxiii, 586): ? (Ruschka, A, xiii, 319).
Brachymeria scirropoda Forst. (Hym. Chalcid) - Russia (Meier, A, xviii, 131).
Brachymeria secundaria Ruschka (Hym. Chalcid) - ? (Mercet, A, xi, 327).
Carcelia cheloniae Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Carcelia laxifrons Vill. (Dipt. Tachinid) - Bulgaria (Tchorbadzhiev, A, xiii, 601; Tchorbadzhiev, xv, 230): U.S.A. (A, xxii, 359): ? (Burgess & Crossman, A, xviii, 170).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (A, iii, 639): Spain (A, xx, 189): Canada (A, i, 402; iii, 62; iv, 117, 119, 336; Treherne, iv, 527; vii, 178, 526; viii, 3; x, 163; Baird, xxiii, 479; xxiv, 246): N. America (A, iv, 178): U.S.A. (A, ii, 135, 186, 393; iv, 242; vi, 172, 178; vii, 428; xiv, 257; Burgess, xiv, 288; xxii, 359; xxiii, 168; xxv, 431): U.S.A.-Canada (A, xv, 38): ? (Burgess & Crossman, A, xviii, 170).
Cyclotaphrys anser Tns. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Dibrachys cavus Walk. (Hym. Pteromalid) - Russia (Meier, A, xviii, 131).
Erycia fatua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Eudoromyia magnicornis Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Eupteromalus nidulans Först. (Hym. Pteromalid) - Europe (Goidanich, A, xx, 445): Holland (A, xxii, 210): Russia (Meier, A, xviii, 131): U.S.A. (A, ix, 655; xxii, 359): ? (Burgess & Crossman, A, xviii, 170).
Euthryptocera latifrons Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Rumania (Suster, A, xix, 21): U.S.A. (A, xxii, 359).
Ichneumon scutellator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Idechthis canescens Grav. (Hym. Ichneumonid) - Germany (A, xxii, 724).
Istochaeta marmorata F. (Dipt. Tachinid) - Britain (A, vii, 444).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).
Madremyia saundersii Will. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).
Masicera sylvatica Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Meteorus ictericus Nees (Hym. Braconid) - Russia (Meier, A, xvi, 200).
Meteorus versicolor Wesm. (Hym. Braconid) - Holland (A, xxii, 211): Russia (Meier, A, xvi, 200): Canada (A, iv, 117; Baird, xxiii, 479): N. America (A, iv, 178; Muesebeck, xi, 447): U.S.A. (A, ii, 135, 393; iv, 242; vi, 176, 178, 511; viii, 96; xi, 175, 555; xxii, 359): ? (Burgess & Crossman, A, xviii, 170).
Monodontomerus aereus Walk. (Hym. Torymid) - Bulgaria (Tchorbadzhiev, A, xiii, 601; Tchorbadzhiev, xv, 230): Holland (A, xix, 739; xxii, 210): Russia (Meier, A, xviii, 131): U.S.A. (A, i, 140; iv, 242; vi, 172; xx, 58).

Nemorilla notabilis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Neopales pavida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Bulgaria (Tchorbadzhiev, A, xiii, 601; Tchorbadzhiev, xv, 230).
Ooencyrtus kuvanae How. (Hym. Encyrtid) - U.S.A. (Burgess, A, xiv, 288).
Phorocera claripennis Macq. (Dipt. Tachinid) - Canada (Treherne, A, iv, 257).
Phorocera leucaniae Coq. (Dipt. Tachinid) - Canada (Tothill, A, i, 114): U.S.A. (Aldrich & Webber, A, xii, 214).
Phorocera pachypyga A. & W. (Dipt. Tachinid) - N. America (A, xii, 214).
Phorocera sylvestris R.-D. (Dipt. Tachinid) - U.S.A. (Burgess, A, xiv, 288).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pimpla alternans Grav. (Hym. Ichneumonid) - Bulgaria (Tchorbadzhiev, A, xiii, 601; Tchorbadzhiev, xv, 230).
Pimpla compunctor L. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Pimpla conquisitor Say (Hym. Ichneumonid) - ? (Schedl, A, xix, 725).
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497; Thorpe, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Jugoslavia (Hensch, A, xvii, 608): Russia (Meier, A, xvi, 200; Meier, xviii, 131; Romanova, xix, 563): ? (Meyer, A, xiii, 479; Jackson, xxv, 767).
Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, xix, 739): Russia (Meier, A, xvi, 200; Meier, xviii, 131; xix, 289; Romanova, xix, 563).
Pimpla pedalis Cress. (Hym. Ichneumonid) - ? (Schedl, A, xix, 725).
Pteromalus egregius Först. (Hym. Pteromalid) - U.S.A. (A, i, 140; ii, 393; iv, 242; xi, 555).
Pteromalus puparum L. (Hym. Pteromalid) - Russia (Meier, A, xviii, 131).
Rogas geniculator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Sturmia nidicola Tns. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): U.S.A. (A, ii, 393; vi, 511; viii, 96; xi, 178; xxii, 359): ? (Burgess & Crossman, A, xviii, 170).
Sturmia scutellata R.-D. (Dipt. Tachinid) - U.S.A. (Burgess, A, xiv, 288).
Tachina fera L. (Dipt. Tachinid) - Russia (A, viii, 103).
Tachina praeceps Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Telenomus phalaenarum Nees (Hym. Scelionid) - Europe (Girault, A, ii, 310): Russia (Meier, A, xviii, 131): U.S.A. (A, ii, 393).
Theronia atalantae Poda (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Trichogramma sp. (Hym. Trichogrammid) - U.S.A. (A, ii, 393).
Trichogramma euproctidis Gir. (Hym. Trichogrammid) - Europe (Girault, A, ii, 310).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (A, xiii, 587): Russia (A, i, 431; Tragardh, xii, 98; Meier, xviii, 131).
Trichogramma fasciatum Perk. (Hym. Trichogrammid) - Russia (A, ii, 333).
Trichogramma minutum Riley (Hym. Trichogrammid) - Europe (Girault, A, ii, 310): Canada (Treherne, A, iv, 527): ? (Martin, A, xvi, 441).
Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (A, xix, 65).
Zenillia fauna Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Zenillia libatrix Panz. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Bulgaria (Tchorbadzhiev, A, xiii, 601; Tchorbadzhiev, xv, 230): Hungary (A, xxii, 321).

Nygmia scintillans Walk. - See Porthesia

NYMPHALID sp.
Amblyteles rufiventris Brulle (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Neonortonia major Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pteromalus puparum L. (Hym. Pteromalid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Nymphalis antiopa L. (Nymphalid)
Achaetoneura aletiae Riley (Dipt. Tachinid) - U.S.A. (A, xv, 148; Schaffner & Griswold, xxii, 688).
Achaetoneura archippivora Will. (Dipt. Tachinid) - N. America (Webber, A, xix, 112): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Achaetoneura testacea Web. (Dipt. Tachinid) - U.S.A. (A, xvii, 618).
Apanteles glomeratus L. (Hym. Braconid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Argyrophylax bella Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Canada (A, vii, 526): U.S.A. (A, v, 311; Schaffner & Griswold, xxii, 688).
Ctenichneumon fossorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Hyposoter sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Madremyia saundersii Will. (Dipt. Tachinid) - Canada (Tothill, A, i, 114): N. America (Aldrich & Webber, A, xii, 214).
Pelatachina pellucida Coq. (Dipt. Tachinid) - U.S.A. (A, v, 311; Webber Aldrich, xiv, 257; Schaffner & Griswold, xxii, 688).
Pelatachina tibialis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phorocera sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pimpla conquisitor Say (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pteromalus puparum L. (Hym. Pteromalid) - Czechoslovakia (Kolubajiv, A, xxiii, 229): Canada (Treherne, A, iv, 527): U.S.A. (A, i, 140; Schaffner & Griswold, xxii, 688).
Sarcophaga affinis Fall. (Dipt. Sarcophagid) - ? (A, xiii, 258).
Sturmia scutellata R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Winthemia (?) sinuata Reinh. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Nymphalis californica Bdv. (Nymphalid)
Sarcophaga rapax Walk. (Dipt. Sarcophagid) - U.S.A. (A, i, 177).
Theronia atalantae americana Krieg. (Hym. Ichneumonid) - U.S.A. (A, i, 177).

Nymphalis canace L. (Nymphalid)
Apanteles tatahae Watan. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211).

Nymphalis io L. (Nymphalid)
Argyrophylax atropivora R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Argyrophylax bella Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Jugoslavia (Voukassovitch, A, xvii, 210).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Jugoslavia (Voukassovitch, A, xvii, 210).
Ctenichneumon castigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ernestia radicum F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Erycia fatua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).
Masicera bremii Macq. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pelatachina tibialis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): ? (A, ix, 442).
Phobocampe confusa Thoms. (Hym. Ichneumonid) - Ireland (Stelfox, Ent. Month. Mag., lxv, p.17, 1929; lxv, p.66, 1929).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Jugoslavia (Voukassovitch, A, xvii, 210): Sweden (A, iv, 509).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Palaearctic (Allen, A, xvi, 162): ? (A, v, 485).

Nymphalis j-album Bdv. & Lec. (Nymphalid)
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Nymphalis milberti Godt. (Nymphalid)
Achaetoneura archippivora Will. (Dipt. Tachinid) - N. America (Webber, A, xix, 112): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles atalantae Pack. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169): U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Apanteles edwardsii Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Hyposoter sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pelatachina pellucida Coq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).

Winthemia (?) quadripustulata F. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia futilis O.S. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Nymphalis polychloros L. (Nymphalid)
Amblyteles camelinus Wesm. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Apanteles vanessae Reinh. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Argyrophylax bella Mg. (Dipt. Tachinid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista simulans Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ichneumon cessator Müll. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon extensorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).
Monodontomerus aereus Walk. (Hym. Torymid) - Russia (Meier, A, xviii, 131).
Pelatachina tibialis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phobocampe confusa Thoms. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Phobocampe unicincta Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Pimpla compunctor L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497; Thorpe, xix, 29): Britain (Jackson, A, xxv, 767).
Pimpla instigator F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Pteromalus puparum L. (Hym. Pteromalid) - Germany (Wagner, A, xix, 127): Russia (Meier, A, xviii, 131).
Theronia atalantae Poda (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Denmark (A, viii, 541; Tragärdh, xii, 98): Germany (Hase, A, xiii, 587).
Zenillia inclinata Macq. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Nymphalis xanthomelas Esp. (Nymphalid)
Brachymeria intermedia Nees (Hym. Chalcid) - U.S.A. (A, xxiii, 586).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Nymphula nymphaeata L. (Pyraustid)
Microgaster rugulosa Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Nystalea nyseus Cram. (Notodontid)
Apanteles herbertii Ashm. (Hym. Braconid) - Cuba (A, xxiii, 748).

Ochropleura flammatra Schiff. (Phalaenid)
Fileanta ruficauda Cam. (Hym. Ichneumonid) - India (A, xvi, 419).

Ochropleura plecta L. (Phalaenid)
Cryptus obscurus Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Jackson, A, xxv, 767).
Siphona geniculata DeG. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Ochropleura praecox L. (Phalaenid)
Amblyteles armatorius Först. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles ruficrus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles spurius Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Enicospilus ramidulus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ophion distans Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ochsenheimeria taurella Schiff. (Tineid)
Lissonota cylindrator Vill. (Hym. Ichneumonid) - Latvia (Ozols, A, xvii, 55).
Lissonota sulphurifera ruficoxis Schmied. (Hym. Ichneumonid) - Latvia (Ozols, A, xvii, 55).
Pimpla graminellae Schrank (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Ochyrotica concursa Wlsm. (Pterophorid)
Apanteles bisulcata Cam. (Hym. Braconid) - Ceylon (Wilkinson, A, xvii, 153).
Apanteles steganodactylae Cam. (Hym. Braconid) - Ceylon (Wilkinson, A, xvii, 153).

Ocinara sp..(Bombycid)
Goryphus fuscinerus Cam. (Hym. Ichneumonid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).
Zenillia kochidua Tns. (Dipt. Tachinid) - India (Records from British Museum).

Ocinara signifera Walk. (Bombycid)
Echthromorpha notulatoria F. (Hym. Ichneumonid) - Java (A, vii, 104).

Ocneria detrita Esp. (Lymantriid)
Bessa selecta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Austria (Schimitschek, A, xxiv, 340).
Meteorus versicolor bimaculatus Wesm. (Hym. Braconid) - Austria (Schimitschek, A, xxiv, 340).
Therion circumflexum L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Zenillia libatrix Panz. (Dipt. Tachinid) - Austria (Schimitschek, A, xxiv, 340).

Ocnerostoma piniariella Zell. (Hyponomeutid)
Ageniaspis fuscicollis Dalm. (Hym. Encyrtid) - Sweden (A, iii, 147).

Ocnogyna boeticum Ramb. (Arctiid)
Apanteles congestus Nees (Hym. Braconid) - Spain (A, xvii, 247).
Prosopaea nigricans Egg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Rogas geniculator Nees (Hym. Braconid) - Spain (A, xvii, 247).

Ocnogyna corsicum Ramb. (Arctiid)
Thelaira nigripes F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Ocnogyna loewi Zell. (Arctiid)
Apanteles congestus Nees (Hym. Braconid) - Palestine (A, xvi, 610).

Odonestis divisa Moore - See Cosmotriche

Odonestis plagifera Walk. - See Paralebeda

Odonestis potatoria L. - See Cosmotriche

Oeceticus sp. (Psychid)
Psychidosmicra brasiliensis Brèthes (Hym. Chalcid) - Brazil (A, vii, 125).
Tetrastichus isis Brèthes (Hym. Eulophid) - Brazil (A, vii, 125).

Oeceticus geyeri Berg. (Psychid)
Balcarcia bergi Brèthes (Hym. Ichneumonid) - Argentina (A, x, 509).

Oeceticus kirbyi Guild. (Psychid)
Apanteles oeceticola Blanch. (Hym. Braconid) - Argentina (A, xxiii, 361).
Ipobracon allenense Blanch. (Hym. Braconid) - Argentina (A, xxi, 586).
Ipobracon koehleri Blanch. (Hym. Braconid) - Argentina (A, xxi, 586).
Ipobracon longicaudatum Blanch. (Hym. Braconid) - Argentina (A, xxi, 586).
Ipobracon neuquenense Blanch. (Hym. Braconid) - Argentina (A, xxi, 586).
Ipobracon oeceticola Brèthes (Hym. Braconid) - Argentina (A, xxi, 586).
Ipobracon psychidophagum Blanch. (Hym. Braconid) - Argentina (A, xxi, 586).

Ipobracon sollertum Blanch. (Hym. Braconid) - Argentina (A, xxi, 586).
Ipobracon sublucens Blanch. (Hym. Braconid) - Argentina (A, xxi, 586).
Microbracon lizerianum Blanch. (Hym. Braconid) - Argentina (A, xxi, 586).
Pimpla tomyris Schrottky (Hym. Ichneumonid) - Argentina (A, xxv, 473).
Psychidosmicra australis Blanch. (Hym. Chalcid) - Argentina (A, xxiv, 381).
Psychidosmicra brasiliensis Brèthes (Hym. Chalcid) - Argentina (A, xxiv, 381).
Spilochalcis paranensis Schrottky (Hym. Chalcid) - Argentina (A, xxiv, 381).
Spilochalcis vigintidentata Brèthes (Hym. Chalcid) - Argentina (A, xxiv, 381).
Tetrastichus pseudoeceticola Blanch. (Hym. Eulophid) - Argentina (Blanchard, A, xxv, 787).
Zenillia caridei Brèthes (Dipt. Tachinid) - Argentina (A, x, 627).

Oeceticus kirbyi platensis Berg. - See O. platensis Berg.

Oeceticus omnivorus Fered. - See Liothula

Oeceticus platensis Berg. (Psychid)
Allocota bruchii Brèthes (Hym. Ichneumonid) - Argentina (A, v, 506; Massini & Brèthes, vi, 517; Brèthes, viii, 298): Paraguay (A, xiii, 199).
Eurytoma caridei Brèthes (Hym. Eurytomid) - Argentina (A, vi, 315; vii, 363; Brèthes, viii, 298): Paraguay (A, xiii, 199).
Gymnostylia argentina Brèthes (Dipt. Tachinid) - Argentina (A, x, 340).
Ipobracon oeceticola Brèthes (Hym. Braconid) - Argentina (A, viii, 298, 299).
Lindesonius caridei Brèthes (Hym. Eupelmid) - Argentina (A, vi, 315; vii, 363).
Parasetigena platensis Brèthes (Dipt. Tachinid) - Argentina (A, x, 340).
Perissocentrus argentinae Crwf. (Hym. Torymid) - Argentina (A, vi, 315; Brèthes, viii, 298): Paraguay (A, xiii, 199).
Perissocentrus argentinae caridei Brèthes (Hym. Torymid) - Argentina (A, vi, 315; vii, 363; Brèthes, viii, 298).
Phobetes bruchii Brèthes (Hym. Ichneumonid) - Argentina (A, v, 506; vi, 517; Brèthes, viii, 298): Paraguay (A, xiii, 199).
Phorocera xanthura Wulp (Dipt. Tachinid) - Argentina (A, v, 506).
Pimpla holmbergi Brèthes (Hym. Ichneumonid) - Argentina (A, vi, 517; Brèthes, viii, 298).
Pimpla oeceticola Brèthes (Hym. Ichneumonid) - Argentina (A, v, 506; vi, 517; Brèthes, viii, 298): Paraguay (A, xiii, 199).
Pimpla tomyris Schrottky (Hym. Ichneumonid) - Argentina (A, v, 506; Brèthes, viii, 298): Paraguay (A, xiii, 199).
Spilochalcis bergi Kirby (Hym. Chalcid) - Argentina (A, v, 506; viii, 298): Paraguay (A, xiii, 199).
Tetrastichus oeceticola Brèthes (Hym. Eulophid) - Argentina (A, viii, 298, 299).
Tetrastichus platensis Brèthes (Hym. Eulophid) - Argentina (A, v, 506; vi, 315, 517; viii, 298; ix, 209; x, 340; xv, 408): Paraguay (A, xiii, 199).
Zenillia caridei Brèthes (Dipt. Tachinid) - Argentina (A, vi, 517; vii, 363; viii, 298; ix, 209; x, 340; xv, 408, 525): Paraguay (A, xiii, 199).

Oecia maculata Wlsm. - See O. oecophita Stdgr.

Oecia oecophita Stdgr. (Gelechiid)
Apanteles hawaiiensis Ashm. (Hym. Braconid) - Hawaii (Swezey, A, iii, 681).

Oecocecis guyonella Guen. (Gelechiid)
Plastotorymus albipes Gir. (Hym. Torymid) - Algeria (Ruschka, A, xi, 407).

Oecophora geoffrella L. (Oecophorid)
Meteorus pulchricornis Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Oecophyllembius inferior Silv. (Gracilariid)
Atoposoma variegatum afra Silv. (Hym. Eulophid) - Eritrea (A, iii, 431).

Oecophyllembius neglectus Silv. (Gracilariid)
Apanteles fulvipes Hal. (Hym. Braconid) - France (A, xiv, 379).
Encyrtus mayri Masi (Hym. Encyrtid) - France (A, xiv, 379): ? (A, iv, 54; Parker, xix, 436).
Eulophus longulus Zett. (Hym. Eulophid) - France (A, xiv, 379).

Oeneis macounii Edw. (Satyrid)
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).

Oeonistis quadra L. - See Lithosia

Oenophthira pilleriana Schiff. - See Sparganothis

Ogdoconta cinereola Guen. (Phalaenid)
Copecrypta nitens Wd. (Dipt. Tachinid) - U.S.A. (A, xii, 87).

Ogyris zozine Haw. (Lycaenid)
Apanteles rufiventris Bingh. (Hym. Braconid) - Australia (Wilkinson, A, xvii, 153).

Oidaematophorus sp. (Pterophorid)
Angitia chrysosticta Gmel. (Hym. Ichneumonid) - Germany (Habermehl, A, xi, 365).

Oidaematophorus galactodactylus Hb. (Pterophorid)
Ischnus nigricollis Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus sylvarum Curt. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phobocampe unicincta Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Oidaematophorus homodactylus Walk. (Pterophorid)
Apanteles pterophori Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, xv, 185).

Oidaematophorus kellicottii Fish (Pterophorid)
Cremastus pterophori Cush. (Hym. Ichneumonid) - U.S.A. (Cushman, A, xviii, 115).

Oidaematophorus lithodactylus Tr. (Pterophorid)
Anachaetopsis ocypterina Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Oidaematophorus microdactylus Hb. (Pterophorid)
Anachaetopsis ocypterina Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Oidaematophorus monodactylus L. (Pterophorid)
Rogas bicolor Spin. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).

Oidaematophorus pentadactylus L. (Pterophorid)
Ischnus thoracicus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Oidaematophorus tephradactylus Hb. (Pterophorid)
Anachaetopsis ocypterina Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Mesochorus pectoralis Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas bicolor Spin. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Olene sp. (Lymantriid)
Apanteles fiskei Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Olene atomaria Walk. (Lymantriid)
Apanteles fiskei Vier. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Hyposoter parorgyiae Vier. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Hyposoter rubiginosus Cush. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Olene basiflava Pack. (Lymantriid)
Apanteles diacrisiae Gahan (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Apanteles fiskei Vier. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles melanoscelus Ratz. (Hym. Braconid) - U.S.A. (A, x, 403; xxiii, 168).
Apanteles scitulus Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Casinaria orgyiae How. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Hyposoter rubiginosus Cush. (Hym. Ichneumonid) - U.S.A. (A, xii, 137; Schaffner & Griswold, xxii, 688).
Meteorus sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Olene clintoni G. & R. - See O. basiflava Pack.

Olene leucophaea A. & S. (Lymantriid)
Brachymeria ovata Say (Hym. Chalcid) - U.S.A. (A, xii, 16).
Pimpla conquisitor Say (Hym. Ichneumonid) - U.S.A. (A, xii, 16).
Theronia fulvescens Cress. (Hym. Ichneumonid) - U.S.A. (A, xii, 16).

Olene mendosa Hb. - See Dasychira

Olene pini Dyar (Lymantriid)
Zenillia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Olene pinicola Dyar (Lymantriid)
Pimpla pedalis Cress. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169): ? (Schedl, A, xix, 725).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, iii, 301).

Olene vagans B. & McD. (Lymantriid)
Apanteles olenidis Mues. (Hym. Braconid) - N. America (A, x, 551).
Exorista larvarum L. (Dipt. Tachinid) - Canada (A, vii, 305).

Olethreutes arbutella L. (Olethreutid)
Gelis terebrator Ratz. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Microgaster tibialis Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Perilampus laevifrons Dalm. (Hym. Perilampid) - Germany (Wagner, A, xix, 127).
Pimpla brevicornis Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Olethreutes batrachopa Meyr. (Olethreutid)
Apanteles coffea Wlkn. (Hym. Braconid) - Uganda (A, xix, 26; xxi, 135).
Trichogramma lutea Gir. (Hym. Trichogrammid) - S. Africa (A, ii, 654).

Olethreutes bifascinana Haw. (Olethreutid)
Campoplex ensator Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29).
Eubadizon extensor L. (Hym. Braconid) - Europe (Thorpe, A, xix, 29).

Olethreutes bipunctana F. (Olethreutid)
Campoplex difformis Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Olethreutes codonectis Meyr. (Olethreutid)
Apanteles stantoni Ashm. (Hym. Braconid) - Malaya (A, xvii, 153; Corbett & Miller, xvii, 413; Corbett & Miller, xxi, 676): India, Malaya, Philippines (Beeson & Chatterjee, A, xxiv, 197).

Olethreutes hercyniana Tr. (Olethreutid)

Bassus clausthalianus Ratz. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Glypta tenuicornis Thoms. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Olethreutes lacunana Dup. (Olethreutid)

Conoblasta ceratites Grav. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).

Phytodietus segmentator Grav. (Hym. Ichneumonid) - Germany (A, xviii, 293).

Pimpla detrita Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Olethreutes lediana L. (Olethreutid)

Meteorus pallipes Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Pimpla alternans Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Olethreutes leucotreta Meyr. (Olethreutid)

Bassus sp. (Hym. Braconid) - S. Rhodesia (A, xxiii, 410).

Chelonus sp. (Hym. Braconid) - Nigeria (A, xiv, 323).

Glypta leucotretae Wlkn. (Hym. Ichneumonid) - S. Rhodesia (Wilkinson, A, xix, 712; xx, 555; xxiii, 410).

Pristomerus sp. (Hym. Ichneumonid) - Italian Somaliland (A, xxi, 584; xxii, 12).

Trichogramma lutea Gir. (Hym. Trichogrammid) - S. Rhodesia (A, xxiii, 410).

Olethreutes lucivagana Zell. (Olethreutid)

Myobia diaphana Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Olethreutes micana Hb. (Olethreutid)

Pimpla inanis Schr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Olethreutes mygindana Schiff. (Olethreutid)

Angitia exareolata Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Bassus brevisetis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Conoblasta ceratites Grav. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).

Glypta ceratites Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ophion sp. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Orgilus obscurator Nees (Hym. Braconid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phaeogenes modestus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla alternans Grav. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).
Pimpla punctiventris Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Olethreutes paragramma Meyr. (Olethreutid)
Cremastus flavoorbitalis Cam. (Hym. Ichneumonid) - India (Dutt, A, viii, 99; Beeson & Chatterjee, xxiv, 197): India, Ceylon, Burma, Philippines, Singapore, Formosa, Japan, Chosen, China, America, Canada, Hawaii (Chu & Hsia, A, xxv, 508).

Olethreutes pruniana Hb. (Olethreutid)
Apanteles sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Meteorus rubriceps Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microgaster sp. (Hym Braconid) - Germany (Schutze & Roman, A, xix, 239).
Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Dos Santos Hall, A, xiii, 596).

Olethreutes purpurissatana Kenn. (Olethreutid)
Goniozus sp. (Hym. Bethylid) - Malaya (Corbett & Miller, A, xxi, 676).

Olethreutes rhynchias Meyr. (Olethreutid)
Tachinid sp. (Dipt.) - Mauritius (A, xxv, 602).

Olethreutes rivulana Scop. (Olethreutid)
Glypta ceratites Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Olethreutes rufana Scop. (Olethreutid)
Phaeogenes semifulpinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Olethreutes schistaceana Sn. (Olethreutid)
Angitia lineata Ishida (Hym. Ichneumonid) - Formosa (A, xviii, 8; xxii, 521).
Apanteles flavipes Cam. (Hym. Braconid) - Formosa (A, xx, 606; xxii, 521).
Brachymeria sp. (Hym. Chalcid) - Formosa (Chu & Hsia, A, xxv, 508).
Chelonus nitobei Sonan (Hym. Braconid) - Formosa (A, xx, 433; xxii, 521).
Trichogramma sp. (Hym. Trichogrammid) - Dutch E. Indies (A, xvii, 629).
Trichogramma australicum Gir. (Hym. Trichogrammid) - Formosa (A, xvi, 481; xxii, 521, 522): Java (A, iii, 382): Mauritius (A, v, 440; xxii, 259).
Trichogramma nana Gir. (Hym. Trichogrammid) - Formosa (A, xvi, 481; xxii, 521): Java (A, iii, 382): Philippines (A, xx, 214).
Xanthopimpla punctata F. (Hym. Ichneumonid) - China, Formosa, Japan, India, Ceylon, Amboina, Java, Singapore, Philippines, Sumatra, Celebes, Borneo, Kei Is. (Chu & Hsia, A, xxv, 508).
Xanthopimpla stemmator Thnbg. (Hym. Ichneumonid) - Formosa (A, xviii, 8; xxii, 521): Philippines, Formosa, Japan, Java, Batjan, Kei Is., India, America (Chu & Hsia, A, xxv, 508).

Olethreutes schulziana F. (Olethreutid)
Actia pilipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Thorpe, xix, 29).

Oligia bicoloria Vill. - See O. furuncula Schiff.

Oligia fractilinea Grote (Phalaenid)
Apanteles militaris Walsh (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Ceromasia senilis Mg. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).
Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Microplitis gortynae Riley (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Pimpla pterophori Ashm. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 618).
Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).

Oligia furuncula Schiff. (Phalaenid)
Exetastes cinctipes Retz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Oligia literosa Haw. (Phalaenid)
Chelonus inanitus L. (Hym. Braconid) - Britain (Morley & Rait Smith,. Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Europe, Asia, Japan, America, Algeria (Chu & Hsia, A, xxv, 508).
Limerodes arctiventris Boie. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Lissonota sulphurifera Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).
Olesicampe auctor Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Olindia ulmana Hb. (Tortricid)
Pimpla graminellae Schrank (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Olyca junctolineella Hulst. - See Olycella

Olycella junctolineella Hulst. (Phycitid)
Achaetoneura aletiae Riley (Dipt. Tachinid) - U.S.A. (A, xiii, 508).
Apanteles mimoristae Mues. (Hym. Braconid) - N. America (A, x, 551): U.S.A. (A, xiii, 508).
Brachymeria pedalis Cress. (Hym. Chalcid) - U.S.A (A, xiii, 508).
Heterospilus melanocephalus Rohw. (Hym. Braconid) - U.S.A. (A, xiii, 277).
Pareniaca schwarzi Crwf. (Hym. Chalcid) - U.S.A. (A, xiii, 508).
Phaonia sp. (Dipt. Anthomyiid) - U.S.A. (A, xiii, 508).
Phorocera comstocki Will. (Dipt. Tachinid) - U.S.A. (A, i, 79).

Omiodes accepta Butl. (Pyraustid)
Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681; Imms, xiv, 511): Japan-Hawaii (Hawaiian Planters' Record, A, xiii, 86).
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (A, xiv, 649; Swezey, xviii, 27).
Echthromorpha fuscator F. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Microbracon omiodivorum Terry (Hym. Braconid) - Hawaii (Swezey, A, iii,

681, 757; Imms, xiv, 511): Japan-Hawaii (Hawaiian Planters' Record, A, xiii, 86).
Pimpla sanguineipes Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Pristomerus hawaiiensis Ashm. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Trichogramma flavum Perk. (Hym. Trichogrammid) - Hawaii (Swezey, A, iii, 681).
Trichogramma minutum Riley (Hym. Trichogrammid) - Hawaii (Swezey, A, xviii, 255): U.S.A.-Hawaii (Hawaiian Planters' Record, A, xiii, 86): ? (Martin, A, xvi, 441).

Omiodes anastrepta Meyr. (Pyraustid)
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Omiodes asaphombra Meyr. (Pyraustid)
Casinaria infesta Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, xiv, 543).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Omiodes blackburni Butl. (Pyraustid)
Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).
Cremastus flavoorbitalis Cam. (Hym. Ichneumonid) - India, Ceylon, Burma, Philippines, Singapore, Formosa, Japan, Chosen, China, America, Canada, Hawaii (Chu & Hsia, A, xxv, 508).
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (A, vi, 351; xiv, 649; xviii, 254; Swezey, xviii, 257).
Echthromorpha fuscator F. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Pimpla sanguineipes Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Trichogramma flavum Perk. (Hym. Trichogrammid) - Hawaii (Swezey, A, iii, 681).
Trichogramma minutum Riley (Hym. Trichogrammid) - Hawaii (Swezey, A, xviii, 255): ? (Martin, A, xvi, 441).

Omiodes continuatalis Wllgrn. (Pyraustid)
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Omiodes localis Butl. (Pyraustid)
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Omiodes meyricki Sw. - See O. swezeyi Hmps.

Omiodes monogona Meyr. (Pyraustid)
Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).
Casinaria infesta Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, xiv, 543).
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Omiodes musicola Sw. (Pyraustid)
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).

Omiodes scotala Hmps. (Pyraustid)
Sierola dichroma Perk. (Hym. Dryinid) - Hawaii (Swezey, A, iii, 681).

Omiodes swezeyi Hmps. (Pyraustid)
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).
Trichogramma flavum Perk. (Hym. Trichogrammid) - Hawaii (Swezey, A, iii, 681).
Trichogramma minutum Riley (Hym. Trichogrammid) - Hawaii (Swezey, A, xviii, 255): ? (Martin, A, xvi, 441).

Omphalocera cariosa Led. (Pyralid)
Meteorus vulgaris Cress. (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).
Zenillia hyphantriae Tns. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Omphisa anastamosalis Guen. (Pyraustid)
Xanthopimpla stemmator Thnbg. (Hym. Ichneumonid) - Formosa (A, xviii, 8): Philippines, Formosa, Japan, Java, Batjan, Kei Is., India, America (Chu & Hsia, A, xxv, 508).

Omphisa illisalis Walk. - See O. anastamosalis Guen.

Oncopera sp. (Hepialid)
Hexamera sp. (Dipt. Tachinid) - Australia (A, xxii, 224).
Hystricina lupina Swed. (Dipt. Tachinid) - Australia (A, xx, 165).

Oncopera rufobrunnea Tindale (Hepialid)
Hexamera sp. (Dipt. Tachinid) - Australia (A, xxv, 321).

Operophtera sp. (Geometrid)
Phorocera caesifrons Macq. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Operophtera brumata L. (Geometrid)
Agrypon flaveolatum Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles difficilis Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Apanteles immunis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles sessilis Illiger (Hym. Braconid) - France (A, xi, 357).
Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - England (Thorpe, A, xix, 29).
Campoplex pugillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Comedo larvarum L. (Hym. Eulophid) - Italy (A, xii, 12).
Gelis audax Först. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Lypha dubia Fall. (Dipt. Tachinid) - Russia (A, iv, 141).
Masicera flavicans Goureau (Dipt. Tachinid) - France (A, xi, 357).
Mesochorus confusus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus crassimanus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus ictericus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (A, xxi, 176).
Meteorus pallidus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (A, xvi, 499).
Meteorus pulchricornis Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phobocampe crassiuscula Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phobocampe unicincta Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Sagaritis zonata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (A, xvi, 499).
Telenomus nitidulus Thoms. (Hym. Scelionid) - Russia (A, iv, 141; Meier, xviii, 131).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (A, xiii, 587).

Operophtera fagata Scharfnbg. (Geometrid)
Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Trixa oestroidea R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Ophideres - See Othreis

Ophiusa sp. (Phalaenid)
Trichogramma minutum Riley (Hym. Trichogrammid) - Dutch E. Indies (A, i, 13).

Ophiusa craccae F. (Phalaenid)
Apanteles fulvipes Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Coelichneumon haemorrhoidalis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phytodietus segmentator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ophiusa pastinum Tr. (Phalaenid)
Actia apicalis R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exetastes guttatorius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Opisthograptis luteolata L. (Geometrid)
Microgaster alvearia F. (Hym. Braconid) - Britain (A, vi, 381; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Opogona sp. (Tineid)
Sierola opogonae Full. (Hym. Dryinid) - Hawaii (Fullaway, A, ix, 44).

Opogona aurisquamosa Butl. (Tineid)
Apanteles sp. (Hym. Braconid) - Hawaii (Swezey, A, iii, 681).

Opogona glycyphaga Meyr. (Tineid)
Stomatoceras gracillicorpus Gir. (Hym. Chalcid) - Australia (A, iv, 344; vi, 387; xiv, 128).

Oporinia dilutata Schiff. (Geometrid)
Apanteles immunis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles salebrosus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Comedo ungularis Thoms. (Hym. Eulophid) - Germany (Wagner, A, xix, 127).
Gelis alternans petulans Först. (Hym. Ichneumonid) - Sweden (A, x, 148).
Gelis instabilis Först. (Hym. Ichneumonid) - Sweden (A, x, 148).
Mesochorus confusus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus pulchricornis Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla alternans kolthoffi Aur. (Hym. Ichneumonid) - Sweden (A, x, 148).
Pimpla turionellae L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas circumscriptus Nees (Hym. Braconid) - Sweden (A, x, 148).
Sagaritis zonata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Opsiphanes cassiae L. (Brassolid)
Apanteles opsiphanes Schrott. (Hym. Braconid) - Paraguay (A, xi, 456).
Horismenus opsiphanis Schrott. (Hym. Eulophid) - Paraguay (A, xi, 456).

Opsiphanes crameri Feld. - See O. cassiae L.

Opsiphanes invirae Hb. (Brassolid)
Spilochalcis morleyi Ashm. (Hym. Chalcid) - Brazil (A, xi, 456).

Oreopsyche angustella H.-S. (Psychid)
Tachina erucarum Rond. (Dipt. Tachinid) - ? (A, xiii, 150).

Oreopsyche atra L. (Psychid)
Stomatomyia filipalpis Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Oreta calida Butl. (Drepanid)
Ophion luteus L. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 456).

Oreta rosea Walk. (Drepanid)
Theronia fulvescens fulvescens Cress. (Hym. Ichneumonid) - U.S.A. (Cushman, A, viii, 509).

Orgyia sp. (Lymantriid)
Microplitis sordipes Nees (Hym. Braconid) - France (Faure, A, xiv, 307).
Pimpla holmgreni Schmk. (Hym. Ichneumonid) - Latvia (Ozols, A, xvii, 55).
Telenonus orgyiae Fitch (Hym. Scelionid) - Canada (Treherne, A, iv, 527).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - India (Records from British Museum).
Zenillia modicella Wulp (Dipt. Tachinid) - India (Records from British Museum).

Orgyia antiqua L. - See Notolophus antiquus L.

Orgyia badia Hy. Edw. - See Notolophus antiquus badia Hy. Edw.

Orgyia cerigoides Walk. - See Dasychira

Orgyia ericae Germ. (Lymantriid)
Anilastus pectinatus Thoms. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Neopales pavida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Orgyia gonostigma L. (Lymantriid)
Anilastus carbonarius Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Aplomya affinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Gelis cursitans F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus cephalotes Hlgr. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Paniscus ocellaris Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Pimpla examinator F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200): Japan (Uchida, A, xvii, 191).

Rogas geniculator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas pulchripes Wesm. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).
Sagaritis incisa Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587): Russia (A, i, 539; Tragardh, xii, 98).

Orgyia guadarramensis Stgr. - See Notolophus aurolimbatus Guen.

Orgyia mendosa Hb. - See Dasychira

Orgyia postica Walk. - See Notolophus posticus Walk.

Orgyia pudibunda L. - See Dasychira

Orgyia thyellina Butl. (Lymantriid)
Apanteles bicolor Nees (Hym. Braconid) - Japan (Watanabe, A, xxi, 211).

Orgyia turbata Butl. (Lymantriid)
Zenillia modicella Wulp (Dipt. Tachinid) - Ceylon, Java (Beeson & Chatterjee, A, xxiv, 197): Malaya (Corbett & Miller, A, xxi, 676; Baranoff, xxii, 555; Beeson & Chatterjee, xxiv, 197).

Orgyia vetusta Hmps. - See Notolophus vetustus Hmps.

Oria musculosa Hb. (Phalaenid)
Anomalon latro Schr. (Hym. Ichneumonid) - Russia (A, iii, 110, 600; Meier, xvi, 200).
Microbracon abscissor Nees (Hym. Braconid) - Russia (A, iii, 110, 600; Meier, xviii, 131; Thorpe, xix, 29).
Trichogramma sp. (Hym. Trichogrammid) - Russia (A, iii, 110).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587).
Villa hottentota L. (Dipt. Bombyliid) - Russia (A, iii, 110).

Orneodes hexadactyla L. - See Alucita

Ornix anguliferella Zell. (Gracilariid)
Hemiteles areator Panz. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Ornix avellanella Staint. (Gracilariid)
Angitia sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Colastes heriolator Hal. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Ornix betulae Staint. (Gracilariid)
Colastes braconius Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ornix geminatella Pack. - See Callisto

Ornix scoticella Staint. (Gracilariid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Angitia elishae Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ornix torquillella Zell. (Gracilariid)
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): ? (Jackson, A, xxv, 767).

Orrhodia rubiginea Schiff. - See Conistra

Orthoclydon praefectata Walk. (Geometrid)
Cerosomyia marginata Hutt. (Dipt. Tachinid) - New Zealand (A, xviii, 428).
Ichneumon sp. (Hym. Ichneumonid) - New Zealand (A, vii, 82; xviii, 428).
Lissopimpla semipunctata Kirby (Hym. Ichneumonid) - New Zealand (Gourlay, A, xviii, 653).
Paniscus productus Brulle (Hym. Ichneumonid) - New Zealand (A, vii, 82; vii, 62; xviii, 428).
Rogas sp. (Hym. Braconid) - New Zealand (Gourlay, A, xviii, 653).

Orthocraspeda catenata Sn. - See Darna

Ortholitha cervinata Schiff. - See Larentia clavaria Haw.

Ortholitha chenopodiata L. (Geometrid)
Limerodes arctiventris Boie. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ortholitha limitata Scop. (Geometrid)
Gymnochaeta viridis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Orthosia circellaris Hufn. (Phalaenid)
Wagneria nitida R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Orthosia hibisci insciens Walk. (Phalaenid)
Meteorus communis Cress. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachionomyia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Wagneria (?) vernata West. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Orthosia humilis F. (Phalaenid)
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Orthosia lota Cl. (Phalaenid)
Meteorus unicolor Htg. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ophion scutellaris Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Orthosia pistacina F. (Phalaenid)
Carcelia cheloniae Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Orthotaelia sparganella Thnbg. (Hyponomeutid)
Meloboris rufiventris Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microgaster russata Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phaeogenes stipator Wesm (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Othreis sp. (Phalaenid)
Winthemia albiceps Malloch (Dipt. Tachinid) - India (Records from British Museum).

Othreis divitiosa Walk. (Phalaenid)
Ichneumonid sp. (Hym.) - Sierra Leone (A, xxv, 255).

Othreis fullonica L. (Phalaenid)
Euplectrus sp. (Hym. Eulophid) - Dutch E. Indies (A, xi, 151).
Ichneumonid sp. (Hym.) - Sierra Leone (A, xxv, 255).
Zenillia modicella Wulp (Dipt. Tachinid) - Java (Bezzi, A, xiii, 605).

Ourapteryx maculicaudaria Motsch. - See Euctenurapteryx

Ourapteryx sambucaria L. (Geometrid)
Actia frontalis Macq. (Dipt. Tachinid) - England (Wainwright, A, xvi, 480).
Apanteles formosus Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Palaearctic (Allen, A, xvi, 162).

Oxyambulyx sericipennis Btlr. (Sphingid)
Facydes purpureomaculatus Cam. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727).

Oxycesta geographica F. (Phalaenid)
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563).
Zenillia libatrix Panz. (Dipt. Tachinid) - Hungary (Dowden, A, xxii, 321).

Oxygrapha comariana Zell.- See Acleris

Oxygrapha holmiana L. - See Acleris

Oxyodes scrobiculata F. (Phalaenid)
Brachymeria euploeae Westw. (Hym. Chalcid) - Malaya (Corbett & Miller, A, xxi, 676).

Oxyptilus heterodactylus Vill. - See Pterophorus

Oxyptilus periscelidactylus Fitch - See Pterophorus

Ozamia clarefacta Dyar (Phycitid)
Mesostenus gracilis Cress. (Hym. Ichneumonid) - U.S.A. (Cushman, A, xvii, 303).

Pachetra fulminea F. - See P. leucophaea Schiff.

Pachetra leucophaea Schiff. (Phalaenid)
Ophion obscurus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pachycnemia hippocastanaria Hb. (Geometrid)
Campoplex angustatus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pachysphinx modesta Harr. (Sphingid)
Apanteles congregatus Say (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Thysanomyia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Winthemia quadripustulata F. (Dipt. Tachinid) - Canada (Tothill, A, i, 114; Treherne, iv, 527).

Pachythelia opacella H.-S. - See Acanthopsyche atra L.

Pachythelia unicolor Hufn. - See Canephora

Pachythelia villosella Ochs. (Psychid)
Agrypon insigne Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Aplomya affinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Cremastus bellicosus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Cremastus geminus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Gonia ornata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Trichomma enecator Rossi (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pachyzancla bipunctalis F. (Pyraustid)
Bactromyia fransseni Bar. (Dipt. Tachinid) - Ceylon (Baranoff, A, xxii, 555).
Microgaster psarae Wlkn. (Hym. Braconid) - India (A, xvi, 157; Beeson & Chatterjee, xxiv, 197): Malaya (A, xvi, 157; Corbett & Miller, xvii, 413; Wilkinson, xvii, 608; Corbett & Miller, xxi, 676; Beeson & Chatterjee, xxiv, 197).
Nemorilla floralis Fall. (Dipt. Tachinid) - Porto Rico (A, iii, 476).
Sturmia parachrysops Bezzi (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197): Malaya (Bezzi, A, xiii, 605; Corbett & Miller, xvii, 413; Corbett & Miller, xxi, 676; Beeson & Chatterjee, xxiv, 197).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, xxiii, 484).

Pachyzancla marginalis Warr. (Pyraustid)
Microgaster botydis Wlkn. (Hym. Braconid) - Sumatra (A, xix, 20).

Pachyzancla periusalis Walk. (Pyraustid)
Argyrophylax albincisa Wd. (Dipt. Tachinid) - Porto Rico (A, vi, 485; xi, 58).
Chelonus sp. (Hym. Braconid) - Porto Rico (A, vi, 485).

Pachyzancla stultalis Walk. (Pyraustid)
Elasmus brevicornis Gahan (Hym. Elasmid) - Malaya (A, xviii, 198; Corbett & Miller, xxi, 676; Ramakrishna Ayyar, xxii, 380).

Padraona dara Koll. (Hesperiid)
Pimpla pluto Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Padraona marnas Feld. (Hesperiid)
Brachymeria perflavipes Gir. (Hym. Chalcid) - Australia (A, xiii, 641).

Paedisca sp. - See Eucosma

Paleacrita anguilineata Grote - See Nyctobia anguilineata G. & R.

Paleacrita vernata Peck (Geometrid)
Amblyteles utilis Cress. (Hym. Ichneumonid) - U.S.A. (Porter & Alden, A, xiii, 24).
Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles palaeacritae Riley(Hym. Braconid) - U.S.A. (A, xiii, 24).
Campoplegine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Meteorus hyphantriae Riley (Hym. Braconid) - N. America (Muesebeck, A, xi, 447; xiii, 24).
Microgaster palaeacritae (Hym. Braconid) - U.S.A. (A, vi, 546).
Platygaster sp. (Hym. Platygasterid) - U.S.A. (A, vi, 546).

Palimpsestis duplaris L. (Thyatirid)
Apanteles sp. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Palimpsestis octogesima Hb. (Thyatirid)
Hemiteles oxyphymus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Jackson, A, xxv, 767).
Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Theronia atalantae Poda (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Palimpsestis ocularis Guen. - See P. octogesima Hb.

Palimpsestis or F. (Thyatirid)
? Apanteles rubripes Hal. (Hym. Braconid) - Europe (Fahringer, A, x, 497):

Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Astomaspis nanus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon fabricator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Labrorychus tenuicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microgaster tibialis Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Paltodora cytisella Curt. (Gelechiid)
Bassus brevisetis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paltodora striatella Hb. - See Isophrictis tanacetella Schrank

Pammene amygdalana Dup. - See P. gallicolana Zell.

Pammene gallicolana Zell. (Olethreutid)
Phygadeuon vagans Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Pimpla erythronota Kriechb. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Pimpla oculatoria F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Rogas circumscriptus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Stenodontus marginellus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Pammene exquisitana Rbl. - See Laspeyresia

Pammene fimbriana Haw. (Olethreutid)
Agrypon anxium Wesm. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Pammene germanna Hb. (Olethreutid)
Apanteles obscurus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Phygadeuon vagans Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Pimpla erythronota Kriechb. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Pimpla oculatoria F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Pammene regiana Zell. (Olethreutid)
Bassus conspicuus Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Campoplex lugubrinus Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Pammene splendidula Guen. (Olethreutid)
Stenodontus marginellus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Pammene theristis Meyr. (Olethreutid)
Phanerotoma hendecasisella Cam. (Hym. Braconid) - Ceylon, India, Australia, Egypt (Beeson & Chatterjee, A, xxiv, 197).

Pamphila metacomet Harr. - See Atrytone ruricola Bdv.

Panacra busiris Walk. (Sphingid)
Ichneumon rufobalteatus sinensis Heinr. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727).

Panacra mydon Walk. (Sphingid)
Ichneumon rufobalteatus sinensis Heinr. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727).

Pandemis chondrillana H.-S. (Tortricid)
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587).

Pandemis corylana F. (Tortricid)
Hormius moniliatus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Macrocentrus abdominalis F. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Europe, China, Japan, America (Chu & Hsia, A, xxv, 508).

Pandemis heperana Schiff. (Tortricid)
Agrypon flaveolatum Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles cajae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles gagates Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles lugens Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ascogaster quadridentata Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Eclytus ornatus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Lissonota dubia Hlgr. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Macrocentrus abdominalis F. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Europe, China, Japan, America (Chu & Hsia, A, xxv, 508).
Meteorus cinctellus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus pallidus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microgaster areolaris Thoms. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Phytodietus segmentator Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Pandemis lafauryana Rag. (Tortricid)
Glypta bipunctoria Thnbg. (Hym. Ichneumonid) - Russia (A, xxiv, 587).
Macrocentrus abdominalis F. (Hym. Braconid) - Russia (A, xxiv, 587).
Trichomma enecator Rossi (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Pandemis ribeana Hb. (Tortricid)
Ascogaster rufidens Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Brachymeria euploeae Westw. (Hym. Chalcid) - China, India, Japan, Philippines (Chu & Hsia, A, xxv, 508).
Brachymeria obscurata Walk. (Hym. Chalcid) - China (Chu & Hsia, A, xxiii, 622).
Habrocryptus porrectorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hybophanes scabriculus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xviii, 131).
Macrocentrus abdominalis F. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Europe, China, Japan, America (Chu & Hsia, A, xxv, 508).
Mesochorus sylvarum Curt. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Sweden (Tragardh, A, xii, 98).
Phytodietus segmentator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Sweden (Tragardh, A, xii, 98).
Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Dos Santos Hall, A, xiii, 596).

Panolis flammea Schiff. (Phalaenid)
Amblyteles equitatorius Panz. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225).
Amblyteles melanocastanus Grav. (Hym. Ichneumonid) - Poland (A, xx, 387).
Amblyteles melanocastanus borealis (Hym. Ichneumonid) - Sweden (A, vii, 96).
Amblyteles rubroater Ratz. (Hym. Ichneumonid) - Germany (A, xxiii, 64): Holland (A, ix, 86; Smits van Burgst, xvi, 200).
Amblyteles vadatorius Ill. (Hym. Ichneumonid) - Poland (A, xxii, 144).
Angitia tenuipes Thoms. (Hym. Ichneumonid) - Holland (A, ix, 86).
Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Germany (A, xxiii, 64).
Anomalon cerinops Grav. (Hym. Ichneumonid) - Poland (A, xx, 387).
Aphanistes biguttatum Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (A, xxii, 384): Holland (A, viii, 225; Smits van Burgst, xvi, 200).
Aphanistes ruficornis Grav. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Aphanistes xanthopus Schrank (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Austria (Schimitschek, A, xxiv, 340): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (A, xxii, 384): Finland (A, xviii, 522): Germany (Habermehl, A, xi, 365; Habermehl, xii, 257; xvi, 178; Wagner, xix, 127;

xxi, 529; xxiii, 64; xxiv, 516): Holland (A, ix, 86; Smits van Burgst, xvi, 200): Latvia (A, xiii, 215; Ozols, xvii, 55): Poland (A, xi, 454; xxii, 144).
Astiphromma strenuum Hlgr. (Hym. Ichneumonid) - Holland (A, ix, 86).
Banchus femoralis Thoms. (Hym. Ichneumonid) - Austria (A, xx, 713; Schimitschek, xxiv, 340): Czechoslovakia (A, xxii, 383): Germany (A, xii, 257; xvi, 178; xxi, 298; xxii, 721; xxiii, 64; xxiv, 516): Holland (A, viii, 225; Smits van Burgst, ix, 86, 365, 450; Smits van Burgst, xvi, 200): Latvia (A, xiii, 215; Oxols, xvii, 55): Poland (A, xi, 454; xii, 105; xiv, 137; xx, 387): Russia (A, xxiii, 670): ? (Habermehl, A, xi, 365).
Banchus monileatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225; Smits van Burgst, xvi, 200).
Banchus pictus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127): Holland (A, viii, 225).
Banchus variegator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225; Smits van Burgst, xvi, 200).
Barytarbes flavoscutellatus Thoms. (Hym. Ichneumonid) - Poland (A, xiii, 7).
Bigonichaeta setipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Blepharomyia pagana Mg. (Dipt. Tachinid) - Austria (A, xx, 713; Schimitschek, xxiv, 340): Czechoslovakia (A, xxii, 384).
Campoplex adjunctus Först. (Hym. Ichneumonid) - Poland (A, xiii, 7; xvii, 493).
Campoplex rugulosus Först. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ceratochaeta erythrostoma Htg. (Dipt. Tachinid) - Austria (A, xx, 713; Schimitschek, xxiv, 340).
Coelichneumon bilineatus Gmel. (Hym. Ichneumonid) - Poland (A, xvii, 493).
Coelichneumon fuscipes Gmel. (Hym. Ichneumonid) - Poland (A, xxiv, 493).
Cryptus cyanator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225).
Cryptus dianae Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (A, xxii, 384): Germany (A, xvi, 178; Wagner, xix, 127): Holland (A, viii, 225; Smits van Burgst, xvi, 200): Poland (A, xiii, 7; xvii, 493).
Cryptus dianae gracilicornis Grav. (Hym. Ichneumonid) - Germany (Habermehl, A, xii, 257).
Cryptus sponsor F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225).
Cryptus tarsoleucus Schr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225): Russia (Meier, A, xvi, 200).
Dirhicnus alboannulatus Ratz. (Hym. Pteromalid) - Czechoslovakia (A, xxii, 384): Germany (A, iii, 249; xvi, 178): Poland (A, xi, 454; xvi, 497): Russia (Meier, A, xviii, 131).

Enicospilus merdarius Grav. (Hym. Ichneumonid) - Czechoslovakia (A, xxii, 384): Germany (A, xii, 257; xvi, 178): Holland (A, viii, 225; Smits van Burgst, xvi, 200): Poland (A, xiii, 7; xvii, 493): Russia (A, xxiii, 670).
Enicospilus ramidulus L. (Hym. Ichneumonid) - Finland (A, xviii, 522): Holland (A, viii, 225; Smits van Burgst, xvi, 200): Latvia (A, xiii, 215; Ozols, xvii, 55): Poland (A, xi, 454).
Erigorgus carinatus Brischke (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ernestia radicum F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ernestia rudis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Austria (A, xx, 713; Schimitschek, xxiv, 340): Czechoslovakia (A, xi, 177; xxii, 383): Finland (A, xviii, 522): Germany (Habermehl, A, xi, 365; xii, 257; xiii, 573; xvi, 178; xix, 126; xxi, 529; xxii, 721, 722; xxiii, 64, 662; xxiv, 516): Holland (A, ix, 86, 449): Poland (A, xi, 454; xii, 105; xx, 387).
Euceros crassicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225).
Eudoromyia magnicornis Zett. (Dipt. Tachinid) - Germany (A, xvi, 178): Poland (A, xx, 387).
Eurylabus tristis Grav. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225): Russia (Meier, A, xvi, 200).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Gonia fasciata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Poland (A, xvii, 493).
Hemiteles castaneus Taschb. (Hym. Ichneumonid) - Holland (A, ix, 86).
Hemiteles pedestris F. (Hym. Ichneumonid) - Holland (A, ix, 86).
Heteropelma calcator Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225; Smits van Burgst, xvi, 200).
Ichneumon sp. (Hym. Ichneumonid) - Finland (A, xviii, 322).
Ichneumon annulator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Habermehl, A, xii, 257; Smits van Burgst, xvi, 200): Holland (A, viii, 225).
Ichneumon bilunulatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (A, xxii, 384): Germany (Habermehl, A, xii, 257; xvi, 178; Smits van Burgst, xvi, 200; xxi, 529; xxiii, 64): Holland (A, viii, 225; Smits van Burgst, ix, 86): Latvia (A, xiii, 215; Ozols, xvii, 55): Poland (A, xi, 454; xii, 105; xx, 387; xxii, 144): Russia (A, xi, 304).
Ichneumon brachymerus Macal (Hym. Ichneumonid) - Czechoslovakia (A, xi, 177).
Ichneumon comitator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (A, xvi, 178; xxiii, 64): Holland (A, viii, 225): Poland (Smits van Burgst, A, xvi, 200; xvii, 493).
Ichneumon comitator biannulatus Grav. (Hym. Ichneumonid) - Poland (A, xx, 387).
Ichneumon coruscator luridator Grav. (Hym. Ichneumonid) - Germany (Habermehl, A, xii, 257; Smits van Burgst, xvi, 200).

Ichneumon derogator Wesm. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225).
Ichneumon dissimilis Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ichneumon dumeticola Grav. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225).
Ichneumon fabricator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Habermehl, A, xii, 257; Smits van Burgst, xvi, 200): Holland (A, viii, 225; Smits van Burgst, ix, 86): Poland (A, xi, 454).
Ichneumon fabricator varicolor Ulbricht (Hym. Ichneumonid) - Poland (A, xx, 387).
Ichneumon gradarius Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225; Smits van Burgst, xvi, 200).
Ichneumon gravenhorsti Fonsc. (Hym. Ichneumonid) - Germany (Habermehl, A, xii, 257).
Ichneumon incubitor L. (Hym. Ichneumonid) - Czechoslovakia (A, xxii, 384).
Ichneumon latrator F. (Hym. Ichneumonid) - Poland (A, xx, 387).
Ichneumon luteiventris Grav. (Hym. Ichneumonid) - Germany (Habermehl, A, xii, 257; Smits van Burgst, xvi, 200).
Ichneumon molitorius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225; Smits van Burgst, xvi, 200): Russia (Meier, A, xvi, 200).
Ichneumon nigritarius Grav. (Hym. Ichneumonid) - Austria (Schimitschek, A, xxiv, 340): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (A, xi, 177; xxii, 384): Germany (Habermehl, A, xii, 257; xvi, 178; Smits van Burgst, xvi, 200; xxiii, 64): Holland (A, viii, 225; Smits van Burgst, ix, 86, 365): Latvia (A, xiii, 215; Ozols, xvii, 55): Poland (A, xi, 454): Russia (Meier, A, xvi, 200).
Ichneumon nigritarius brischkei Berth. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ichneumon pachymerus Ratz. (Hym. Ichneumonid) - Austria (Schimitschek, A, xxiv, 340): Czechoslovakia (A, xi, 177; xxii, 383): Germany (Habermehl, A, xii, 257; xvi, 178; Smits van Burgst, xvi, 200; Wagner, xix, 127; xxi, 529; xxiii, 64; xxiv, 516): Holland (A, viii, 225; ix, 86, 449): Latvia (A, xiii, 215; Ozols, xvii, 55): Poland (A, xi, 454; xx, 387; xxii, 144): Russia (A, xxiii, 670).
Ichneumon pallidifrons Grav. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon ruficeps Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ichneumon sarcitorius L. (Hym. Ichneumonid) - Germany (A, xxiii, 64).
Ichneumon scutellator Grav. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225).
Ichneumon trilineatus Gmel. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (A, xi, 177): Holland (A, viii,

Ichneumon versator Thnbg. (Hym. Ichneumonid) - Poland (A, xx, 387).
Labrorychus nigricornis Wesm. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Lissonota fulvipes Desvignes (Hym. Ichneumonid) - Latvia (A, xiii, 215; Ozols, xvii, 55).
Lydella nigripes Fall. (Dipt. Tachinid) - Poland (A, xx, 387).
Lydina aenea Mg. (Dipt. Tachinid) - Poland (A, xx, 387).
Megaselia rufipes Mg. (Dipt. Phorid) - Poland (A, xx, 387).
Melanichneumon nudicoxa Thoms. (Hym. Ichneumonid) - Germany (Habermehl, A, xii, 257; Smits van Burgst, xvi, 200).
Meniscus murinus Grav. (Hym. Ichneumonid) - Poland (A, xiii, 7; xvii, 493).
Mesochorus brevipetiolatus Ratz. (Hym. Ichneumonid) - Holland (A, viii, 225).
Meteorus sp. (Hym. Braconid) - Germany (A, xvi, 178): Latvia (A, xiii, 215).
Meteorus albiditarsis Curt. (Hym. Braconid) - Britain (A, ii, 270): Czechoslovakia (A, xxii, 383): Finland (A, xviii, 522): Germany (Habermehl, A, xii, 257; xxi, 529): Holland (A, viii, 225; ix, 86, 449; Smits van Burgst, xvi, 200): Poland (A, xx, 387).
Meteorus scutellator Nees (Hym. Braconid) - Holland (A, viii, 225; Smits van Burgst, ix, 86; Smits van Burgst, xvi, 200): Poland (A, xiii, 7; xvii, 493).
Meteorus unicolor Htg. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microcryptus abdominator Grav. (Hym. Ichneumonid) - France, Italy (Chu & Hsia, A, xxv, 508).
Microcryptus perspicillator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127): Holland (A, viii, 225; Smits van Burgst, ix, 86): Russia (Meier, A, xvi, 200).
Microplitis decipiens Prell (Hym. Braconid) - Germany (A, xiii, 317, 394; xvi, 178).
Muscina pabulorum Fall. (Dipt. Muscid) - Poland (A, xx, 387).
Muscina stabulans Fall. (Dipt. Muscid) - Poland (A, xx, 387).
Nemoraea glabrata Mg. (Dipt. Tachinid) - Holland (A, viii, 225).
Neopales pavida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (A, xxii, 384): Poland (A, xx, 387).
Ophion luteus L. (Hym. Ichneumonid) - Czechoslovakia (A, xi, 177): Latvia (Ozols, A, xvii, 55): Poland (A, xii, 105; xiii, 7; xvii, 493).
Ophion ventricosus Grav. (Hym. Ichneumonid) - Poland (A, xiii, 7; xvii, 493).
Orthostigma pumila Nees (Hym. Braconid) - Poland (A, xx, 387).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (A, xxii, 384): Poland (A, xx, 387).
Phygadeuon nubilipennis Schmied. (Hym. Ichneumonid) - Holland (A, ix, 86).
Phygadeuon vagans Grav. (Hym. Ichneumonid) - Finland (A, xviii, 522).
Pimpla arctica Zett. (Hym. Ichneumonid) - Finland (A, xviii, 522).
Pimpla examinator F. (Hym. Ichneumonid) - Finland (A, xviii, 522): ? (Jackson, A, xxv, 767).
Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225; Smits van Burgst, xvi, 200):

Platylabus nigrocyaneus Grav. (Hym. Ichneumonid) - Europe (Smits van Burgst, A, xvi, 200): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, viii, 225).
Plectocryptus arrogans Grav. (Hym. Ichneumonid) - Austria (Schimitschek, A, xxiv, 340): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Habermehl, A, xii, 257; Smits van Burgst, xvi, 200): Holland (A, viii, 225; Smits van Burgst, ix, 86, 365; ix, 449): Latvia (A, xiii, 215; Ozols, xvii, 55): Poland (A, xi, 454).
Plesiophthalmus alarius Grav. (Hym. Ichneumonid) - Czechoslovakia (A, xxii, 383).
Stenichneumon haesitator Wesm. (Hym. Ichneumonid) - Poland (A, xvii, 493).
Sturmia inconspicua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Poland (A, xx, 387).
Tachina fera L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Poland (A, xi, 350).
Tachina piniperdae Ratz. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Tachinid sp. (Dipt.) - Germany (A, xxi, 298).
Telenomus phalaenarum Nees (Hym. Scelionid) - Europe (Girault, A, ii, 310): Germany (A, xxiv, 266).
Therion circumflexum L. (Hym. Ichneumonid) - Czechoslovakia (A, xxii, 384): Germany (Habermehl, A, xii, 257; xvi, 178; Wagner, xix, 127; xxi, 529; xxiii, 64; xxiv, 516): Holland (A, viii, 225; Smits van Burgst, ix, 86, 449; Smits van Burgst, xvi, 200).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Czechoslovakia (A, xxii, 384): Germany (Tragardh, A, xii, 98; xiii, 573; Hase, xiii, 587; xiv, 314; xvi, 178; xxi, 529; xxiv, 266): Poland (A, xiii, 7; xvii, 493).
Trichogramma evanescens piniperda Wolff (Hym. Trichogrammid) - Poland (A, xvi, 497).
Trichogramma minutum Riley (Hym. Trichogrammid) - Germany (A, xxiv, 266).
Tylocomnus scaber Grav. (Hym. Ichneumonid) - Finland (A, xviii, 522): Germany (Habermehl, A, xii, 257; Smits van Burgst, xvi, 200; xxi, 529): Latvia (Ozols, A, xvii, 55).
Villa hottentota L. (Dipt. Bombyliid) - Czechoslovakia (A, xxii, 384): Germany (A, xvi, 178).
Winthemia amoena Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (A, xxii, 384): Germany (A, xvi, 178): Poland (A, xiii, 7; xvii, 493).

Panolis griseovariegata Goeze - See P. flammea Schiff.

Panolis piniperda Panz. - See P. flammea Schiff.

Panoquina nero F. (Hesperiid)
Apanteles prenidis Mues. (Hym. Braconid) - Jamaica (A, xiv, 147): Porto Rico (A, xi, 62).
Ardalus antillarum Gahan (Hym. Eulophid) - Porto Rico (Gahan, A, x, 422; xi, 62).
Trichogramma minutum Riley (Hym. Trichogrammid) - Porto Rico (A, xi, 62).

Panoquina nyctelius Latr. (Hesperiid)
Apanteles disputabilis Ashm. (Hym. Braconid) - Santo Domingo (A, xi, 62).
Apanteles prenidis Mues. (Hym. Braconid) - Porto Rico (Muesebeck, A, ix, 169; xi, 62).
Microbracon sp. (Hym. Braconid) - Porto Rico (A, xi, 62).
Trichogramma minutum Riley (Hym. Trichogrammid) - Porto Rico (A, xi, 62).

Pantographa lineata G. & R. (Pyraustid)
Microgaster pantographae Mues. (Hym. Braconid) - N. America (A, x, 551).

Paonias astylus Dru. (Sphingid)
Apanteles congregatus Say (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Paonias excaecata A. & S. (Sphingid)
Apanteles congregatus Say (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles smerinthi Riley (Hym. Braconid) - N. America (Muesebeck, A, ix, 169): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Leschenaultia leucophrys Wd. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Microplitis ceratomiae Riley (Hym. Braconid) - N. America (Muesebeck, A, x, 551).
Ophionine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Paonias myops A. & S. (Sphingid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).
Apanteles congregatus Say (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles smerinthi Riley (Hym. Braconid) - U.S.A. (Webber & Schaffner, A, xiv, 257).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Microplitis ceratomiae Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Ophionine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Trogus brullei Cress. (Hym. Ichneumonid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Trogus canadensis Prov. (Hym. Ichneumonid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Papaipema sp. (Phalaenid)
Microbracon gelechiae Ashm. (Hym. Braconid) - France, America, Canada (Chu & Hsia, A, xxv, 508).

Papaipema appasionata Harvey (Phalaenid)
Lydella grisescens R.-D. (Dipt. Tachinid) - Canada (Tothill, A, i, 114).

Papaipema arctivorens Hmps. (Phalaenid)
Apanteles militaris Walsh (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Ceromasia senilis Mg. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).
Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Microplitis gortynae Riley (Hym. Braconid) - U.S.A. (A, xxiv, 618).

Pimpla pterophori Ashm. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 618).
Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).

Papaipema cataphracta Grote (Phalaenid)
Apanteles militaris Walsh (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Ceromasia senilis Mg. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).
Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Microplitis gortynae Riley (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Pimpla pterophori Ashm. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 618).
Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).

Papaipema frigida Smith (Phalaenid)
Apanteles militaris Walsh (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Ceromasia senilis Mg. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).
Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Microbracon papaipemae Gahan (Hym. Braconid) - U.S.A. (Gahan, A, x, 422).
Microplitis gortynae Riley (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Pimpla pterophori Ashm. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 618).
Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).

Papaipema harrisii Grote (Phalaenid)
Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Papaipema marginidens Guen. (Phalaenid)
Gelis microplitidis Gahan (Hym. Ichneumonid) - U.S.A. (A, x, 422).

Papaipema maritima Bird (Phalaenid)
Apanteles papaipemae Mues. (Hym. Braconid) - U.S.A. (A, ix, 169).

Papaipema nebris Guen. (Phalaenid)
Amblyteles jucundus Brulle (Hym. Ichneumonid) - U.S.A. (Decker, A, xviii, 584; Decker, xix, 631).
Apanteles militaris Walsh (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Apanteles papaipemae Mues. (Hym. Braconid) - U.S.A. (A, ix, 169; Decker, xix, 631).
Ceromasia senilis Mg. (Dipt. Tachinid) - Canada (A, ix, 409): U.S.A. (Decker, A, xviii, 584; Decker, xix, 631; Schaffner & Griswold, xxii, 688; xxiv, 618).
Gymnochaeta ruficornis Will. (Dipt. Tachinid) - U.S.A. (Decker, A, xix, 631).
Lissonota brunnea Cress. (Hym. Ichneumonid) - U.S.A. (Decker, A, xix, 631).
Lixophaga variabilis Coq. (Dipt. Tachinid) - U.S.A. (Decker, A, xix, 631).
Lydella grisescens R.-D. (Dipt. Tachinid) - U.S.A. (A, viii, 337).
Meteorus vulgaris Cress (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Microbracon caulicola Gahan (Hym. Braconid) - U.S.A. (Decker, A, xix, 631).
Microbracon furtivus Fyles (Hym. Braconid) - U.S.A. (Decker, A, xix, 631).
Microplitis gortynae Riley (Hym. Braconid) - Canada (A, ix, 409): U.S.A. (Muesebeck, A, x, 551; Decker, xix, 631; xxiv, 618).
Muscina stabulans Fall. (Dipt. Muscid) - U.S.A. (Decker, A, xix, 631).

Pimpla pterophori Ashm. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 618).
Sarcophaga rapax Walk. (Dipt. Sarcophagid) - U.S.A. (Decker, A, xix, 631).
Sarcophaga setulosa Wulp (Dipt. Sarcophagid) - U.S.A. (Decker, A, xix, 631).
Winthemia quadripustulata F. (Dipt. Tachinid) - U.S.A. (Decker, A, xix, 631).
Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).

Papaipema nebris nitela Guen. (Phalaenid)
Apanteles papaipemae Mues. (Hym. Braconid) - U.S.A. (Lowry, A, xvii, 43).
Bassus gibbosus Say (Hym. Braconid) - U.S.A. (Muesebeck, A, xv, 294).
Ceromasia senilis Mg. (Dipt. Tachinid) - U.S.A. (A, xvii, 43).
Ichneumon laetus Brulle (Hym. Ichneumonid) - U.S.A. (Lowry, A, xvii, 43).
Ichneumon orpheus Cress. (Hym. Ichneumonid) - U.S.A. (Lowry, A, xvii, 43).
Lixophaga variabilis Coq. (Dipt. Tachinid) - U.S.A. (Lowry, A, xvii, 43).
Lydella grisescens R.-D. (Dipt. Tachinid) - U.S.A. (Lowry, A, xvii, 43).
Masicera deckeri Curran (Dipt. Tachinid) - U.S.A. (A, xvii, 221).
Microplitis gortynae Riley (Hym. Braconid) - U.S.A. (A, x, 422; xvii, 43; xviii, 116).
Sagaritis oxylus Cress. (Hym. Ichneumonid) - U.S.A. (A, xvii, 43).

Papaipema purpurifascia G. & R. (Phalaenid)
Apanteles militaris Walsh (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Ceromasia senilis Mg. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).
Lydella grisescens R.-D. (Dipt. Tachinid) - Canada (Tothill, A, i, 114).
Meteorus gortynae Riley (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (A, xxiv, 618).
Pimpla pterophori Ashm. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 618).
Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (A, xxiv, 618).

Papilio sp. (Papilionid)
Apanteles marquesi Brèthes (Hym. Braconid) - Brazil (A, xii, 223).
Dinotomus lapidator F. (Hym. Ichneumonid) - Japan (A, xiii, 140).
Dinotomus mactator Tosq. (Hym. Ichneumonid) - Japan (A, xiii, 140).
Dinotomus xuthi Kriechb. (Hym. Ichneumonid) - Japan (A, xiii, 140).
Ooencyrtus papilionis Ashm. (Hym. Encyrtid) - Philippines (Ferrière, A, xix, 538).

Papilio agamemnon L. (Papilionid)
Apanteles papilionis Vier. (Hym. Braconid) - Malaya (Wilkinson, A, xvii, 153; Corbett & Miller, xvii, 413; Corbett & Miller, xxi, 676).
Ooencyrtus malayensis Ferr. (Hym. Encyrtid) - Malaya (Ferrière, A, xix, 538).

Papilio ajax L. (Papilionid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).
Apanteles lunatus Pack. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, vii, 428; xiv, 257; Schaffner & Griswold, xxii, 688).
Epicampocera obscura Coq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pimpla aequalis Prov. (Hym. Ichneumonid) - Canada, U.S.A. (Chu & Hsia, A, xxv, 508).

Pteromalus archippi How. (Hym. Pteromalid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pteromalus puparum vanessae Harr. (Hym. Pteromalid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tritneptis hemerocampae Gir. (Hym. Pteromalid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Trogus vulpinus Grav. (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527); U.S.A. (Schaffner & Griswold, A, xxii, 688).

Papilio alcinous Klug (Papilionid)
Pimpla japonica sapporensis Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Papilio anchisiades capys Hb. (Papiolinid)
Angitia brasiliensis da Costa Lima (Hym. Ichneumonid) - Brazil (A, xxiv, 370).
Apanteles marquesi Brèthes (Hym. Braconid) - Argentina (A, xxi, 383); Brazil (A, xii, 224).
Pedinopelte gravenhorsti Guer. (Hym. Ichneumonid) - Brazil (A, xxiv, 370).

Papilio aristolochiae F. (Papilionid)
Apanteles aristolochiae Wlkn. (Hym. Braconid) - Ceylon (Wilkinson, A, xvii, 153).

Papilio bianor Cram. (Papilionid)
Dinotomus mactator Tosq. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727); Japan (Uchida, A, xviii, 456).

Papilio bianor maackii Men. (Papilionid)
Dinotomus mactator Tosq. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 456).

Papilio bairdii oregonia Edw. (Papilionid)
Apanteles lunatus Pack. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Papilio clytia L. (Papilionid)
Trogus sp. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727).

Papilio daunus Bdv. (Papilionid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - Canada (Tothill, A, i, 114)

Papilio demodocus Esp. (Papilionid)
Apanteles pallidocinctus Gahan (Hym. Braconid) - Africa (A, vii, 104); S. Rhodesia (A, xxii, 80).
Carcelia evolans Wd. (Dipt. Tachinid) - Uganda (A, xvi, 313).
Telenomus demodoci Nixon (Hym. Scelionid) - Uganda (A, xxiv, 470).

Papilio demoleus L. (Papilionid)
Apanteles papilionis Vier. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xvi, 48; Wilkinson, xvii, 153; Ramakrishna Ayyar & Margabandu, xxiii, 209; Beeson & Chatterjee, xxiv, 197); Assam, Java (Beeson & Chatterjee, A, xxiv, 197).
Erycia nymphalidophaga Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Ugimyia sericariae Cornalia (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Papilio eurymedon Bdv. (Papilionid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - Canada (Tothill, A, i, 114).
Trogus fletcheri Harrgt. (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527).
Trogus fulvipes Cress. (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527).

Papilio glaucus L. (Papilionid)
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).

Papilio glaucus turnus L. (Papilionid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Ichneumon sp (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Trichogramma intermedia How. (Hym. Trichogrammid) - Canada (Treherne, A, iv, 527).
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).
Trogus fulvipes Cress. (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Trogus vulpinus Grav. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Papilio maackii Men. - See P. bianor maackii Men.

Papilio machaon L. (Papilionid)
Dinotomus caeruleator F. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239): Russia (Meier, A, xvi, 200).
Dinotomus lapidator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127): Japan (Uchida, A, xviii, 456).
Epicampocera setifacies Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Cyprus (Records from British Museum).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Peletieria nigricornis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pimpla instigator F. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Pimpla rufata Gmel. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Pteromalus puparum L. (Hym. Pteromalid) - Algeria (A, xv, 554).
Trogus lutorius F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Papilio memnon L. (Papilionid)
Trogus bicolor Red. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727).

Papilio nireus lyaeus Dbl. (Papilionid)
Apanteles pallidocinctus Gahan (Hym. Braconid) - S. Rhodesia (A, xxii, 80).

Papilio oregonia Edw. - See P. bairdii oregonia Edw.

Papilio philenor L. - See Battus

Papilio podalirius L. - See Iphiclides

Papilio polytes L. (Papilionid)
Apanteles papilionis Vier. (Hym. Braconid) - Assam, Java (Beeson & Chatterjee, A, xxiv, 197): India (Ramakrishna Ayyar, A, x, 183; Wilkinson, xvii, 153; Ramakrishna Ayyar & Margabandu, xxiii, 209; Beeson & Chatterjee, xxiv, 197).
Brachymeria marginata Cam. (Hym. Chalcid) - Malaya (Corbett & Miller, A, xvii, 413; Corbett & Miller, xxi, 676).
Ooencyrtus malayensis Ferr. (Hym. Encyrtid) - Malaya (Ferrière, A, xix, 538; Corbett & Miller, xxi, 676; xxv, 124).
Pteromalus puparum L. (Hym. Pteromalid) - China (Chu & Hsia, A, xxiii, 622).

Papilio polytes alphenor Cram. (Papilionid)
Trichogramma minutum Riley (Hym. Trichogrammid) - Philippines (A, xxiv, 121).

Papilio polyxenes F. - See P. ajax L.

Papilio protenor Cr. (Papilionid)
Trogus bicolor Red. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727).

Papilio sarpedon L. (Papilionid)
Apanteles papilionis Vier. (Hym. Braconid) - Assam, Java (Beeson & Chatterjee, A, xxiv, 197): Dutch E. Indies (A, xi, 151): India (Wilkinson, A, xvii, 153; Beeson & Chatterjee, xxiv, 197).

Papilio thoas L. (Papilionid)
Achaetoneura rileyi Will. (Dipt. Tachinid) - N. America (Webber, A, xix, 112).

Papilio thoas thoantiades Burm. (Papilionid)
Pteromalus caridei Brèthes (Hym. Pteromalid) - Argentina (Blanchard, A, xxv, 787): Brazil (A, vii, 125).

Papilio troilus L. (Papilionid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, xiv, 257; Schaffner & Griswold, xxii, 688).
Trogus fulvipes Cress. (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527).
Trogus vulpinus Grav. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Papilio turnus L. - See P. glaucus turnus L.

Papilio xuthus L. (Papilionid)
Dinotomus mactator Tosq. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727): Japan (Uchida, A, xviii, 456).

Ichneumon generosus Sm. (Hym. Ichneumonid) - Japan (A, xiii, 140).
Pimpla disparis Vier. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 456).
Pimpla pluto Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Trichogramma sp. (Hym. Trichogrammid) - Japan (A, xxiv, 630).

Papilio zelicaon Luc. (Papilionid)
Apanteles sp. (Hym. Braconid) - U.S.A. (A, x, 355).
Apanteles lunatus Pack. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Brachymeria ovata Say (Hym. Chalcid) - U.S.A. (A, x, 355).

Papilio zolicaon Boisd. - See P. zelicaon Luc.

Paraclemensia acerifoliella Fitch (Incurvariid)
Alophosternum foliicola Cush. (Hym. Ichneumonid) - U.S.A. (A, xxi, 226).
Apanteles ornigis Weed (Hym. Braconid) - U.S.A. (A, xii, 410).

Paragrotis ochrogaster Guen. - See Euxoa

Paragrotis perexcellens Grote - See Euxoa

Paralebeda plagifera Walk. (Lasiocampid)
Apanteles bataviensis Rohw. (Hym. Braconid) - Java (A, vii, 104; Wilkinson, xvii, 153).

Paralechia pinifoliella Chamb. - See Exoteleia

Paraleucoptera albella Chamb. (Lyonetiid)
Apanteles bedelliae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Horismenus sp. (Hym. Eulophid) - U.S.A. (A, xi, 321).

Parallelia algira L. (Phalaenid)
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587): Turkestan (A, i, 431).

Parallelia bistriaris Hb. (Phalaenid)
Aubaeanetia assimilis Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Labrorychus sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Parabatus smithi Cush. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Parametriotes theae Kusn. (Tineid)
Elasmus sp. (Hym. Elasmid) - Russia (A, iv, 334).
Pteromalus sp. (Hym. Pteromalid) - Russia (A, iv, 334).

Paranthrene robiniae Hy. Edw. (Aegeriid)
Apanteles pararthrenidis Mues. (Hym. Braconid) - U.S.A. (A, ix, 169).

Paranthrene tabaniformis Rott. (Aegeriid)
Ephialtes abbreviatus Thoms. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Leskia aurea Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Meniscus bilineatus pimplator Zett. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Odontomerus pinetorum Thoms. (Hym. Torymid) - Germany (Wagner, A, xix, 127).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Pararge aegeria L. (Satyrid)
Pimpla examinator F. (Hym. Ichneumonid) - Britain (Jackson, A, xxv, 767).

Parasa sp. (Limacodid)
Apanteles parasae Rohw. (Hym. Braconid) - Dutch E. Indies (A, xi, 151): Java (A, xvii, 153).
Chrysis lyncea F. (Hym. Chrysidid) - Uganda (A, vi, 51).
Chrysis postscutellaris Mocs. (Hym. Chrysidid) - Uganda (A, vi, 51).

Parasa chloris H.-S. (Limacodid)
Apanteles empretiae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Parasa lepida Cram. (Limacodid)
Apanteles sp. (Hym. Braconid) - Ceylon (A, ii, 654): India (Ramakrishna Ayyar, A, xvi, 48).
Apanteles parasae Rohw. (Hym. Braconid) - Ceylon (King, A, xix, 573; Austin, xx, 497): Dutch E. Indies (Leefmans, A, xviii, 456): Java (King, A, xix, 573): Malaya (A, xviii, 657; xix, 446; Corbett & Miller, xxi, 676; xxv, 792).
Chaetexorista javana B. B. (Dipt. Tachinid) - Malaya (A, xix, 446; xxv, 792).
Chrysis shanghaiensis Smith (Hym. Chrysidid) - India (A, xxv, 339): Malaya (A, xxv, 792).
Clinocentrus sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Eurytoma monemae Rushka (Hym. Eurytomid) - Ceylon (Austin, A, xx, 497): India (A, viii, 19; Ramakrishna Ayyar, x, 183; Ramakrishna Ayyar, xiii, 645; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Ichneumonid sp. (Hym.) - Malaya (A, xxv, 792).
Rogas sp. (Hym. Braconid) - Ceylon (King, A, xix, 573; Austin, xx, 497).
Stomatoceras ayyari Gahan (Hym. Chalcid) - India (A, viii, 19; Ramakrishna Ayyar, x, 183; Ramakrishna Ayyar, xiii, 645; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Tachina munda Wd. (Dipt. Tachinid) - Ceylon (Austin, A, xx, 497).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).

Parasa vivida Walk. (Limacodid)
Charops sp. (Hym. Ichneumonid) - Nyasaland (A, xviii, 423).
Fornicia africana Wlkn. (Hym. Braconid) - S. Rhodesia (A, xxi, 522).

Parasemia parthenos Harr. (Arctiid)
Linnaemyia anthracina Thompson (Dipt. Tachinid) - Canada (Tothill, A, i, 114).

Parasemia plantaginis L. (Arctiid)
Apanteles callidus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Peletieria ferina Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Zenillia glauca Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Parastichtis - See Trachea

Parectopa epibathra Wlsm. (Gracilariid)
Omphale metallicus Ashm. (Hym. Eulophid) - Hawaii (Swezey, A, iii, 681).

Parectopa latifoliella Mill. - See Oecophyllembius neglectus Silv.

Parectopa marginestrigata Wlsm. (Gracilariid)
Omphale metallicus Ashm. (Hym. Eulophid) - Hawaii (Swezey, A, iii, 681).

Parectopa ononidis Zell. (Gracilariid)
Apanteles halidaii Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles ononidis Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Parnara sp. (Hesperiid)
Apanteles sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48).
Eupteromalus parnarae Gahan (Hym. Pteromalid) - India (Ramakrishna Ayyar, A, xiii, 645).
Halidaya sp. (Dipt. Tachinid) - Malaya (A, xix, 224).
Halidaya luteicornis Walk. (Dipt. Tachinid) - India (Records from British Museum).

Parnara bada Moore (Hesperiid)
Apanteles baoris Wlkn. (Hym. Braconid) - Malaya (Corbett & Miller, A, xxi, 676).
Halidaya sp. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xvii, 413).
Halidaya luteicornis Walk. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676; Baranoff, xxii, 555).
Masicera oculata Bar. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).

Parnara conjuncta H.-S. (Hesperiid)
Apanteles javensis Rohw. (Hym. Braconid) - Java (A, vii, 104; Wilkinson, xvii, 153).

Parnara guttata Brem. (Hesperiid)
Apanteles baoris Wlkn. (Hym. Braconid) - China (A, xxiii, 163; Chu, xxiv, 105).
Apanteles parnarae Watan. (Hym. Braconid) - China (A, xxiv, 244).
Brachymeria obscurata Walk. (Hym. Chalcid) - China (A, xxiii, 163; Chu & Hsia, xxiii, 622).
Pimpla kuwanae Vier. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Pimpla luctuosa Smith (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Pleurotropis sp. (Hym. Eulophid) - China (A, xxiii, 163; Chu & Hsia, xxiii, 622; xxv, 589).

Pseudoperichaeta insidiosa R.-D. (Dipt. Tachinid) - China (A, xxiii, 163).
Sarcophagid sp. (Dipt.) - China (A, xxiii, 304).
Sturmia nigritibialis Bar. (Dipt. Tachinid) - China (A, xxiii, 163).
Sympiesis sp. (Hym. Eulophid) - China (A, xxiii, 163; Chu & Hsia, 622).
Theronia atalantae Poda (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191): Italy, France, Switzerland, Germany, Greece, Siberia, Korea, China (Chu & Hsia, A, xxv, 508).
Trichogramma sp. (Hym. Trichogrammid) - Japan (A, xxiv, 630).
Xanthopimpla punctata F. (Hym. Ichneumonid) - China (A, xxiii, 163, 207; Chu, xxiv, 105): China, Formosa, Japan, India, Ceylon, Amboina, Java, Singapore, Philippines, Sumatra, Celebes, Borneo, Kei Is. (Chu & Hsia, A, xxv, 508).
Zacharops narangae Cush. (Hym. Ichneumonid) - China (A, xxiii, 292; Chu, xxiv, 105).

Parnara mathias F. (Hesperiid)
Actia mallochiana Bar. (Dipt. Tachinid) - Malaya (Records from British Museum).
Actia similata Mall. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).
Aglaojoppa alecta Morl. (Hym. Ichneumonid) - India (A, viii, 99).
Apanteles baoris Wlkn. (Hym. Braconid) - Malaya (A, xix, 26; Corbett & Miller, xxi, 676).
Brachymeria tachardiae Cam. (Hym. Chalcid) - India (A, xvii, 168).
Clinocentrus sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Eupteromalus sp. (Hym. Pteromalid) - Malaya (Corbett & Miller, A, xxi, 676).
Eupteromalus parnarae Gahan (Hym. Pteromalid) - India (A, viii, 19; Ramakrishna Ayyar, x, 183; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Halidaya sp. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).
Halidaya luteicornis Walk. (Dipt. Tachinid) - India (Records from British Museum): Malaya (A, xiii, 605; Corbett & Miller, xvii, 413; Corbett & Miller, xxi, 676).
Hoplismenus aquilinus Uchida (Hym. Ichneumonid) - Japan (A, xiii, 140).
Ischnojoppa luteator F. (Hym. Ichneumonid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).
Masicera oculata Bar. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).
Pimpla japonica sapporensis Ashm. (Hym. Ichneumonid) - Japan (A, xvii, 191).
Tachinid sp. (Dipt.) - Malaya (Gater, A, xiii, 450).
Xanthopimpla immaculata Morl. (Hym. Ichneumonid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Parnara pellucida Murr. (Hesperiid)
Pimpla japonica sapporensis Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Parnassius apollo L. (Papilionid)
Deutcrammobia acuminata Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Parnassius citrinarius Mot. (Papilionid)
Pimpla disparis Vier. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191; Uchida, xviii, 456).
Theronia laevigata nigra Uch. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Parornix geminatella Pack. - See Callisto

Pectinophora gossypiella Saund. (Gelechiid)
Achaetoneura parancilla Tns. (Dipt. Tachinid) - America (Townsend, A, xi, 24).
Actia pomonella Schnabl & Mokrz. (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).
Admontia retiniae Coq. (Dipt. Tachinid) - U.S.A. (Townsend, A, xi, 24).
Anachaetopsis ocypterina Zett. (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).
Anachaetopsis tortricis Coq. (Dipt. Tachinid) - America (Townsend, A, xi, 24).
Apanteles sp. (Hym. Braconid) - Fiji (A, xvi, 355): India (A, x, 154; xiv, 89; Ramakrishna Ayyar, xvi, 48, 419).
Apanteles balthazari Ashm. (Hym. Braconid) - Brazil (A, viii, 445; xiv, 130).
Apanteles diparopsidis Lyle (Hym. Braconid) - Uganda (A, xxv, 355).
Apanteles platyedrae Wlkn. (Hym. Braconid) - Fiji (A, xvii, 153; xviii, 297).
Apanteles thurberiae Mues. (Hym. Braconid) - Trinidad (A, xix, 26; Myers, 538; Myers, xx, 512).
Brachymeria euploeae Westw. (Hym. Chalcid) - China (A, xxiv, 669).
Brachymeria fijiensis Ferr. (Hym. Chalcid) - Fiji (A, xviii, 55).
Brachymeria obscurata Walk. (Hym. Chalcid) - China (A, xxiv, 669): Hawaii (Swezey, A, iii, 681; xvi, 226; xviii, 252; Willard, xix, 224).
Brachymeria olethrius Wtstn. (Hym. Chalcid) - Tanganyika (A, xvii, 482; xxv, 49): Uganda (A, xxv, 355).
Chelonus sp. (Hym. Braconid) - India (A, xiv, 89; Ramakrishna Ayyar, xvi, 48): Korea (A, xix, 514): Sudan (A, xix, 391).
Chelonus blackburni Cam. (Hym. Braconid) - Hawaii (Swezey, A, iii, 681; xvi, 226; xviii, 252; Swezey, xviii, 255; Willard, xix, 224): Hawaii to U.S.A. (A, xxiv, 293): Porto Rico, U.S.A. (A, xxv, 413).
Chelonus curvimaculatus Cam. (Hym. Braconid) - Italian Somaliland (A, xix, 504): Tanganyika (A, xvii, 482; xxv, 49).
Chelonus pectinophorae Cush. (Hym. Braconid) - China (Chu, A, xxiv, 105; xxv, 302): Korea (A, xix, 578; xxiv, 244).
Chelonus ritchiei Wlkn. (Hym. Braconid) - Uganda (A, xxv, 355).
Chelonus rugulosus Lyle (Hym. Braconid) - Fiji (A, x, 525).
Chelonus sulcatus Nees (Hym. Braconid) - Egypt (A, ii, 596; vii, 162; Adair, vii, 164).
Chelonus versatilis Wlkn. (Hym. Braconid) - Sudan (A, xx, 118).
Dibrachys sp. (Hym. Pteromalid) - Egypt (A, xxv, 331).
Dibrachys cavus Walk. (Hym. Pteromalid) - China (Chu & Hsia, A, xxiii, 622; xxiv, 669): Korea (A, xix, 514).
? Dichaetoneura leucoptera Johns. (Dipt. Tachinid) - America (Townsend, A, xi, 24).
Elasmus sp. (Hym. Elasmid) - India (A, xiv, 89).
Elasmus johnstoni Ferr. (Hym. Elasmid) - India (A, xviii, 55, 198; Ramakrishna Ayyar, xxii, 380): Sudan (A, xviii, 55, 198): Uganda (A, xxv,

Elasmus philippinensis Ashm. (Hym. Elasmid) - China (A, xxiv, 669).
Elasmus platyedrae Ferr. (Hym. Elasmid) - Egypt (A, xxiv, 188; xxv, 331)
Elasmus setosiscutellatus Crwf. (Hym. Elasmid) - U.S.A. (A, xxii, 355).
Encyrtaspis proximus da Costa Lima (Hym. Eupelmid) - Brazil (A, viii, 445).
Eucoronimyia hastata Coq. (Dipt. Tachinid) - U.S.A. (Townsend, A, xi, 24).
Eulimneria interrupta (Hym. Ichneumonid) - Egypt (A, ii, 596; vii, 162).
Eurytoma sp. (Hym. Eurytomid) - China (A, xxiv, 669): Korea (A, xix, 514).
Eurytoma verbena Ferr. (Hym. Eurytomid) - Italian Somaliland (A, xix, 377).
? Genea analis Say (Dipt. Tachinid) - America (Townsend, A, xi, 24).
? Glaucophana amasiae B. B. (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).
? Gymnophthalma pilipennis Fall. (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).
Habrocytus sp. (Hym. Pteromalid) - Korea (A, xix, 514): Egypt (A, xxv, 331).
? Leskia aurea Fall (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).
Microbracon sp. (Hym. Braconid) - China (A, xxiv, 669): Hawaii (Swezey, A, iii, 681): India (A, vii, 132; xiv, 89): Korea (A, xix, 514): Brazil (A, viii, 445): Australia (A, xiv, 459).
Microbracon brevicornis Wesm. (Hym. Braconid) - U.S.A. (A, xxi, 141; xxii, 355; xxiv, 293): U.S.A.-Mexico (A, xxii, 355; xxiii, 379): Egypt (A, vii, 162; Adair, vii, 164; xxv, 331).
Microbracon gelechiae Ashm. (Hym. Braconid) - Mexico (Ohlendorf, A, xiv, 295): ? (A, xiii, 155).
Microbracon gelechidiphagus Ram. Ayy. (Hym. Braconid) - India (A, xvi, 478).
Microbracon greeni Ashm. (Hym. Braconid) - India (A, xxv, 635).
Microbracon hebetor Say (Hym. Braconid) - India (A, xxv, 531).
Microbracon isomera Cush. (Hym. Braconid) - China (Chu, A, xxiv, 105, 669); Korea (A, xix, 578; xxiv, 244).
Microbracon kirkpatricki Wlkn. (Hym. Braconid) - Barbados (A, xxiv, 606): U.S.A. (A, xix, 751; xxv, 413): Porto Rico (A, xxv, 413): Belgian Congo (A, xxiii, 211): Egypt (A, xxi, 642; xxv, 331): Egypt-U.S.A. (A, xxiv, 293): Italian Somaliland (A, xix, 504; xx, 339): Kenya (A, xvi, 47, 49; xvii, 49; xviii, 99): Kenya-Egypt (A, xvii, 541): Sudan (A, xviii, 99; xix, 166, 395; xx, 622; xxii, 680): Tanganyika (A, xvi, 47; xvii, 482; xxv, 49): Uganda (A, xxii, 197; Hancock, xxiv, 4; xxv, 355).
Microbracon lefroyi D. & G. (Hym. Braconid) - India (A, ix, 71; x, 154; xvi, 419; Ramakrishna Ayyar & Margabandu, xxiii, 209): Egypt (A, xxv, 331).
Microbracon mellitor Say (Hym. Braconid) - Hawaii (A, xvi, 226; Willard, xix, 224): Hawaii-Egypt (A, xxv, 331): Hawaii-U.S.A. (A, xxiv, 293): Mexico (Ohlendorf, A, xiv, 295): U.S.A. (A, xxii, 355; xxv, 413): Hawaii, Canada, America (Chu & Hsia, A, xxv, 508).
Microbracon nigrorufum Cush. (Hym. Braconid) - China (Chu, A, xxiv, 105, 244, 669): Korea (A, xix, 578; xxiv, 244).
Microbracon onukii Watan. (Hym. Braconid) - China (A, xxiv, 669).
Microbracon pectinophorae Watan. (Hym. Braconid) - Korea (A, xxiv, 244).
Microbracon pembertoni Bridw. (Hym. Braconid) - Hawaii (A, vii, 436).
Microbracon platynotae Cush. (Hym. Braconid) - Mexico (A, xiii, 411): U.S.A. (A, xiii, 411; xxii, 355).
Microbracon vulpinus (Hym. Braconid) - Brazil (A, xiv, 130).

Parasierola sp. (Hym. Bethylid) - Hawaii (Swezey, A, iii, 681).
Perisierola sp. (Hym. Bethylid) - U.S.A. (A, xxii, 355).
Perisierola emigrata Rohw. (Hym. Bethylid) - Hawaii (A, xvi, 226; Willard, xix, 224): U.S.A.-Hawaii (A, v, 267): ? (A, v, 267; vii, 435).
Perisierola nigrifemur Ashm. (Hym. Bethylid) - Barbados (A, xvii, 44): Brazil (A, viii, 445; xiv, 130): ? (A, v, 267).
? Phorocera noctuiformis Smith (Dipt. Tachinid) - U.S.A. (Townsend, A, xi, 24).
Phytomyptera nitidiventris Rond. (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).
Pimpla sp. (Hym. Ichneumonid) - China (A, xxiv, 669): Japan (A, xix, 514): Brazil (A, viii, 445).
Pimpla roborator F. (Hym. Ichneumonid) - Cyprus (A, xiv, 198): Greece (A, xxiv, 611): Porto Rico (A, xxv, 413): U.S.A. (A, xxi, 141; xxii, 355; xxiv, 293): Egypt (A, ii, 320, 596; iv, 403; vii, 162; Adair, vii, 164; xxi, 642; xxv, 331): Kenya (A, xv, 561): Morocco (A, xxv, 285).
Pimpla sanguineipes Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681; xvi, 226; xviii, 252; Willard, xix, 224).
Pleurotropis sp. (Hym. Eulophid) - Egypt (A, xxv, 331).
Pristomerus sp. (Hym. Ichneumonid) - China (A, xxiv, 669).
Pristomerus chinensis Ashm. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105)
Pristomerus hawaiiensis Ashm. (Hym. Ichneumonid) - Hawaii (A, xvi, 226).
Pristomerus taoi Sonan (Hym. Ichneumonid) - China (A, xxv, 260).
Pristomerus vulnerator Panz. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105, 669): Japan (A, xix, 514; xxi, 548): Korea (A, xix, 514): Europe , Italy, Rumania, China, Japan, Korea (Chu & Hsia, A, xxv, 508).
Pteromalus sp. (Hym. Pteromalid) - Egypt (A, vii, 162; Adair, vii, 164).
Rogas aligharensi Qadri (Hym. Braconid) - India (A, xxiv, 197).
Schizotachina vitinervis Thompson (Dipt. Tachinid) - America (Townsend, A, xi, 24).
? Siphophyto floridensis Tns. (Dipt. Tachinid) - America (Townsend, A, xi, 24).
Stomatoceras pertorvus Gir. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681; v, 268; xvi, 226; Willard, xix, 224).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Egypt (A, xxv, 331).
Trichogramma minutum Riley (Hym. Trichogrammid) - Egypt (A, xxv, 331).
Trigonura annulipes da Costa Lima (Hym. Chalcid) - Brazil (A, viii, 445).
Zatropis incertus Ashm.(Hym. Pteromalid) - U.S.A. (A, xxii, 355).

Pectinophora malvella Hb. (Gelechiid)
Angitia rufipes Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Apanteles congestus Nees (Hym. Braconid) - Russia (Telenga, A, xxv, 703).
Microbracon brevicornis Wesm. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).

Pelurga comitata L. (Geometrid)
Campoplex anceps Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933)

Pempelia sp. (Phycitid)
Zenillia hyphantriae Tns. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Pennisetia hylaeiformis Lasp. - See Bembecia

Pennisetia marginata Harr. - See Bembecia

Penthina atra Haw. - See Blastodacna

Pentophora morio L. - See Hypogymna

Perconia strigillaria Hb. (Geometrid)
Hoplismenus perniciosus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Platylabus orbitalis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pergesa elpenor L. (Sphingid)
Amblyteles fuscipennis Wesm. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Amblyteles proteus Christ. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): England (Haines, Trans. Ent. Soc. S. England, vii, p.4): Germany (Wagner, A, xix, 127).
Cymatoneura undulatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ernestia radicum F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - France (A, xii, 390).
Ichneumon fusorius L. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Masicera pratensis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Thelaira nigripes F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Palaearctic (Allen, A, xvi, 162).
Winthemia xanthogastra Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Pergesa elpenor lewisi Btlr. (Sphingid)
Ichneumon fumipennis Cam. (Hym. Ichneumonid) - China (Mell & Heinrich, xix, 727).

Pergesa porcellus L. (Sphingid)
Amblyteles fuscipennis Wesm. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Banchus falcatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Banchus monileatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Lydella albisquama Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Thelaira nigripes F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Winthemia quadripustulata F. (Dipt. Tachinid) - Sweden (A, iv, 509).

Pericyma cruegeri Butl. (Phalaenid)
Brachymeria albotibialis Ashm. (Hym. Chalcid) - Philippines (A, xvi, 78).

Peridroma margaritosa Haw. (Phalaenid)
Apanteles militaris Walsh (Hym. Braconid) - U.S.A. (A, xxi, 353).
Archytas analis F. (Dipt. Tachinid) - U.S.A. (A, ix, 153; x, 44; xiv, 281).
Chaetogaedia monticola Big. (Dipt. Tachinid) - U.S.A. (A, ix, 153).
Dibrachys cavus Walk. (Hym. Pteromalid) - U.S.A. (A, ix, 153).
Enicospilus purgatus Say (Hym. Pteromalid) - U.S.A. (A, iv, 289).
Euplectrus platyhypenae How. (Hym. Eulophid) - U.S.A. (A, xv, 631).
Gonia sequax Will. (Dipt. Tachinid) - U.S.A. (A, ix, 153).
Linnaemyia comta Fall. (Dipt. Tachinid) - U.S.A. (A, ix, 153; xv, 73).
Madremyia saundersii Will. (Dipt. Tachinid) - N. America (Aldrich & Webber, A, xii, 214): U.S.A. (A, iii, 264).
Meteorus indagator Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447).
Meteorus laphygmae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447).
Meteorus vulgaris Cress. (Hym. Braconid) - N. America (A, ix, 153; Muesebeck, xi, 447).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, iii, 264).
Pimpla sanguineipes Cress. (Hym. Ichneumonid) - U.S.A. (A, ix, 153).
Rogas perplexus Gahan (Hym. Braconid) - U.S.A. (A, v, 404).
Rogas rufocoxalis Gahan (Hym. Braconid) - U.S.A. (A, v, 404).
Sarcophaga rapax Walk. (Dipt. Sarcophagid) - U.S.A. (Vickery, A, xiii, 622).

Peridroma margaritosa saucia Hb. (Phalaenid)
Apanteles xylinus Say (Hym. Braconid) - U.S.A. (A, xxi, 615).
Archytas apicifera Walk. (Dipt. Tachinid) - U.S.A. (A, xxi, 615).
Dibrachys cavus Walk. (Hym. Pteromalid) - ? (Faure & Zolotarewsky, A, xiii, 593).
Gonia capitata DeG. (Dipt. Tachinid) - N. America (Strickland, A, xii, 50).
Meteorus vulgaris Cress. (Hym. Braconid) - Canada (Treherne, A, iv, 527): N. America (Muesebeck, A, xi, 447).
Microplitis feltiae Mues. (Hym. Braconid) - U.S.A. (A, xxi, 615).
Rogas terminalis Cress. (Hym. Braconid) - U.S.A. (A, xxi, 615).
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).
Voria ruralis Fall. (Dipt. Tachinid) - U.S.A. (A, xxi, 615).
Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (A, xxi, 615).

Perigea capensis Guen. (Phalaenid)
Apanteles sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar, xvi, 48).
Apanteles ruficrus Hal. (Hym. Braconid) - India (A, xvii, 152).
Euplectrus euplexiae Rohw. (Hym. Eulophid) - India (Rohwer, A, ix, 136; Ramakrishna Ayyar, x, 183; Ramakrishna Ayyar, xiii, 645; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Heterogamus sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, ix, 214).
Rogas percurrens Lyle (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Perigea sutor Guen. - See Platysenta

Perigrapha cincta F. - See P. i-cincta Schiff.

Perigrapha i-cincta Schiff. (Phalaenid)
Amblyteles palliartorius Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Perina nuda F. (Lymantriid)
Brachymeria obscurata Walk. (Hym. Chalcid) - Formosa (A, xvii, 546).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - India (Records from British Museum).

Perispasta caeculalis Zell. (Pyraustid)
Meteorus hyphantriae Riley (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).

Perizoma decolorata Hb. (Geometrid)
Microgaster tibialis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Peronea sp. - See Acleris

Peronea cosmariana Zell. - See Acleris

Peronea hastiana L. - See Acleris

Peronea holmiana L. - See Acleris

Peronea maecana Tr. - See Acleris

Peronea minuta Rob. - See Acleris

Peronea mixtana Hb. - See Acleris

Peronea permutana Dup. - See Acleris

Peronea pinivorana Zell. - See Rhyacionia

Peronea sheperdana Steph. - See Acleris

Peronea turionana Hb. - See Petrova

Peronea variana Fernald - See Acleris

Persectania sp. (Phalaenid)
Macrocentrus rubromaculatus Cam. (Hym. Braconid) - New Zealand (Gourlay, A, xviii, 653).

Persectania composita Guen. - See P. ewingi Westw.

Persectania ewingi Westw. (Phalaenid)
Cerosomyia feredayi Hutt. (Dipt. Tachinid) - New Zealand (Gourlay, A, xviii, 653).
Cerosomyia marginata Hutt. (Dipt. Tachinid) - New Zealand (Gourlay, A, xviii, 653).
Mesostenus albopictus Smith (Hym. Ichneumonid) - New Zealand (Gourlay, A, xviii, 653).
Paniscus productus Brulle (Hym. Ichneumonid) - New Zealand (Gourlay, A, xviii, 653).

Persectania steropastis Meyr. (Phalaenid)
Cerosomyia marginata Hutt. (Dipt. Tachinid) - New Zealand (A, vii, 82; xviii, 427; Gourlay, xviii, 653).
Ichneumon sp. (Hym. Ichneumonid) - New Zealand (A, xviii, 427).
Paniscus productus Brulle (Hym. Ichneumonid) - New Zealand (A, xviii, 427).

Petilampa arcuosa Haw. - See P. minima Haw.

Petilampa minima Haw. (Phalaenid)
Chasmias notatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exephanes hilaris Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Gymnochaeta viridis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Limerodes arctiventris Boie. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Petrochroa dimorpha Busck (Cosmopterygid)
Chelonus blackburni Cam. (Hym. Braconid) - Hawaii (Swezey, A, iii, 681; Swezey, xviii, 255).
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681; Swezey, xviii, 257).

Petrova comstockiana Fern. (Olethreutid)
Ephialtes comstocki Cress. (Hym. Ichneumonid) - U.S.A. (A, x, 457).

Petrova posticana Zett. (Olethreutid)
Eubadizon extensor L. (Hym. Braconid) - Europe (Thorpe, A, xix, 29).
Pimpla ruficollis Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Petrova resinella L. (Olethreutid)
Actia crassicornis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Actia infantula Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Actia pilipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Thorpe, xix, 29).
Angitia armillata Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Angitia chrysosticta Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp. 133-183, 1933).
Angitia vestigialis Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Campoplex ramidulus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Clistopyga incitator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200): ? (Thorpe, A, xix, 29).
Ephialtes mesocentrus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Ephialtes strobilorum Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
? Erromenus calcator Müll. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Glypta sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Glypta incisa Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127): Russia (Meier, A, xvi, 200).
Glypta mensurator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Glypta resinana Htg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, vi, 497): Latvia (Ozols, A, xvii, 55).
Glypta tenuicornis Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ichneumon annulator F. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Lissonota parallela Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Lissonota variabilis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Macrocentrus abdominalis F. (Hym. Braconid) - Holland (A, vi, 497).
Monodontomerus aereus Walk. (Hym. Torymid) - Europe (Muesebeck, A, xx, 58).
Orgilus obscurator Nees (Hym. Braconid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla brevicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla diluta Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla inanis Schr. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla ruficollis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla sagax Htg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla terebrans Ratz. (Hym. Ichneumonid) - Latvia (Ozols, A, xvii, 55).
Zenillia resinellae Gir. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Petrova turionana Hb. (Olethreutid)
Agrypon anomelas Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Glypta resinana Htg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Schutze & Roman, A, xix, 239).

Lissonota carbonaria Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla roborator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Persia, Japan, France, Sweden, Canada, Guam, Dalmatia, Sicily (Chu & Hsia, A, xxv, 508).
Pimpla ruficollis Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla sagax Htg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalaena sp. - See Hygrochroa sp.

Phalaena syringaria L. - See Hygrochroa

Phalaena typica L. (Phalaenid)
Amblyteles litigiosus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Anilastus vividus Hlgr. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Ichneumon lepidus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Melanichneumon saturatorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microplitis sordipes Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Sagaritis femoralis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Russia (A, xvi, 43; Meier, xviii, 131).

PHALAENID sp.
Apanteles griffini Vier. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles hyblaeae Wlkn. (Hym. Braconid) - Malaya (Corbett & Miller, A, xxi, 676).
Apanteles longicornis Prov. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles noctuidiphagus Mues. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Aphanistes sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Archytas aterrima R.-D. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Berecyntus sp. (Hym. Encyrtid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Campoplex diversus Nort. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Comedo brevicapitatus C. & D. (Hym. Eulophid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Cremastus noxiosus Morl. (Hym. Ichneumonid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).

Cyrtophloeba coquilletti Aldr. (Dipt. Tachinid) - U.S.A. (Schraffner & Griswold, A, xxii, 688).
Enicospilus lineatus Cam. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105).
Ernestia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Ichneumon laetus Brulle (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Linnaemyia comta Fall. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Lissonota americana Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Microplitis sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Paniscus orientalis Cam. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105).
Phryxe vulgaris Fall. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Sturmia scutellata R.-D. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinomyia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Therion morio F. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Villa alternata Say (Dipt. Bombyliid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Voria ruralis Fall. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Wagneria carbonaria Panz. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Wagneria sequax Will. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phalaenoides glycinae Lewin (Phalaenid)
Euplectrus agaristae Crwf. (Hym. Eulophid) - Australia (A, xxv, 294).

Phalera bucephala L. (Notodontid)
Apanteles fulvipes Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Banchus pictus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex carinifrons Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex falcator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127): Russia (Meier, A, xvi, 200).
Campoplex oxyacanthae Boie. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Carcelia cheloniae Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ichneumon nigritarius Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563).
Meteorus fragilis Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Schizoloma amictum F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Telenomus punctatissimus Ratz. (Hym. Scelionid) - Europe (Girault, A, ii, 310).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587): Russia (A, i, 317; Tragardh, xii, 98): Ukraine (A, xviii, 609).
Trichogramma vitripennis Walk. (Hym. Trichogrammid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalera bucephaloides O. (Notodontid)
Telenomus punctatissimus Ratz. (Hym. Scelionid) - Europe (Girault, A, ii, 310).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587).

Phalonia sp. (Phaloniid)
Phytomyptera nitidiventris Rond. (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).

Phalonia alismana Rag. (Phaloniid)
Agrypon anxium Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Angitia interrupta Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Glypta pedata Desvignes (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalonia ambiguella Hb. - See Clysia

Phalonia atricapitana Steph. (Phalaenid)
Cremastus interruptor Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Gelis palpator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles palpator Grav. (Hym. Ichneumonid) - ? (Thorpe, A, xix, 29).
Pimpla punctiventris Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalonia ciliella Hb. (Phaloniid)
Apanteles albipennis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles laetus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microbracon erraticus Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla nucum Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalonia curvistrigana Walk. (Phaloniid)
Bassus cingulipes Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Bassus tegularis Thoms. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Glypta pictipes varicoxa Thoms. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Macrocentrus infirmus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microgaster sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Phanerotoma dentata Panz. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Phalonia dubitana Hb. (Phaloniid)
Pimpla sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Phalonia flaviciliana Walk. (Phaloniid)
Pimpla brevicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla punctiventris Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalonia hybridella Hb. (Phaloniid)
Glypta mensurator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalonia manniana Fisch. (Phaloniid)
Earinus zonatus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Glypta rufata Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalonia maritimana Guen. (Phaloniid)
Glypta rubicunda Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalonia oenotherana Riley (Phaloniid)
Lixophaga plumbea Aldr. (Dipt. Tachinid) - U.S.A. (A, xiii, 432).

Phalonia posterana Zell. (Phaloniid)
Apanteles sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Apanteles glomeratus L. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Microbracon sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Microbracon praetermissus Marsh. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Pimpla sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Pimpla brevicornis Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Pimpla calobata Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Phalonia roseana Haw. (Phaloniid)
Bassus nigra Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pseudoperichaeta insidiosa R.D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): ? (A, ix, 443).
Zenillia barbatula Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Phalonia rutilana Hb. (Phaloniid)
Bassus brevisetis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phalonia smeathmanniana F. - See Aethes

Phalonia udana Guen. (Phaloniid)
Glypta picipes varicoxa Thoms. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Phalonia zephyrana Tr. (Phaloniid)
Cremastus interruptor Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29).

Phassus malabaricus Moore (Hepialid)
Rhaphis elongata Wulp (Dipt. Tachinid) - Ceylon (Beeson & Chatterjee, A, xxiv, 197).

Pheosia dictaeoides Esp. (Notodontid)
Apanteles abjectus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex pugillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microplitis ocellatae Bché. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Pheosia rimosa Pack. (Notodontid)
Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Campoplex sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Chaetophlepsis tarsalis Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Ophionine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pheosia tremula Cl. (Notodontid)
Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Bigonichaeta setipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Campoplex mactator Först. (Hym. Ichneumonid) - Palaearctic (Habermehl, A, xix, 111).

Pheressaces cycnoptera Lower (Notodontid)
Microplitis perelegans Bingh. (Hym. Braconid) - Australia (A, xviii, 425).

Phibalapteryx tersata Hb. - See Horisme tersata Schiff.

Phigalia pedaria F. (Geometrid)
Apanteles congestus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles insidens Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Aphanistes xanthopus Schrank (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Arenetra pilosella Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Enicospilus repentinus Hlgr. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Enicospilus repentinus tournieri Voll. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Microgaster tiro Reinh. (Hym. Braconid) - Russia (Meier, A, xvi, 200).
Ophion luteus L. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ophion minutus Kriechb. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ophion ventricosus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Paniscus fuscicarpus Kok. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Paniscus ocellaris Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Paniscus rossicus Kok. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Parabatus cristatus Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Pimpla arundinator F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Pimpla compunctor L. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Pimpla examinator F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Phigalia titea Cram. (Geometrid)
Apanteles murtfeldtae Ashm. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles phigaliae Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; Schaffner & Griswold, xxii, 688).
Aphanistes sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Campoplegine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Campoplex vitticollis Nort. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Ceromasia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Hyposoter flavipes Prov. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Meteorus hyphantriae Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Microgaster sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Rogas sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinomyia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Winthemia fumiferanae Toth. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; Schaffner & Griswold, xxii, 688).

Philampelus vitis L. - See Pholus

Philodoria splendida Wlsm. (Gracilariid)
Sierola philodoriae Full. (Hym. Dryinid) - Hawaii (Fullaway, A, ix, 44).

Philosamia cynthia Dru. - See P. walkeri advena Pack.

Philosamia walkeri advena Pack. (Saturniid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).
Eremotylus macrurus L. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pimpla attaci Haberm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Pimpla luctuosa Smith (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Pimpla persimilis Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Sarcophaga formosana Senior-White (Dipt. Sarcophagid) - Malaya (Corbett & Miller, A, xxi, 676; Baranoff, xxii, 555).
Spilochalcis mariae Riley (Hym. Chalcid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).
Winthemia (?) datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Philtraea elegantaria Hy. Edw. (Geometrid)
Amblymerus sp. (Hym. Pteromalid) - U.S.A. (A, vi, 45).
Brachymeria ovata Say (Hym. Chalcid) - U.S.A. (A, vi, 45).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, vi, 45).

Phlegethontius celeus Hb. - See Protoparce quinquemaculata Haw.

Phlegethontius quinquemaculata Haw. - See Protoparce

Phlogophora meticulosa L. (Phalaenid)
Amblyteles armatorius Först. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Billaea microcera Rond. (Dipt. Tachinid) - France (A, xviii, 23).
Blepharidopsis nemea Mg. (Dipt. Tachinid) - England (Collins, Ent. Month. Mag., lxii, p.60).
Comedo opaculus Thoms. (Hym. Eulophid) - England (A, xxii, 481).

Compsilura concinnata Mg. (Dipt. Tachinid) - France (A, xviii, 23).
Microplitis tuberculifer Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Tachina fera L. (Dipt. Tachinid) - France (A, xviii, 23).
Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): France (A, xviii, 23): Palaearctic (Allen, A, xvi, 162): ? (A, v, 485).

Phlogophora scita Hb. - See Habryntis

Phlyctaenia sp. (Pyraustid)
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Phlyctaenia argoscelis Meyr. (Pyraustid)
Casinaria infesta Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, xiv, 543).

Phlyctaenia campylotheca Sw. (Pyraustid)
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Phlyctaenia chalcophanes Meyr. (Pyraustid)
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681; Swezey, xviii, 257).

Phlyctaenia chytropa Meyr. (Pyraustid)
Pristomerus hawaiiensis Ashm. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Phlyctaenia crocealis Hb. (Pyraustid)
Apanteles obscurus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles solitarius Ratz. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Microgaster tibialis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phlyctaenia despecta Butl. (Pyraustid)
Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).
Chelonus blackburni Cam. (Hym. Braconid) - Hawaii (Swezey, A, iii, 681; Swezey, xviii, 255).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Phlyctaenia dryadopa Meyr. - See Pyrausta

Phlyctaenia extricalis Guen. (Pyraustid)
Mesostenus thoracicus Cress. (Hym. Ichneumonid) - U.S.A. (Cushman, A, xvii, 303).

Phlyctaenia ferrugalis auct. (in N. America) - See P. rubigalis Guen.

Phlyctaenia forficalis L. (Pyraustid)
Apanteles astraches Marsh. (Hym. Braconid) - France (A, viii, 120; xiv, 307): Russia (A, xiii, 9, 542; Meier, xvi, 200).
Apanteles picipes Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): England (A, xvi, 9): France, Germany (Chu & Hsia, A, xxv, 508): ? (A, xix, 377).
Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Eulimneria geniculata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Eulimneria rufifemur Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ophion minutus Kriechb. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Theronia atalantae Poda (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - France (A, xv, 653): Russia (Meier, A, xviii, 131).

Phlyctaenia iocrossa Meyr. (Pyraustid)
Athyreodon debilis F. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Casinaria infesta Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, xiv, 543).
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).

Phlyctaenia nigrescens Butl. (Pyraustid)
Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).

Phlyctaenia ommatias Meyr. (Pyraustid)
Casinaria infesta Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, xiv, 543).
Eupelmus dysombrias Perk. (Hym. Eupelmid) - Hawaii (Swezey, A, iii, 681).

Phlyctaenia platyleuca Meyr. (Pyraustid)
Casinaria infesta Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, xiv, 543).
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681; Swezey, xviii, 257).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Phlyctaenia rubigalis Guen. (Pyraustid)
Apanteles glomeratus L. (Hym. Braconid) - U.S.A. (A, vii, 433; xiii, 181).
Apanteles marginiventris Cress. (Hym. Braconid) - U.S.A. (A, xxiii, 484).
Campoplex phthorimaeae Cush. (Hym. Ichneumonid) - U.S.A. (A, xi, 84).
Casinaria infesta Cress. (Hym. Ichneumonid) - U.S.A. (A, xi, 84; xxiii, 484).
Dibrachys cavus Walk. (Hym. Pteromalid) - U.S.A. (A, xi, 84).
Meloboris sp. (Hym. Ichneumonid) - U.S.A. (A, xi, 84).
Meteorus autographae Mues. (Hym. Braconid) - U.S.A. (A, xi, 447).
Microgaster phthorimaeae Mues. (Hym. Braconid) - N. America (A, x, 551).

Phorocera parva Big. (Dipt. Tachinid) - U.S.A. (A, vii, 433; xiii, 181).
Pimpla sanguineipes Cress. (Hym. Ichneumonid) - U.S.A. (A, xi, 84).
Rogas rufocoxalis Gahan (Hym. Braconid) - U.S.A. (A, xi, 84; xvi, 210).
Syntaeris sp. (Hym. Ichneumonid) - U.S.A. (A, vii, 433; xi, 84; xiii, 181).
Syntomosphyrum modestum How. (Hym. Eulophid) - U.S.A. (A, xi, 84).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, xi, 84; xxi, 41; xxiii, 484; xxiv, 28): ? (Martin, A, xvi, 441).

Phlyctaenia sambucalis Schiff. (Pyraustid)
Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pycnocryptus peregrinator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Trychosis titillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phlyctaenia stellata Butl. (Pyraustid)
Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).
Casinaria infesta Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, xiv, 543).
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Phlyctaenia terrealis Tr. (Pyraustid)
Triclistus squalidus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phlyctaenia tertialis Guen. (Pyraustid)
? Aenoplex nigrosoma Cush. (Hym. Ichneumonid) - U.S.A. (A, xviii, 116).
? Apanteles sp. (Hym. Braconid) - U.S.A. (A, xviii, 116).
Aplomya caesar Aldr. (Dipt. Tachinid) - U.S.A. (A, xviii, 116).
Bassus simillimus Cress. (Hym. Braconid) - U.S.A. (A, xviii, 116).
? Campoplex validus Cress. (Hym. Ichneumonid) - U.S.A. (A, xviii, 116).
Eulimneria sp. (Hym. Ichneumonid) - U.S.A. (A, xviii, 116).
Hoplocryptus sp. (Hym. Ichneumonid) - U.S.A. (A, xviii, 116).
? Hoplocryptus incertulus Cush. (Hym. Ichneumonid) - U.S.A. (A, xviii, 116).
Meteorus loxostegei Vier. (Hym. Braconid) - U.S.A. (A, xviii, 116).
Nemorilla floralis Fall. (Dipt. Tachinid) - U.S.A. (A, xviii, 116).
? Phytodietus pulcherrimus Cress. (Hym. Ichneumonid) - U.S.A. (A, xviii, 116).
? Triclistus propinquus Cress. (Hym. Ichneumonid) - U.S.A. (A, xviii, 116).

Phlyctaenodes nudalis Hb. - See Loxostege

Phlyctaenodes sticticalis L. - See Loxostege

Phlyctaenodes verticalis L. - See Loxostege

Phobetron hipparchia Cram. (Limacodid)
Neochristolia eucleidis Blanchard (Hym. Ichneumonid) - Argentina (A, xxv, 473).
Pimpla tomyris Schrottky (Hym. Ichneumonid) - Argentina (A, xxv, 473).

Phobetron pithecium A. & S. (Limacodid)
Apanteles phobetri Rohw. (Hym. Braconid) - U.S.A. (A, iii, 658; Muesebeck, ix, 169).
Phorocera longiuscula Walk. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pholisora catullus F. (Hesperiid)
Apanteles pholisorae Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Pholus sp. (Sphingid)
Achaetoneura aletiae Riley (Dipt. Tachinid) - N. America (Webber, A, xix, 112).
Achaetoneura pholi Web. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112).

Pholus achemon Dru. (Sphingid)
Achaetoneura testacea Web. (Dipt. Tachinid) - U.S.A. (A, xvii, 618).
Apanteles congregatus Say (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Sturmia protoparcis Tns. (Dipt. Tachinid) - U.S.A. (A, viii, 113; xvii, 618).
Winthemia quadripustulata F. (Dipt. Tachinid) - Canada (Tothill, A, i, 114): U.S.A. (A, xvii, 618).

Pholus pandorus Hb. - See P. satellitia pandorus Hb.

Pholus satellitia pandorus Hb. (Sphingid)
Apanteles congregatus Say (Hym. Braconid) - N. America (Muesebeck, A, ix, 169): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pholus vitis L. (Sphingid)
Achaetoneura testacea Web. (Dipt. Tachinid) - U.S.A. (A, xvii, 618; Webber, xix, 112).

Phosphila turbulenta Hb. (Phalaenid)
Apanteles hadenae Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, xv, 185; Schaffner & Griswold, xxii, 688).
Aphanistes hyalinus Nort. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Labrorychus sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Therion petiolatum Davis (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; Schaffner & Griswold, xxii, 688).
Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; Schaffner & Griswold, xxii, 688).

Phragmatiphila nexa Hb. (Phalaenid)
Ichneumon confusorius Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Phragmatiphila truncata Walk. (Phalaenid)
Apanteles flavipes Cam. (Hym. Braconid) - Australia (A, iv, 344; ix, 455; x, 164, 232; xi, 379; xii, 518; xvii, 153; xix, 446; xxiv, 273).
Euplectrus howardi Ol. (Hym. Eulophid) - Australia (A, iv, 344; ix, 455).

Phragmatiphila typhae Thnbg. (Phalaenid)
Amblyteles johansoni Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Amblyteles nonagriae Hlgr. (Hym. Ichneumonid) - Sweden (A, vii, 96).
Chasmias paludicola Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Schutze & Roman, A, xix, 239).
? Cryptus viduatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exephanes occupator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon quaesitorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Masicera sylvatica Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Melanichneumon saturatorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meloboris crassicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Trichocryptus cinctorius Grav. (Hym. Ichneumonid) - Latvia (Ozols, A, xvii, 55).

Phragmatobia assimilans Walk. (Arctiid)
Carcelia cheloniae Rond. (Dipt. Tachinid) - Canada (Aldrich & Webber, A, xii, 214).

Phragmatobia assimilans franconia Slos. (Arctiid)
Carcelia cheloniae Rond. (Dipt. Tachinid) - Canada (Tothill, A, i, 114).
Carcelia reclinata A. & W. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Phragmatobia casta Esp. (Arctiid)
Metopius leiopygus Först. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).
Metopius micratorius F. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Phragmatobia cervina Fall. (Arctiid)
Gonia flaviceps Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pimpla examinator F. (Hym. Ichneumonid) - ? (Jackson, A, xxv, 767).

Phragmatobia fuliginosa L. (Arctiid)

Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles fulvipes Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Apanteles gracilipes Thoms. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Apanteles vitripennis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Aplomya affinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Aldrich & Webber, xii, 214): Canada (Tothill, A, i, 114).
Carcelia cheloniae Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Coelichneumon periscelis Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Cryptus cyanator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exorista vidua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ichneumon formosus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon haglundi Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon ochropis Gmel. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).
Macrocentrus abdominalis F. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Microgaster connexa Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127).
Phygadeuon nycthemerus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Jackson, A, xxv, 767).
Spallanzania bucephala Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Thelaira nigripes F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Wagneria schnabli B.B. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Zenillia confundens Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Phragmatobia fuliginosa rubricosa Harr. (Arctiid)

Aplomya affinis Fall. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phryganidia californica Pack. (Dioptid)

Actia flavipes Coq. (Dipt. Tachinid) - U.S.A. (A, vii, 381).
Brachymeria abiesiae Gir. (Hym. Chalcid) - U.S.A. (A, vii, 381).
Pimpla behrensii Cress. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169): U.S.A. (A, vii, 381).

Pimpla conquisitor Say (Hym. Ichneumonid) - ? (Schedl, A, xix, 725).
Siphona plusiae Coq. (Dipt. Tachinid) - U.S.A. (A, iii, 306).

Phtheocroa rugosana Hb. (Phaloniid)
Angitia interrupta Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phthinolophus indentatus Dyar - See Strepsicrates indentata Dyar

Phthorimaea acuminatella Sircom. - See Gnorimoschema

Phthorimaea artemisiella Tr. - See Gnorimoschema

Phthorimaea blapsigona Meyr. - See Gnorimoschema

Phthorimaea chenopodiella Busck - See Gnorimoschema

Phthorimaea cinerella Murtfeldt - See Keiferia glochinella Zell.

Phthorimaea gallaeasteriella Kell. - See Gnorimoschema

Phthorimaea gallaesolidaginis Riley - See Gnorimoschema

Phthorimaea glochinella Zell. - See Keiferia

Phthorimaea heliopa Lw. - See Gnorimoschema

Phthorimaea instabiella Dougl. - See Gnorimoschema

Phthorimaea lycopersicella Busck - See Keiferia

Phthorimaea obsoletella Fisch. - See Gnorimoschema

Phthorimaea ocellatella Boyd. - See Gnorimoschema

Phthorimaea operculella Zell. - See Gnorimoschema

Phthorimaea plantaginella Staint. - See Gnorimoschema

Phthorimaea salicorniae Her. - See Gnorimoschema

Phthorimaea salinaris Busck - See Gnorimoschema

Phthorimaea striatella Murtf. - See Gnorimoschema

Phthorimaea tricolorella Haw. - See Gnorimoschema

Phyciodes nycteis Dbl. & Hew. (Nymphalid)
Apanteles hyphantriae Riley (Hym. Braconid) - U.S.A. (A, xxiv, 216).
Apanteles melanoscelus Ratz. (Hym. Braconid) - U.S.A. (A, x, 403).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner A, xiv, 257).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, xxiv, 216).

Phyciodes tharos Dru. (Nymphalid)
Siphosturmiopsis phycidis Coq. (Dipt. Tachinid) - Canada (Tothill, A, i, 114).

Phycita infusella Meyr. (Phycitid)
Apanteles sp. (Hym. Braconid) - India (A, xvi, 419).
Chelonus sp. (Hym. Braconid) - India (Husain & Mathur, A, xii, 383).
Euchalcis sp. (Hym. Chalcid) - India (Husain & Mathur, A, xii, 383).
Microbracon brevicornis Wesm. (Hym. Braconid) - India (Husain & Mathur, A, xii, 383; xiv, 89; xvii, 168).
Microbracon lefroyi D. & G. (Hym. Braconid) - India (A, ix, 71; xvi, 419).
Oncochalcis rufescens Cam. (Hym. Chalcid) - India (Husain & Mathur, A, xii, 383; xvi, 419).

Phycita spissicella F. (Phycitid)
Labrorychus tenuicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Macrocentrus abdominalis F. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Europe, China, Japan, America (Chu & Hsia, A, xxv, 508).

Phycodes radiata Ochs. (Glyphiterygid)
Apanteles phycodis Vier. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xvi, 48; Wilkinson, xvii, 153; Ramakrishna Ayyar & Margabandu, xxiii, 209; Beeson & Chatterjee, xxiv, 197).

Phyllocnistis citrella Staint. (Gracilariid)
Ageniaspis sp. (Hym. Encyrtid) - Java (A, xxi, 60; xxiii, 162).
Cirrospilus sp. (Hym. Eulophid) - Java (A, xxiii, 162).
Cirrospilus ingenuus Gahan (Hym. Eulophid) - Java (Gahan, A, xxi, 101).
Eurytoma sp. (Hym. Eurytomid) - Ceylon (A, xxiii, 49).
Microbracon phyllocnistidis Mues. (Hym. Braconid) - Java (A, xxii, 128; xxiii, 162).

Phyllonorycter alnifoliella Dup. (Gracilariid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter amyotella Dup. (Gracilariid)
Apanteles nanus Reinh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exothecus flavitarsis Thoms. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Phyllonorycter blanchardella F. (Gracilariid)
Apanteles bicolor Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles blanchardellae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles flavolimbatus Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter cavella Zell. (Gracilariid)
Anaphes forsteri Ratz. (Hym. Mymarid) - Europe (Girault, A, ii, 310).
Apanteles bicolor Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Microphanurus discolor Ratz. (Hym. Scelionid) - Europe (Girault, A, ii, 310).
Pimpla maculator F. (Hym. Ichneumonid) - ? (Dos Santos Hall, A, xiii, 596).

Phyllonorycter concomitella Bks. (Gracilariid)
Apanteles bicolor Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Phyllonorycter connexella Zell. (Gracilariid)
Pimpla sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Phyllonorycter coryli Nic. (Gracilariid)
Exothecus foveolator Thoms. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Phyllonorycter corylifoliella Haw. (Gracilariid)
Chrysocharis niveipes Thoms. (Hym. Eulophid) - Germany (Wagner, A, xix, 127).
Pimpla sagax Htg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter cramerella F. (Gracilariid)
Ageniaspis testaceipes Ratz. (Hym. Encyrtid) - ? (Parker, A, xix, 436).
Colastes braconius Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter emberezaepennella Boh. (Gracilariid)
Apanteles bicolor Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Chrysocharis scutellaris Thoms. (Hym. Eulophid) - Germany (Wagner, A, xix, 127).

Phyllonorycter endryella Men. (Gracilariid)
Apanteles sicarius Marsh. (Hym. Braconid) - France (A, xvi, 240).

Phyllonorycter froelichiella Zell. (Gracilariid)
Astomaspis conformis Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter guttifinitella Clem. - See Cameraria

Phyllonorycter hortella F. (Gracilariid)
Pimpla alternans Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter junoniella Zell. (Gracilariid)
Apanteles bicolor Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles contaminatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter kleemannella F. (Gracilariid)
Encyrtid sp. (Hym.) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter lantanella Schk. (Gracilariid)
Apanteles bicolor Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles lautellus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles nanus Reinh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Colastes braconius Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter lautella Zell. (Gracilariid)
Apanteles lautellus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Colastes braconius Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter mariaeella Chamb. (Gracilariid)
Apanteles ornigis Weed (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Phyllonorycter mespilella Hb. (Gracilariid)
Microbracon variegator Spin. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter millierella Stgr. (Gracilariid)
Colastes braconius Hal. (Hym. Braconid) - France (A, xvi, 240).

Phyllonorycter nicellii Staint. (Gracilariid)
Pimpla calobata Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Phyllonorycter nigrescentella Logan (Gracilariid)
Colastes braconius Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles submarginatus Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter platani Stgr. (Gracilariid)
Sympiesis sericeicornis Först. (Hym. Eulophid) - Europe (A, xiii, 212).
Tetrastichus platanellus Mercet (Hym. Eulophid) - Europe (A, xiii, 212): France (A, xi, 204).

Phyllonorycter populifoliella Tr. (Gracilariid)
Chrysocharis sp. (Hym. Eulophid) - Russia (A, xxiii, 105; xxiv, 654).
Chrysocharis boops Thoms. (Hym. Eulophid) - Russia (A, xxiii, 105).
Eulophus sp. (Hym. Eulophid) - Russia (A, xxiii, 105).
Habrocytus sp. (Hym. Pteromalid) - Russia (A, xxiii, 105).
Sympiesis sericeicornis Nees (Hym. Eulophid) - Russia (A, xxiii, 105).
Winnemana sp. (Hym. Eulophid) - Russia (A, xxiii, 105).

Phyllonorycter propinquinella Brauns (Gracilariid)
Apanteles ornigis Weed (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Phyllonorycter quercifoliella Zell. (Gracilariid)
Apanteles bicolor Nees (Hym. Braconid) - Spain (A, xvii, 573).
Chrysocharis sp. (Hym. Eulophid) - Spain (A, xvii, 573).
Closterocerus sp. (Hym. Eulophid) - Spain (A, xvii, 573).
Colastes braconius Hal. (Hym. Braconid) - Braconid (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Sympiesis sericeicornis Nees (Hym. Eulophid) - Spain (A, xvii, 573).

Phyllonorycter roboris Zell. (Gracilariid)
Aspilota ruficornis Hal. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Phyllonorycter schreberella F. (Gracilariid)
Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles bicolor Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles lautellus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Colastes braconius Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles submarginatus Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Sympiesis sericeicornis Nees (Hym. Eulophid) - Germany (Wagner, A, xix, 127).

Phyllonorycter spinolella Dup. (Gracilariid)
Aspilota ruficornis Hal. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Phyllonorycter spinicolella Zell. (Gracilariid)
Apanteles bicolor Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles umbellatarum Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles similis Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Sympiesis sericeicornis Nees (Hym. Eulophid) - Germany (Wagner, A, xix, 127).

Phyllonorycter stettinensis Nic. (Gracilariid)
Apanteles bicolor Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Apanteles laetus Marsh. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Phyllonorycter sylvella Haw. (Gracilariid)
Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phyllonorycter tenella Zell. (Gracilariid)
Colastes braconius Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exothecus debilis Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Phyllonorycter triarcha Meyr. (Gracilariid)
Elasmus sp. (Hym. Elasmid) - Philippines (A, xxiii, 709).
Sympiesis sp. (Hym. Eulophid) - Philippines (A, xxiii, 709).

Phyllonorycter ulmifoliella Hb. (Gracilariid)
Angitia exareolata Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Physostegania pustularis Guen. (Geometrid)
Campoplegine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Casinaria sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phytometra - See Autographa

Pieris sp. (Pierid)
Apanteles glomeratus L. (Hym. Braconid) - France (A, x, 265): Spain (A, xxiv, 84): Switzerland (A, viii, 82).
Apanteles spurius Wesm. (Hym. Braconid) - Serbia (Voukassovitch, A, xvii, 210).
Comedo larvarum L. (Hym. Eulophid) - France (A, x, 265).
Pteromalus puparum L. (Hym. Pteromalid) - Spain (A, xxiv, 84).
Voria sp. (Dipt. Tachinid) - France (A, x, 265).

Pieris brassicae L. (Pierid)
Angitia rapae Meyer (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200; xix, 289; Romanova, xix, 563).
Angitia rufipes Grav. (Hym. Ichneumonid) - Germany (A, xv, 570): Russia (Meier, A, xviii, 131).
Anilastus ebeninus Grav. (Hym. Ichneumonid) - France (A, xiv, 516): Russia (A, iii, 44; xiv, 195; Meier, xvi, 200; Meier, xviii, 131; xix, 289; Romanova, xix, 563): Serbia (A, xv, 64): ? (A, x, 359; xiii, 297, 460; xiv, 135; xv, 54; Picard, xix, 175).
Anilastus vulgaris Tschek. (Hym. Ichneumonid) - France (A, xiv, 516): Russia (Romanova, A, xix, 563): ? (A, xiv, 135).
Apanteles sp. (Hym. Braconid) - France (A, xii, 233).
Apanteles fulvipes Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933; A, v, 515): Cyprus (A, xvi, 345): Czechoslovakia (A, viii, 346; Kolubajiv, xxiii, 229): Denmark (A, x, 60): England (A, iii, 277; xxii, 38; xxiv, 308): France (A, v, 569; vi, 190, 461; vii, 426, 462; viii, 133; ix, 444; xi, 256; xii, 186; xiii, 593; xiv, 114, 516): Germany (A, ix, 110; x, 261; Wagner, xix, 127; xx, 52; xxiv, 607): Holland (A, xii, 512; xxii, 211): Malta (A, xviii, 361): Norway (A, xv, 236): Poland (A, xvii, 130; xviii, 236; xix, 591; xxii, 495): Russia (A, iii, 44; xi, 176; xiii, 141; xiv, 107, 195, 390; Meier, xvi, 200; xvii, 135; xxv, 799): Serbia (A, xv, 64; Voukassovitch, xvii, 210): Spain (A, xi, 119; xv, 121): Switzerland (A, vii, 512): India (Wilkinson, A, xvii, 153; Beeson & Chatterjee, xxiv, 197): Palestine (A, xii, 227; xx, 508): Algeria (A, xv, 554; xvi, 536): ? (A, vii, 96, 144, 397; ix, 37; x, 359; xiii, 297; xiv, 135; xv, 54; Picard, xix, 175).

Apanteles jucundus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles perspicuus Nees (Hym. Braconid) - Russia (Meier, A, xviii, 131).
Apanteles rubripes Hal. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (A, xiv, 516): Russia (Meier, A, xvi, 200): ? (A, xiv, 135).
Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Astomaspis nanus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Brachymeria femorata Panz. (Hym. Chalcid) - France (A, xii, 233; xiv, 307, 516; xv, 5): ? (A, xiv, 135).
Brachymeria intermedia Nees (Hym. Chalcid) - U.S.A. (A, xxiii, 586): ? (Fahringer, A, x, 328).
Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Russia (A, iii, 541; Meier, xviii, 131).
Carcelia lota Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ceromasia rutila Mg. (Dipt. Tachinid) - France (A, xiv, 516): ? (A, xiv, 135).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (Kolubajiv, A, xxiii, 229): France (A, x, 54; xiv, 516): Rumania (Suster, A, xix, 21): Serbia (A, xv, 64; Voukassovitch, xvii, 210): ? (A, x, 359; xiv, 135; Picard, xix, 175).
Dibrachys sp. (Hym. Pteromalid) - ? (A, x, 359).
Dibrachys cavus Walk. (Hym. Pteromalid) - Russia (Meier, A, xviii, 131).
Drosophila busckii Coq. (Dipt. Drosophilid) - France (A, xiv, 516).
Drosophila rubrostriata Beck. (Dipt. Drosophilid) - France (A, x, 54).
Exetastes illusor Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Exetastes nigripes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exorista larvarum L. (Dipt. Tachinid) - France (A, xiv, 516): ? (A, xiv, 135).
Gelis agilis F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Gelis trux Först. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Hemiteles cingulator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles imbecillus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles melanarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles pictipes Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Hemiteles socialis Ratz. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Hemiteles tristator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Leptocryptus aereus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Masicera sylvatica Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Melittobia acasta Walk. (Hym. Eulophid) - France (A, xi, 163).
Mesochorus angustatus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus anomalus Hlgr. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Mesochorus curvulus Thoms. (Hym. Ichneumonid) - Russia (Romanova, A, xix, 563).
Mesochorus tuberculiger Thoms. (Hym. Ichneumonid) - Russia (Romanova, A, xix, 563).
Microbracon brevicornis Wesm. (Hym. Braconid) - ? (Genieys, A, xiii, 462).
Microbracon plotnikovii Bogoljubov (Hym. Braconid) - Russia (A, ii, 423).
Microgaster sp. (Hym. Braconid) - France (A, vi, 142): Italy (A, ix, 544).
Phora sp. (Dipt. Phorid) - France (A, xiv, 516).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): England (A, xxii, 39): France (A, v, 569; xiv, 516): Russia (A, xxv, 605): ? (A, xiv, 135).
Pimpla alternans Grav. (Hym. Ichneumonid) - Russia (Romanova, A, xix, 563).
Pimpla compunctor L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127): Poland (A, xviii, 236).
Pimpla examinator F. (Hym. Ichneumonid) - Britain (Jackson, A, xxv, 767).
Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (A, xiv, 307, 516; xvi, 240): Switzerland (A, vii, 512): Poland (Keler, A, xvii, 191): Russia (Meier, A, xvi, 200; xix, 289): Serbia (A, xv, 64; Voukassovitch, xvii, 210): ? (A, x, 359; Faure, xiv, 135; Picard, xix, 175).
Polynema ovulorum L. (Hym. Mymarid) - Europe (Girault, A, ii, 310): Germany (A, x, 261).
Pteromalus sp. (Hym. Pteromalid) - France (A, vii, 462).
Pteromalus puparum L. (Hym. Pteromalid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): England (A, xxii, 39): France (A, v, 569; xi, 256; xii, 233; xiv, 307, 516; xv, 5): Germany (A, x, 261; Wagner, xix, 127; xx, 52): Poland (A, xviii, 236): Russia (Meier, A, xviii, 131; xx, 88; xxv, 605): Serbia (A, xv, 54, 105; xx, 482): Spain (A, xi, 119): Switzerland (A, vii, 512): Algeria (A, xv, 554): ? (A, x, 359; xiv, 135; Picard, xix, 175).
Stictopisthus complanatus Hal. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Tetrastichus microgastri Thoms. (Hym. Eulophid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xviii, 131).
Theronia atalantae Poda (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Russia (Romanova, A, xix, 563).
Thrycolyga segregata Rond. (Dipt. Tachinid) - France (A, xiv, 516): ? (A, xiv, 135).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - France (A, xii, 558; xiv, 516; xv, 653): Germany (A, xiii, 586, 587): Russia (A, ii, 523; Lesovoi, xviii, 609): Serbia (A, xv, 64): ? (A, xiv, 135).

Pieris daplidice L. (Pierid)
Anilastus ebeninus Grav. (Hym. Ichneumonid) - Russia (A, i, 526; ii, 355; iii, 637; Meier, xvi, 200; Romanova, xix, 563, 564).
Apanteles glomeratus L. (Hym. Braconid) - Germany (Wagner, A, xix, 127): Russia (A, ii, 355; Meier, xvi, 200; Telenga, xxv, 703).
Aphanistes xanthopus Schrank (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Brachymeria intermedia Nees (Hym. Chalcid) - Russia (A, i, 536; ii, 355; iii, 637; Meier, xviii, 131).
Brachymeria secundaria Ruschka (Hym. Chalcid) - Europe (A, xiii, 319).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pimpla alternans Grav. (Hym. Ichneumonid) - Russia (Romanova, A, xix, 563).
Pteromalus puparum L. (Hym. Pteromalid) - Russia (A, i, 536; ii, 355; iii, 637; Meier, xviii, 131).
Trichogramma carpocapsae Schreiner (Hym. Trichogrammid) - Russia (A, ii, 355).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587): Russia (Meier, A, xviii, 131).

Pieris monuste L. (Pierid)
Apanteles glomeratus L. (Hym. Braconid) - Brazil (A, ix, 36).

Pieris napi L. (Pierid)
Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497): France (A, v, 569).
Astomaspis nanus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exetastes illusor Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Hemiteles melanarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles schaffneri Schmied. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Phryxe vulgaris Fall. (Dipt. Tachinid) - France (A, v, 569): Sweden (A, iv, 509).
Pimpla examinator F. (Hym. Ichneumonid) - Britain (Jackson, A, xxv, 767): Scotland (A, xxii, 631).
Pteromalus puparum L. (Hym. Pteromalid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (A, v, 569): Russia (Meier, A, xviii, 131): Algeria (A, xv, 554).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (A, xiii, 586, 587).

Pieris occidentalis Reak. (Pierid)
Madremyia saundersii Will. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Pieris oleracea Harr. (Pierid)
Apanteles glomeratus L. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Pieris protodice Bdv. & Lec. (Pierid)
Apanteles glomeratus L. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Pieris rapae L. (Pierid)

Achaetoneura archippivora Will. (Dipt. Tachinid) - Hawaii (A, iii, 363): N. America (Webber, A, xix, 112): U.S.A. (A, xiv, 408; Schaffner & Griswold, xxii, 688).

Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).

Angitia rapae Meyer (Hym. Ichneumonid) - Russia (A, xv, 313; Meier, xvi, 200).

Angitia tenuipes Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xviii, 131).

Anilastus ebeninus Grav. (Hym. Ichneumonid) - Russia (A, xiv, 195; Meier, xvi, 200; Meier, xviii, 131; Romanova, xix, 563): ? (A, xv, 54).

Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Europe-U.S.A. (A, xiv, 408): Britain (A, v, 515; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Denmark (A, x, 60): England (A, xxii, 38, 478; xxiv, 308): France (A, v, 569): Malta (A, xviii, 261): Russia (A, xiv, 195; Meier, xvi, 200): China (Chu, A, xxiv, 105; xxv, 596): Japan (Watanabe, A, xxi, 211, 358): Canada (A, ii, 664; xii, 539; xiv, 389): N. America (Muesebeck, A, ix, 169): U.S.A. (A, iv, 112; viii, 532; Poos, xvii, 88; Schaffner & Griswold, xxii, 688): New Zealand (A, xx, 352; xxi, 13; xxii, 40, 724; xxiv, 2): ? (A, vii, 397; xv, 54).

Apanteles rubecula Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): England (A, xxii, 38): France (A, ix, 419).

Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Astomaspis nanus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Brachymeria obscurata Walk. (Hym. Chalcid) - China (Chu & Hsia, A, xxiii, 622; xxv, 197, 596): Hawaii (A, iii, 363; xviii, 252).

Casinaria ischnogaster Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Casinaria tenuiventris Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Canada (A, vii, 526): U.S.A. (A, vii, 428; xiv, 257; Schaffner & Griswold, xxii, 688).

Hemiteles melanarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Hemiteles schaffneri Schmied. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Mesochorus pectoralis Ratz. (Hym. Ichneumonid) - New Zealand (A, xxii, 40).

Mesochorus splendidulus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Obolocera rapae Smith (Dipt. Tachinid) - U.S.A. (A, vi, 48).

Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Poos, A, xvii, 88).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): England (A, xxii, 39): France (A, v, 569): Russia (A, xxv, 605): U.S.A. (Aldrich & Webber, A, xii, 214; xiv, 408; Schaffner & Griswold, xxii, 688).

Pimpla compunctor L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Pimpla conquisitor Say (Hym. Ichneumonid) - Canada (A, xii, 539).

Pimpla examinator F. (Hym. Ichneumonid) - Britain (Jackson, A, xxv, 767): Scotland (A, xxii, 631).

Pimpla rapae Uch. (Hym. Ichneumonid) - Japan (A, xiii, 449; Uchida, xvii, 191).
Pimpla rufata Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pteromalus imbutus Walk. (Hym. Pteromalid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pteromalus puparum L. (Hym. Pteromalid) - Europe-U.S.A. (A, xiv, 408): England (A, xxii, 39): France (A, v, 569): Russia (A, iii, 44; Meier, xviii, 131; xx, 88; xxv, 605): China (A, xxv, 197, 596): Hawaii (A, xiv, 179): Canada (A, ii, 665; xii, 539; xiv, 389): U.S.A. (A, viii, 532; Poos, xvii, 88; Schaffner & Griswold, xxii, 688): New Zealand (A, xxii, 40, 724; xxiii, 372, 724; xxiv, 3; xxv, 80): Algeria (A, xv, 554).
Sarcophaga latisterna Park. (Dipt. Sarcophagid) - U.S.A. (A, xiv, 408; xvii, 550).
Stictopisthus complanatus Hal. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tetrastichus rapo Walk. (Hym. Eulophid) - New Zealand (A, xxii, 40).
Theronia atalantae Poda (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191): Italy, France, Switzerland, Germany, Greece, Siberia, Korea, China (Chu & Hsia, A, xxv, 508).
Theronia japonica Ashm. (Hym. Ichneumonid) - Japan (A, xiii, 449).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - France (A, xv, 653): Germany (A, xiii, 587): Russia (A, v, 23; Tragardh, xii, 98; Lesovoi, xviii, 609).
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).

Pilocrocis aegrotalis Zell. (Pyraustid)
Microgaster psarae Wlkn. (Hym. Braconid) - India (Wilkinson, A, xvii, 608).

Pilocrocis cubanalis Guen. - See P. tripunctata F.

Pilocrocis tripuncta F. (Pyraustid)
Diplazon sp. (Hym. Ichneumonid) - U.S.A. (A, vi, 82).
Nemorilla floralis Fall. (Dipt. Tachinid) - U.S.A. (A, vi, 82).

Pinara cana Walk. (Lasiocampid)
Lissopimpla sp. (Hym. Ichneumonid) - Australia (A, xxi, 569).

Pinipestis - See Dioryctria

Pionea crocealis Hb. - See Phlyctaenia

Pionea forficalis L. - See Phlyctaenia

Pionea rubigalis Guen. - See Phlyctaenia

Pionea stachydalis Zck. - See Pyrausta

Plagodis dolabraria L. (Geometrid)
Campoplex falcator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Dos Santos Hall, A, xiii, 596).

Plastenis subtusa Schiff. - See Ipimorpha

Plathypena scabra F. (Phalaenid)

Achaetoneura aletiae Riley (Dipt. Tachinid) - U.S.A. (A, viii, 390; Hill, xiii, 634).
Apanteles flaviconchae Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Apanteles marginiventris Cress. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; Vickery, xiii, 622, 634).
Apanteles platyhypenae Mues. (Hym. Braconid) - U.S.A. (A, ix, 169).
Archytas aterrima R.-D. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Carcelia amplexa Coq. (Dipt. Tachinid) - U.S.A. (A, xiii, 634).
Chaetophlepsis tarsalis Tns. (Dipt. Tachinid) - U.S.A. (A, xiii, 634).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, xiii, 634; Webber & Schaffner, xiv, 257; Schaffner & Griswold, xxii, 688).
Copecrypta nitens Wd. (Dipt. Tachinid) - U.S.A. (A, xiii, 634).
Elpe inepta Mg. (Dipt. Tachinid) - U.S.A. (A, xiii, 634).
Euplectrus comstocki How. (Hym. Eulophid) - U.S.A. (A, xiii, 634).
Euplectrus platyhypenae How. (Hym. Eulophid) - U.S.A. (A, xiii, 634; xv, 631).
Gaediopsis ocellaris Coq. (Dipt. Tachinid) - U.S.A. (A, xiii, 634).
Hemiteles sp. (Hym. Ichneumonid) - U.S.A. (A, xiii, 634).
Mesochorus sp. (Hym. Ichneumonid) - U.S.A. (A, xiii, 634).
Meteorus sp. (Hym. Braconid) - U.S.A. (A, xiii, 634).
Meteorus autographae Mues. (Hym. Braconid) - U.S.A. (A, xi, 477).
Microgaster facetosa Weed (Hym. Braconid) - U.S.A. (Muesebeck, A, x, 551; xiii, 634).
Microplitis varicolor Vier. (Hym. Braconid) - N. America (Muesebeck, A, x, 551): U.S.A. (A, xiii, 634).
Mystacella postera Wulp (Dipt. Tachinid) - U.S.A. (A, xiii, 634).
Oncophanes atriceps Ashm. (Hym. Braconid) - U.S.A. (A, xi, 395; Hill, xiii, 634).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, viii, 390; xiii, 634).
Phorocera floridensis Tns. (Dipt. Tachinid) - U.S.A. (A, viii, 390; Aldrich & Webber, xii, 214; Hill, xiii, 634).
Rogas canadensis Cress. (Hym. Braconid) - U.S.A. (A, xiii, 634).
Rogas intermedius Cress. (Hym. Ichneumonid) - U.S.A. (A, xi, 395; Hill, xiii, 634).
Rogas nolophanae Ashm. (Hym. Braconid) - U.S.A. (A, xiii, 634).
Sarcophaga cimbicis Tns. (Dipt. Sarcophagid) - U.S.A. (A, viii, 390; Hill, xiii, 634).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, viii, 390; Hill, xiii, 634): ? (Martin, A, xvi, 441).
Villa lateralis Say (Dipt. Bombyliid) - U.S.A. (A, viii, 390; Hill, xiii, 634).
Winthemia quadripustulata F. (Dipt. Tachinid) - U.S.A. (A, xiii, 634; Webber & Schaffner, xiv, 257).
Winthemia sinuata Reinh. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214; xiii, 634).
Zenillia boarmiae Coq. (Dipt. Tachinid) - U.S.A. (A, viii, 390; Hill, xiii, 634).

Platyedra sp. (Gelechiid)
Microbracon lefroyi D. & G. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48).

Platyedra erebodoxa Meyr. (Gelechiid)
Apanteles sp. (Hym. Braconid) - Uganda (A, xvi, 64).
Apanteles diparopsidis Lyle (Hym. Braconid) - Uganda (A, xvi, 530; xxi, 135).
Chelonus sp. (Hym. Braconid) - Uganda (A, xvi, 64).
Chelonus ritchiei Wlkn. (Hym. Braconid) - Uganda (A, xvi, 530).
Microbracon sp. (Hym. Braconid) - Uganda (A, xvi, 64).
Microbracon hancocki Wlkn. (Hym. Braconid) - Uganda (A, xvi, 530).

Platyedra gossypiella Saund. - See Pectinophora

Platyedra malvella Hb. - See Pectinophora

Platyedra vilella Zell. (Gelechiid)
Angitia elishae Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles sicarius Marsh. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).

Platynota sp. (Tortricid)
Microbracon platynotae Cush. (Hym. Braconid) - Mexico, U.S.A. (A, xiii, 411).

Platynota flavedana Clem. (Tortricid)
Goniozus platynotae Ashm. (Hym. Bethylid) - U.S.A. (Fouts, A, xvii, 28).

Platynota rostrana Walk. (Tortricid)
Apanteles sp. (Hym. Braconid) - Cuba (A, xxiii, 748).
Apanteles balthazari Ashm. (Hym. Braconid) - Cuba (A, xxiii, 748).
Chelonus sp. (Hym. Braconid) - Cuba (A, xxiii, 748).
Sympiesis sp. (Hym. Eulophid) - Cuba (A, xxiii, 748).
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).

Platynota stultana Wlsm. (Tortricid)
Angitia ferrugineipes Ashm. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 525).
Apanteles aristoteliae Vier. (Hym. Braconid) - U.S.A. (A, xxiii, 31).
Cremastus sp. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 525).
Meteorus dimidiatus Cress. (Hym. Braconid) - U.S.A. (A, xxiv, 525).

Platyptilia acanthodactyla Hb. (Pterophorid)
Exephanes occupator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Platyptilia cosmodactyla Hb. (Pterophorid)
Mesochorus tenuiscapus Thoms. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Platyptilia gonodactyla D. & S. (Pterophorid)
Hemichneumon elongatus Ratz. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Hemiteles bicolorinus Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Platyptilia isodactyla Zell. (Pterophorid)
Microgaster tibialis Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Italy (Chu & Hsia, A, xxv, 508): ? (Goidanich, A, xx, 445).

Platyptilia molopias Meyr. (Pterophorid)
Apanteles paludicolae Cam. (Hym. Braconid) - Ceylon (Wilkinson, A, xvii, 153).

Platyptilia nemoralis Zell. (Pterophorid)
Gelis corruptor Först. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Microgaster rufipes Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Pimpla habermehli Schmk. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Platyptilia rhododactyla D. & S. (Pterophorid)
Apanteles glomeratus L. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Platyptilia rhynchophora Meyr. (Pterophorid)
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Platysamia cecropia L. - See Samia

Platysenta sutor Guen. (Phalaenid)
Microgaster calliptera Say (Hym. Braconid) - U.S.A. (Muesebeck, A, x, 551).
Winthemia quadripustulata F. (Dipt. Tachinid) - U.S.A. (Allen, A, xvi, 162).

Platysenta videns Guen. (Phalaenid)
Microgaster calliptera Say (Hym. Braconid) - U.S.A. (Muesebeck, A, x, 551).

Plebejus melissa Edw. (Lycaenid)
Aplomya confinis Fall. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Plectoptera reflexa Guen. (Phalaenid)
Disophrys sissoo Wlkn. (Hym. Braconid) - India (A, xviii, 200; Beeson & Chatterjee, xxiv, 197).
Microgaster plecopterae Wlkn. (Hym. Braconid) - India (A, xviii, 200; Beeson & Chatterjee, xxiv, 197).
Prosopaea indica Curran (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Zenillia picta Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Pleuroprucha insulsaria Guen. (Geometrid)
Apanteles nemoriae Ashm. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; xi, 300).

Plodia interpunctella Hb. (Phycitid)
Drepanoglossa floridensis Tns. (Dipt. Tachinid) - U.S.A. (A, xix, 747).
Ecphoropsis viennensis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Idechthis canescens Grav. (Hym. Ichneumonid) - Germany (A, xxv, 263): Italy.(A, xvii, 601): Jugoslavia (A, xx, 716): Russia (A, xix, 408): U.S.A. (A, xviii, 620; xix, 747; xxiii, 37).
Lathrostizus insularis Ashm. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Microbracon sp. (Hym. Braconid) - Russia (A, xix, 408).
Microbracon hebetor Say (Hym. Braconid) - Italy (A, xviii, 451): Jugoslavia (A, xx, 716): Hawaii (Swezey, A, iii, 681): Japan (Chu & Hsia, A, xxv, 508): U.S.A. (A, xii, 84; xvii, 557; xviii, 205, 620; xix, 95, 747; xxiii, 37): Australia (A, xvi, 606; xviii, 199, 267).
Opius carinatus Thoms. (Hym. Braconid) - Germany (A, xviii, 451).

Plusia - See Autographa

Plusia aeroides Grote (Phalaenid)
Voria ruralis Fall. (Dipt. Tachinid) - Canada (Tothill, A, i, 114).

Plusia agramma Guen. - See Autographa peponis F.

Plusia brassicae Riley - See Autographa

Plusia californica Speyer - See Autographa

Plusia chalcytes Esp. - See Autographa

Plusia chrysistis L. - See Autographa

Plusia deaurata Esp. - See Autographa

Plusia eriosoma Doubl. - See Autographa chalcytes Esp.

Plusia festucae L. - See Autographa

Plusia gamma L. - See Autographa

Plusia gamma californica Speyer - See Autographa californica Speyer

Plusia iota L. - See Autographa

Plusia moneta F. - See Chrysoptera

Plusia nu Guen. - See Rachiplusia

Plusia oo Stoll. - See Autographa rogationis Guen.

Plusia ou Guen. - See Autographa

Plusia orichalcea F. - See Autographa

Plusia ornatissima Walk. - See Autographa

Plusia peponis F. - See Autographa

Plusia signata F. - See Autographa

Plusia simplex Guen. - See Autographa falcifera simplex Guen.

Plusia variabilis Piller - See Autographa

Plusiodonta compressipalpis Guen. (Phalaenid)
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257).

Plutella sp. (Hyponomeutid)
Diplazon clotho Morl. (Hym. Ichneumonid) - India (Ramakrishna Ayyar, A, xvi, 48).

Plutella capparidis Sw. (Hyponomeutid)
Chelonus blackburni Cam. (Hym. Braconid) - Hawaii (Swezey, A, xviii, 255).

Plutella cruciferarum Z. - See P. maculipennis Curt.

Plutella maculata - See P. maculipennis Curt.

Plutella maculipennis Curt. (Hyponomeutid)
Angitia armillata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Finland (A, xxv, 281): Russia (A, xiv, 416; Meier, xvi, 200).
Angitia cerophaga Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Serbia (A, xvi, 73; Voukassovitch, xvii, 210).
Angitia chrysosticta Gmel. (Hym. Ichneumonid) - Germany (A, xvii, 463): Russia (Romanova, A, xix, 563).
Angitia fenestralis Hlgr. (Hym. Ichneumonid) - Britain (A, xii, 283): England (A, xvi, 9): Finland (A, xxv, 281): Germany (A, xvii, 463; Schutze & Roman, xix, 239): Russia (A, ix, 345; xiii, 543; xiv, 416; Meier, xvi, 200; Meier, xviii, 131; xix, 289, 443; Romanova, xix, 563, 564): India (A, viii, 99).
Angitia gracilis Bridgm. (Hym. Ichneumonid) - Russia (A, ix, 345; Meier, xvi, 200; Tzedeler, xix, 443).
Angitia lateralis Grav. (Hym. Ichneumonid) - New Zealand (A, xviii, 290).
Angitia majalis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (A, ix, 345; Meier, xvi, 200; Tzedeler, xix, 443): ? (Picard, A, xix, 175).
Angitia nana Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Angitia plutellae Vier. (Hym. Ichneumonid) - Russia (A, ix, 345; Tzedeler, xix, 443): Philippines (A, xvii, 345): U.S.A. (A, i, 177; v, 449; Poos, xvii, 88): Morocco (A, xxi, 109).
Angitia tibialis Grav. (Hym. Ichneumonid) - Russia (Romanova, A, xix, 563, 564).
Apanteles sp. (Hym. Braconid) - Finland (A, xxv, 281).
Apanteles fuliginosus Wesm. (Hym. Braconid) - Russia (Telenga, A, xxvi, 703).
Apanteles plutellae Kurdj. (Hym. Braconid) - Russia (A, xiv, 416; Meier, xvi, 200; Meier, xviii, 131; Tzedeler, xix, 443).
Apanteles plutellae Wlkn. (Hym. Braconid) - Java (A, xix, 377).
Apanteles ruficornis Nees (Hym. Braconid) - Russia (A, xix, 443).
Apanteles ruficrus Hal. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).
Apanteles rufipes Hal. (Hym. Braconid) - Russia (Meier, A, xvi, 200).
Apanteles sodalis Hal. (Hym. Braconid) - Russia (Meier, A, xvi, 200).
Brachymeria sp. (Hym. Chalcid) - Serbia (Voukassovitch, A, xvii, 210).
Brachymeria plutellophaga Gir. (Hym. Chalcid) - Australia (A, xi, 22).
Campoplex borealis Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex paniscus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Tzedeler, A, xix, 443).
Chelonus blackburni Cam. (Hym. Braconid) - Hawaii (Swezey, A, xviii, 255).
Cremastus plutellae Ashm. (Hym. Ichneumonid) - Russia (A, ix, 345; Tzedeler, xix, 443).
Diadromus subtilicornis Grav. (Hym. Ichneumonid) - Finland (A, xxv, 281): Germany (A, xvii, 463; Schutze & Roman, xix, 239): Russia (A, xix, 289, 443; Romanova, xix, 563, 564): Serbia (A, xvi, 73; Voukassovitch, xvii, 210).
Diadromus varicolor intermedius Wesm. (Hym. Ichneumonid) - Sweden (A, vii, 96).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Russia (Tzedeler, A, xix, 443): ? (A, ix, 345).
Eulimneria fibrator Cress. (Hym. Ichneumonid) - Russia (Tzedeler, A, xix, 443).
Eulimneria gracilis Grav. (Hym. Ichneumonid) - Britain (A, iii, 745): ? (Picard, A, xix, 175).
Eulimneria leontiniae Brèthes (Hym. Ichneumonid) - Argentina (A, xi, 233).
Eulimneria parva Prov. (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527).
Eulimneria polynesialis Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681; xviii, 252): Russia (A, ix, 345; Tzedeler, xix, 443).
Eulimneria tibiator Cress. (Hym. Ichneumonid) - Russia (A, ix, 345).
Exochus coronatus erythronotus Grav. (Hym. Ichneumonid) - Germany (A, xvii, 463).
Mesochorus sp. (Hym. Ichneumonid) - Russia (A, xix, 443): U.S.A. (A, v, 449).
Mesochorus velox Hlgr. (Hym. Ichneumonid) - Russia (Romanova, A, xix, 563).
Meteorus sp. (Hym. Braconid) - U.S.A. (A, v, 449).
Microplitis sp. (Hym. Braconid) - U.S.A. (A, v, 449).
Microplitis plutellae Mues. (Hym. Braconid) - N. America (A, x, 551).
Phaeogenes discus Cress. (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527).
Phaeogenes plutellae Kurdj. (Hym. Ichneumonid) - Russia (A, ix, 345; xiv, 416; Meier, xvi, 200; Tzedeler, xix, 443).

Phaeogenes rusticellae Bridgm. (Hym. Ichneumonid) - Russia (A, ix, 345; xiv, 416; Meier, xvi, 200; Tzedeler, xix, 443).
Pimpla alternans Grav. (Hym. Ichneumonid) - Russia (Romanova, A, xix, 563): Serbia (A, xvi, 73; Voukassovitch, xvii, 210).
Sagaritis latrator Grav. (Hym. Ichneumonid) - Russia (A, ii, 355; ix, 345; Meier, xvi, 200; Tzedeler, xix, 443).
Tetrastichus sokolowskii Kurdj. (Hym. Eulophid) - Russia (A, ix, 345; Meier, xviii, 131; Tzedeler, xix, 443).
Thyraeella collaris Grav. (Hym. Ichneumonid) - Germany (A, xvii, 463): Serbia (A, xvi, 73; Voukassovitch, xvii, 210).
Thyraeella collaris brischkei Berth. (Hym. Ichneumonid) - Germany (A, xvii, 463).
Trichogramma minutum Riley (Hym. Trichogrammid) - Australia (A, xvii, 104).

Plutella porrectella L. (Hyponomeutid)
Angitia apostata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Angitia majalis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles bicolor Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex faunus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Plutella xylostella L. - See Hypsolophus xylostellus L.

Poecilocampa populi L. (Lasiocampid)
Agrypon septentrionalis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127).
Apanteles insidens Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex sp. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Enicospilus ramidulus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Gambrus tricolor Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Metopius anxius Wesm. (Hym. Ichneumonid) - Palaearctic (Clment, A, xix, 111).
Metopius micratorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Palaearctic (Clement, A, xix, 111).
Metopius vespoides Scop. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).
Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus cephalotes Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polia acutermina Smith - See P. goodelli acutermina Smith

Polia adjuncta Bdv. (Phalaenid)
Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Wagneria sequax Will. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Polia advena Schiff. (Phalaenid)
Ichneumon extensorius L. (Hym. Ichneumonid) - Sweden (A, vii, 420).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Polia aliena Hb. (Phalaenid)
Nemoraea rubrica Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Polia assimilis Morr. (Phalaenid)
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Polia contigua Schiff. (Phalaenid)
Banchus volutatorius L. (Hym. Ichneumonid) - Sweden (A, vii, 420).
Exetastes cintipes Retz. (Hym. Ichneumonid) - Sweden (A, vii, 420).
Exetastes illusor Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497)
Exetastes nigripes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polia conspersa Schiff. (Phalaenid)
Paniscus testaceus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polia dentina Schiff. (Phalaenid)
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Polia dysodea Schiff. (Phalaenid)
Campoplex pugillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Enicospilus merdarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
? Glypta mensurator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polia flavicincta Schiff. (Phalaenid)
Actia exoleata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Microplitis medianus Ruthe (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microplitis tuberculifer Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Zenillia parens Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Polia glauca Kleem. (Phalaenid)
Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polia goodelli acutermina Smith (Phalaenid)
Linnaemyia comta Fall. (Dipt. Tachinid) - N. America (Strickland, A, xii, 50).

Polia legitima Grote (Phalaenid)
Banchus flavovariegatus Prov. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Ophionine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Parabatus cristatoides Cush. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; Schaffner & Griswold, xxii, 688).

Polia nana Rott. - See P. conspersa Schiff.

Polia nebulosa Hufn. (Phalaenid)
Apanteles perspicuus Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Mesochorus pallidus Brischke (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Meteorus pulchricornis Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Polia oleracea L. (Phalaenid)
Amblyteles inspector Wesm. (Hym. Ichneumonid) - ? (Picard, A, xix, 175).
Angitia apostata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Picard, A, xix, 175).
Anilastus coxalis Brischke (Hym. Ichneumonid) - Russia (A, xvii, 588).
Anomalon serinops Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200; xvii, 588).
Apanteles affinis Nees (Hym. Braconid) - Russia (A, xvii, 588).
Apanteles ruficrus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200): ? (Zorin & Zorina, A, xvii, 588).
Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200): ? (Zorin & Zorina, A, xvii, 588).
Astiphromma mandibularis Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Astiphromma nanus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Banchus monileatus Grav. (Hym. Ichneumonid) - Russia (Filip'ev, A, xviii, 606).
Banchus obscurus Meyer (Hym. Ichneumonid) - Russia (A, xv, 313; Meier, xvi, 200; xvii, 588).

Banchus volutatorius L. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200; xvii, 588).

? Blacus humilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Brachymeria intermedia Nees (Hym. Chalcid) - Italy (A, xxi, 267).

Comedo larvarum L. (Hym. Eulophid) - France (A, xviii, 523).

Comedo opaculus Thoms. (Hym. Eulophid) - England (A, xxii, 481; xxiii, 476).

Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): ? (Zorin & Zorina, A, xvii, 588).

Ctenichneumon castigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Zorin & Zorina, A, xvii, 588).

Enicospilus ramidulus L. (Hym. Ichneumonid) - Poland (Heinrich, A, xviii, 40): Russia (Meier, A, xvi, 200; xvii, 588).

Ernestia consobrina Mg. (Dipt. Tachinid) - Russia (A, xvii, 588).

Eulophus pectinicornis L. (Hym. Eulophid) - Russia (A, xvii, 588).

Exetastes cinctipes Retz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200; xvii, 588): ? (Picard, A, xix, 175).

Exetastes fornicator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): ? (Zorin & Zorina, A, xvii, 588).

Exetastes nigripes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon deliratorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Zorin & Zorina, A, xvii, 588).

Ichneumon fabricator F. (Hym. Ichneumonid) - Russia (A, xvii, 588).

Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563): Russia (A, xvii, 588).

Meteorus deceptor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Zorin & Zorina, A, xvii, 588).

Microgaster marginata Nees (Hym. Braconid) - Russia (A, xvii, 588; xix, 596).

Microplitis spinolae Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200): ? (Zorin & Zorina, A, xvii, 588).

Microplitis tuberculifer Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (A, xvii, 588).

Pelatachina tibialis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): ? (Zorin & Zorina, A, xvii, 588).

Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): England (A, xviii, 601; xxii, 481).

Rogas circumscriptus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Sagaritis erythropus Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200; xvii, 588).

Schizoloma amictum F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Therion circumflexum L. (Hym. Ichneumonid) - Poland (Heinrich, A, xviii, 40).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252); ? (Zorin & Zorina, A, xvii, 588).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Russia (A, xvii, 588; Meier, xviii, 131).
Voria trepida Mg. (Dipt. Tachinid) - Russia (A, xvii, 588).

Polia persicariae L. (Phalaenid)
Amblyteles negatorius F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Coelichneumon leucocerus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Enicospilus combustus Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127); Poland (Heinrich, A, xviii, 40).
Enicospilus merdarius Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Enicospilus ramidulus L. (Hym. Ichneumonid) - Poland (Heinrich, A, xviii, 40).
Ernestia connivans Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exetastes nigripes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon fusorius L. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ichneumon nigritarius Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Nemorilla maculosa Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Therion brevicorne Grav. (Hym. Ichneumonid) - Poland (Heinrich, A, xviii, 40).
Therion circumflexum L. (Hym. Ichneumonid) - Poland (Heinrich, A, xviii, 40).
Voria trepida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Zenillia aurifrons R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Polia pisi L. (Phalaenid)
Amblyteles fuscipennis Wesm. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Apanteles congestus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497); Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Enicospilus combustus Grav. (Hym. Ichneumonid) - Poland (Heinrich, A, xviii, 40).
Enicospilus ramidulus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933); Poland (Heinrich, A, xviii, 40).
Exetastes nigripes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon confusorius Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Ichneumon fusorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933)
Ichneumon pisorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).
Ophion luteus L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497); Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933)..
Ophion scutellaris Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ophion ventricosus Grav. (Hym. Ichneumonid) - Latvia (Ozols, A, xvii, 55).
Paniscus ocellaris Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Parabatus cristatus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Prosopaea nigricans Egg. (Dipt. Tachinid) - Czechoslovakia (Vimmer, A, xviii, 88).
Sigalphus irrorator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Siphona cristata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Tachina fera L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Russia (A, xvi, 43; Meier, xviii, 131).
Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Palaearctic (Allen, A, xvi, 162).

Polia polymita L. - See Antitype

Polia polynista L. (Phalaenid)
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Polia renigera Steph. - See Lacinipolia

Polia serena Schiff. (Phalaenid)
Angitia majalis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Enicospilus merdarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Lydella stabulans Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Microplitis variipes Ruthe (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Plagia ruricola Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Sagaritis zonata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polia spinaciae View. - See P. dysodea Schiff.

Polia stricta Walk. - See Lacinipolia

Polia suasa Schiff. (Phalaenid)
Banchus volutatorius L. (Hym. Ichneumonid) - Sweden (A, vii, 420).
Exetastes cinctipes Retz. (Hym. Ichneumonid) - Sweden (A, vii, 420).
Microbracon plotnikovii Bogoljubov (Hym. Braconid) - Russia (A, ii, 423).
Microgaster marginata Nees (Hym. Braconid) - Russia (A, xix, 596).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Sweden (A, vii, 420).
Siphona cristata F. (Dipt. Tachinid) - Sweden (A, vii, 420).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587): Russia (A, ii, 523; Meier, xviii, 131; Lesovoi, xviii, 609).

Polia thalassina Rott. (Phalaenid)
Cryptus obscurus Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microgaster marginata Nees (Hym. Braconid) - Russia (A, xix, 596).
Thelaira nigripes F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Polia tincta Brahm. (Phalaenid)
Apanteles congestus Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Schizoloma amictum F. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Therion circumflexum L. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Polia trifolii Rott. - See Scotogramma

Polychrosis sp. (Olethreutid)
Phytomyptera nitidiventris Rond. (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).

Polychrosis botrana Schiff. (Olethreutid)
Aenoplegimorpha melanarius Grav. (Hym. Ichneumonid) - France (Faure, A, xiv, 307).
Agrypon flaveolatum Grav. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, i, 523; v, 339; xii, 375): Germany (A, viii, 353).
Angitia sp. (Hym. Ichneumonid) - France (A, xii, 375).
Angitia areolaris Hlgr. (Hym. Ichneumonid) - Russia (A, iii, 209).
Angitia exareolata Ratz. (Hym. Ichneumonid) - Russia (A, iii, 209).
Angitia fenestralis Hlgr. (Hym. Ichneumonid) - Russia (A, iii, 209; xiii, 543).
Angitia melania Thoms. (Hym. Ichneumonid) - Russia (A, iii, 209).
Angitia tenuipes Thoms. (Hym. Ichneumonid) - Tyrol (A, iii, 497).
Angitia vestigialis Ratz. (Hym. Ichneumonid) - Russia (A, iii, 209).
Anilastus ebeninus Grav. (Hym. Ichneumonid) - Russia (A, xxii, 662).
Arrhinomyia tragica Mg. (Dipt. Tachinid) - Russia (A, xxii, 662).
Ascogaster quadridentata Wesm. (Hym. Braconid) - Austria, Germany (A, viii, 353): Russia (A, xxii, 662).
Ascogaster rufidens Wesm. (Hym. Braconid) - Spain (A, xv, 121).
Ascogaster rufipes Nees (Hym. Braconid) - Russia (Telenga, A, xxv, 703).

Bassus sp. (Hym. Braconid) - Spain (A, xv, 121).
Bassus tumidulus Nees (Hym. Braconid) - Russia (A, xxii, 662).
Bessa selecta Mg. (Dipt. Tachinid) - Germany (A, v, 97; x, 144).
Brachymeria pusilla Rossi (Hym. Chalcid) - Spain (A, vi, 113).
Brachymeria secundaria Ruschka (Hym. Chalcid) - ? (Mercet, A, xi, 327).
Caenacis parviclava Thoms. (Hym. Pteromalid) - France (A, ii, 607): Russia (A, iii, 209).
Campoplex sp. (Hym. Ichneumonid) - France (A, i, 523).
Campoplex abbreviatus Brischke (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Campoplex difformis Grav. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, xii, 349, 375; Voukassovitch, xii, 453): Germany (A, viii, 353): Russia (A, iii, 209; xxii, 662): Spain (A, xv, 121): Tyrol (A, iii, 497).
Cinxaelotus erythrogaster Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353): Tyrol (A, iii, 497).
Cremastus ornatus Szep. (Hym. Ichneumonid) - Russia (A, xxii, 662).
Cricellius decipiens Thoms. (Hym. Pteromalid) - Tyrol (A, iii, 497).
Dibrachys affinis Masi (Hym. Pteromalid) - France (A, xii, 349, 453; Faure, xix, 307): Tyrol (A, iii, 497): Algeria (A, xiii, 3, 459).
Dibrachys cavus Walk. (Hym. Pteromalid) - Austria (A, viii, 353): France (A, xii, 349; Voukassovitch, xii, 453; xiii, 593; Faure, xiv, 307; xviii, 253): Germany (A, viii, 353): Tyrol (A, iii, 497): Algeria (A, xiii, 459).
Dicaelotus parvulus Wesm. (Hym. Ichneumonid) - France (A, xii, 349; Voukassovitch, xii, 453).
Dicaelotus pusillator Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Dicaelotus pusillus Hlgr. (Hym. Ichneumonid) - France (A, xii, 349; Voukassovitch, xii, 453).
Dicaelotus resplendens Hlgr. (Hym. Ichneumonid) - Tyrol (A, iii, 497).
Dicaelotus rufilimbatus Grav. (Hym. Ichneumonid) - France (A, xii, 349; Voukassovitch, xii, 453; xiii, 212; xiv, 307).
Elasmus flabellatus Fonsc. (Hym. Elasmid) - Russia (Meier, A, xviii, 131).
Eulimneria alkae E. & S. (Hym. Ichneumonid) - Austria (A, viii, 363): France (A, xvi, 653): Germany (A, viii, 353): Italy, France, Sweden, Spain, Germany, C. Europe, America, India, Ceylon, Japan, China (Chu & Hsia, A, xxv, 508).
Eulophus polydrosis Marchal (Hym. Eulophid) - Russia (A, iii, 209).
Eupelmus urozonus Dalm. (Hym. Eupelmid) - France (A, xii, 349; Voukassovitch, xii, 543).
Eurytoma rosae Nees (Hym. Eurytomid) - Austria (A, iii, 497; viii, 353): Germany (A, viii, 353).
Exochus coronatus Grav. (Hym. Ichneumonid) - France (A, xiv, 307).
Exochus notatus Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353): Russia (A, xxii, 662).
Exochus tibialis Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353): Tyrol (A, iii, 497).
Gambrus inferus Thoms. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353): Tyrol (A, iii, 497).
Gelis botrana (Hym. Ichneumonid) - Russia (A, iii, 209).
Gelis sericeus Först. (Hym. Ichneumonid) - Tyrol (A, iii, 497).
Habrocryptus alternator Grav. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, xii, 375): Germany (A, viii, 353): Tyrol (A, iii, 497).

Habrocryptus punctiger Thoms. (Hym. Ichneumonid) - Tyrol (A, iii, 497).
Habrocytus acutigena Thoms. (Hym. Pteromalid) - Austria, Germany (A, viii, 353; Thorpe, xix, 29): Tyrol (A, iii, 497).
Habrocytus punctiger (Hym. Pteromalid) - Tyrol (A, iii, 497).
Hemiteles areator Panz. (Hym. Ichneumonid) - Austria (A, iii, 497; viii, 353): France (A, xii, 375): Germany (A, viii, 353): Russia (A, iii, 209): Algeria (A, xiii, 459).
Hemiteles clausus Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Hemiteles dubius Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353): Russia (Meier, A, xvi, 200).
Hemiteles hemipterus F. (Hym. Ichneumonid) - Austria (A, iii, 497; viii, 353): Germany (A, viii, 353).
Hemiteles melanarius Grav. (Hym. Ichneumonid) - France (A, xii, 349; Voukassovitch, xii, 543).
Hemiteles nigriventris Thoms. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Hemiteles pulchellus Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Hemiteles sordipes Grav. (Hym. Ichneumonid) - Austria (A, iii, 497).
Hemiteles taschenbergi Schmied. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Herpestomus furunculus Wesm. (Hym. Ichneumonid) - Austria (A, iii, 497).
Hockeria bispinosa F. (Hym. Chalcid) - Russia (A, xxii, 662).
Ichneumon deceptor Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Lissonota carbonaria Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353): Russia (Meier, A, xvi, 200).
Mesochorus semirufus Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Microbracon brevicornis Wesm. (Hym. Braconid) - Italy (A, xxii, 508).
Microbracon gelechiae Ashm. (Hym. Braconid) - France (A, xiii, 155).
Microcryptus nigrocinctus Grav. (Hym. Ichneumonid) - Austria (A, iii, 497): Russia (A, iii, 209).
Microplitis tuberculifer Wesm. (Hym. Braconid) - Austria (A, iii, 497; viii, 353): Germany (A, viii, 353).
Monodontomerus aereus Walk. (Hym. Torymid) - France (A, v, 339): Russia (Meier, A, xviii, 131).
Monodontomerus obsoletus F. (Hym. Torymid) - Tyrol (A, iii, 497).
Nemorilla floralis Fall. (Dipt. Tachinid) - Russia (A, xxii, 662).
Nepiera collector Thnbg. (Hym. Ichneumonid) - France (Faure, A, xiv, 307).
Perilampus tristis Mayr (Hym. Perilampid) - Russia (A, xxii, 662).
Phaeogenes sp. (Hym. Ichneumonid) - Tyrol (A, iii, 497).
Phaeogenes semivulpinus Grav. (Hym. Ichneumonid) - France (Faure, A, xiv, 307).
Phygadeuon sp. (Hym. Ichneumonid) - France (A, i, 523; Faure, xiv, 307).
Phygadeuon eudeminis (Hym. Ichneumonid) - Russia (A, iii, 209).
Phygadeuon varicornis Thoms. (Hym. Ichneumonid) - France (A, xii, 375): Russia (A, iii, 209).
Phytodietus segmentator Grav. (Hym. Ichneumonid) - Russia (A, xxii, 662).
Phytomyptera nitidiventris Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): France (A, xii, 375): Russia (A, iii, 209): Tyrol (A, iii, 497).

Pimpla alternans Grav. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, v, 339; xii, 349, 375; Voukassovitch, xii, 453; xiv, 307): Germany (A, viii, 353): Russia (A, iii, 209; xxii, 662): Tyrol (A, iii, 497).
Pimpla calobata Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Pimpla detrita Hlgr. (Hym. Ichneumonid) - Portugal (A, xiii, 596): Tyrol (A, iii, 497).
Pimpla examinator F. (Hym. Ichneumonid) - Austria (A, iii, 497; viii, 353): France (Faure, A, xiv, 307): Germany (A, viii, 353): Russia (Meier, A, xvi, 200): ? (Jackson, A, xxv, 767).
Pimpla maculator F. (Hym. Ichneumonid) - Austria (A, iii, 497): ? (Dos Santos Hall, A, xiii, 596).
Pimpla sagax Htg. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Pimpla strigipleuris Thoms. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, xii, 375): Germany (A, viii, 353): Russia (A, iii, 209): Tyrol (A, iii, 497).
Pimpla terebrans Ratz. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Pimpla turionellae L. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, xii, 349, 375; Voukassovitch, xii, 453; xiv, 307): Germany (A, viii, 353): Russia (A, iii, 209): Tyrol (A, iii, 497).
Platylabus dimidiatus Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Russia (A, xxii, 662).
Pseudomicromelus deplanatus Nees (Hym. Pteromalid) - France (A, xii, 349; Voukassovitch, xii, 453).
Pteromalus vitis Beffa (Hym. Pteromalid) - France (A, ii, 607): Russia (A, iii, 209).
Rogas tristis Wesm. (Hym. Braconid) - Austria, Germany (A, viii, 353).
Stylocryptus minutulus Thoms. (Hym. Ichneumonid) - Russia (A, iii, 209).
Thyraeella collaris Grav. (Hym. Ichneumonid) - Russia (A, xxii, 662).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - France (A, i, 523; ii, 607; v, 339; Tragardh, xii, 98): Germany (Hase, A, xiii, 587): Italy (Tragardh, A, xii, 98): Russia (A, iii, 209; Tragardh, xii, 98; xxii, 662; xxv, 394): Spain (A, vi, 113): Tyrol (A, iii, 497).
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).
Trichomma enecator Rossi (Hym. Ichneumonid) - Russia (A, xxii, 662).

Polychrosis euphorbiana Freyer (Olethreutid)
Microgaster subcompleta Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microgaster tibialis Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Italy (Chu & Hsia, A, xxv, 508): ? (Goidanich, A, xx, 445).
Pimpla brevicornis Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polychrosis fuligana Haw. (Olethreutid)
Angitia fenestralis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polychrosis liriodendrana Kearf. (Olethreutid)

Apanteles polychrosidis Vier. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Phytodietus burgessi Cress. (Hym. Ichneumonid) - U.S.A. (Rohwer, A, viii, 417).

Polychrosis littoralis Curt. (Olethreutid)

Angitia cylindrica Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles sicarius Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): England (A, vii, 236).

Ecphoropsis viennensis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polychrosis semblidis Schiff. (Olethreutid)

Elasmus flabellatus Fonsc. (Hym. Elasmid) - Spain (A, vi, 113).

Polychrosis viteana Clem. (Olethreutid)

Aenoplex polychrosidis Cush. (Hym. Ichneumonid) - U.S.A. (A, vii, 376).

Ameloctonus sp. (Hym. Ichneumonid) - U.S.A. (A, i, 112).

Angitia ferrugineipes Ashm. (Hym. Ichneumonid) - ? (A, iii, 691).

Angitia obliterata Cress. (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 372, 450; xxiv, 151): U.S.A. (A, i, 112; xiv, 355; xvii, 373; xviii, 279): ? (A, i, 112).

Apanteles sp. (Hym. Braconid) - U.S.A. (A, i, 112).

Apanteles canarsiae Ashm. (Hym. Braconid) - ? (A, i, 112).

Apanteles polychrosidis Vier. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Ascogaster quadridentata Wesm. (Hym. Braconid) - U.S.A. (A, i, 112; xx, 466).

Bassus annulipes Cress. (Hym. Braconid) - U.S.A. (A, xvii, 373; xviii, 279).

Bathymetis sp. (Hym. Ichneumonid) - ? (A, i, 112).

Campoplex nolae Ashm. (Hym. Ichneumonid) - U.S.A. (A, i, 112).

Campoplex tortricidis Cush. (Hym. Ichneumonid) - ? (A, iii, 691).

Camptoptera pulla Gir. (Hym. Mymarid) - U.S.A. (A, xxi, 49).

Elachertus coxalis How. (Hym. Eulophid) - U.S.A. (A, xiv, 355).

Euderus cushmani Crwf. (Hym. Eulophid) - U.S.A. (A, iii, 691).

Glypta sp. (Hym. Ichneumonid) - Canada (A, xxiv, 151).

Glypta animosa Cress. (Hym. Ichneumonid) - ? (A, i, 112).

Glypta mutica Cush. (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 450): U.S.A. (A, vii, 376; xiv, 355; xvii, 373; xviii, 279).

Glypta vulgaris Cress. (Hym. Ichneumonid) - ? (A, i, 112).

Goniozus columbianus Ashm. (Hym. Bethylid) - U.S.A. (A, xvii, 28).

Ischnus polychrosidis Cush. (Hym. Ichneumonid) - N. America (A, v, 531; xiv, 355).

Meteorus sp. (Hym. Braconid) - U.S.A. (A, i, 112).

Microbracon sp. (Hym. Braconid) - U.S.A. (A, xvii, 373; xviii, 279).

Microbracon gelechiae Ashm. (Hym. Braconid) - U.S.A. (A, xiv, 355): France, America, Canada (Chu & Hsia, A, xxv, 508).

Microbracon hebetor Say (Hym. Braconid) - U.S.A. (A, i, 112).

Microbracon mellitor Say (Hym. Braconid) - U.S.A. (A, i, 112): Hawaii, America, Canada (Chu & Hsia, A, xxv, 508).

Microbracon politiventris Cush. (Hym. Braconid) - U.S.A. (A, vii, 376).
Microbracon variabilis Prov. (Hym. Braconid) - Canada (A, xxiv, 151): U.S.A. (A, xiv, 355).
Orthizema sp. (Hym. Ichneumonid) - U.S.A. (A, i, 112).
Phytodietus sp. (Hym. Ichneumonid) - U.S.A. (A, i, 112).
Pimpla conquisitor Say (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Schedl, xix, 725; Chu & Hsia, xxv, 508): U.S.A. (A, i, 112).
Pimpla nigrifrons Vier. (Hym. Ichneumonid) - U.S.A. (A, i, 112).
Pimpla pedalis Cress. (Hym. Ichneumonid) - ? (Schedl, A, xix, 725).
Spilocryptus exannulatus Cush. (Hym. Ichneumonid) - U.S.A. (A, vii, 376).
Spilocryptus propodeum Cush. (Hym. Ichneumonid) - U.S.A. (A, ix, 53).
Trichogramma sp. (Hym. Trichogrammid) - Canada (A, xxiv, 151).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, i, 112; xviii, 279).
Zatropis tortricidis Crwf. (Hym. Pteromalid) - U.S.A. (A, x, 6).

Polygonia c-album L. (Nymphalid)
Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Hemiteles malenarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla compunctor L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla rufata Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polygonia comma Harr. (Nymphalid)
Amblyteles rufiventris Brulle (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pteromalus vanessae Harr. (Hym. Pteromalid) - U.S.A. (A, vii, 173).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Polygonia agea Cr. (Nymphalid)
Apanteles vanessae Reinh. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Theronia atalantae Poda (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Polygonia interrogationis F. (Nymphalid)
Amblyteles caliginosus Cress. (Hym. Ichneumonid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Hoplismenus morulus Say (Hym. Ichneumonid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Hyposoter sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Meteorus hyphantriae Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pteromalus vanessae Harr. (Hym. Pteromalid) - Canada (Treherne, A, iv, 527): U.S.A. (A, vii, 173; Webber & Schaffner, xiv, 257).
Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).
Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Polygonia satyrus Edw. (Nymphalid)
Ichneumon caliginosus Cress. (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527).

Polyommatus icarus Rott. (Lycaenid)
Apanteles zygaenarum Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas bicolor Spin. (Hym. Braconid) - Russia (Meier, A, xviii, 131).

Polyploca flavicornis L. (Thyatirid)
Apanteles affinis Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Mesochorus vittator Zett. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127
Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla compunctor L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polyploca ridens F. (Thyatirid)
Apanteles affinis Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Campoplex pugillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus politus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Polyptychus dentatus Cram. (Sphingid)
Anastatus sp. (Hym. Eupelmid) - India (Ramakrishna Ayyar, A, xiii, 645; Ramakrishna Ayyar, xvi, 48).
Anastatus coimbatorensis Ramachandra Rao (Hym. Eupelmid) - India (Ramakrishna Ayyar, A, ix, 124; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Pontia rapae L. - See Pieris

Porina sp. (Hepialid)
Hystricina lupina Swed. (Dipt. Tachinid) - New Zealand (A, xx, 165).

Porina cervinata Walk. (Hepialid)
Degithina buchanani Cam. (Hym. Ichneumonid) - New Zealand (A, ix, 179; Gourlay, xviii, 653).
Lissopimpla semipunctata Kirby (Hym. Ichneumonid) - New Zealand (A, viii, 62; Gourlay, xviii, 653).

Porina despecta Walk. (Hepialid)
Cerosomyia clathrata Now. (Dipt. Tachinid) - New Zealand (A, xix, 601).
Hystricina lupina Swed. (Dipt. Tachinid) - New Zealand (A, xix, 601).

Porina umbraculata Guen. (Hepialid)
Degithina buchanani Cam. (Hym. Ichneumonid) - New Zealand (A, ix, 179; Gourlay, xviii, 653).
Lissopimpla semipunctata Kirby (Hym. Ichneumonid) - New Zealand (Gourlay, A, xviii, 653).

Porosagrotis gypaetina Guen. - See Agrotis

Porosagrotis orthogonia Morr. - See Agrotis

Porosagrotis saucia Hb. - See Peridroma margaritosa saucia Hb.

Porosagrotis vetusta Walk. - See Agrotis

Porphyrinia noctualis Hb. - See Eublemma

Porthesia auriflua D. & S. - See Arctornis chrysorrhoea L.

Porthesia chrysorrhoea auct. - See Nygmia phaeorrhoea Don.

Porthesia dewitzi Grunb. (Lymantriid)
Apanteles africanus Cam. (Hym. Braconid) - Uganda (A, xxii, 487).

Porthesia producta Walk. - See Arctornis

Porthesia scintillans Walk. (Lymantriid)
Apanteles sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Enicospilus flavocephalus Kirby (Hym. Ichneumonid) - Malaya (Corbett & Miller, A, xvii, 413; Corbett & Miller, xxi, 676).
Enicospilus merdarius Grav. (Hym. Ichneumonid) - India (A, viii, 99; Ramakrishna Ayyar & Margabandu, xxiii, 209; Beeson & Chatterjee, xxiv, 197).

Porthesia similis Fuess. - See Arctornis chrysorrhoea L.

Porthetria dispar L. (Lymantriid)
Achaetoneura aletiae Riley (Dipt. Tachinid) - N. America (Webber, A, xix, 112).
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schedl, xxiv, 345).
Agria monachae Kram. (Dipt. Sarcophagid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Anastatus albitarsis Ashm. (Hym. Eupelmid) - Japan (A, xxv, 224).
Anastatus bifasciatus Fonsc. (Hym. Eupelmid) - Europe (Girault, A, ii, 310; Trouvelot, xiii, 594; Stadler, xxi, 309): Europe-America (A, xiii, 433): France (A, ix, 500; Feytaud, xii, 126): Italy (A, xiv, 569): Russia (Meier, A, xviii, 131): Spain (A, vi, 113; vii, 229; xi, 169, 577; Feytaud, xii, 433): Japan (A, xiii, 433; xviii, 33): U.S.A. (A, ii, 294, 343; iii, 328, 507; iv, 525; v, 177; vi, 178, 458; vii, 104; viii, 96;

ix, 292; x, 31; xi, 483, 555; Howard, xii, 165; xiii, 325, 412; Burgess, xiv, 288; xiv, 441; xv, 497; xvi, 553; xvii, 609): N. Africa (Stadler, A, xxi, 309).

Anastatus disparis Ruschka (Hym. Eupelmid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Bulgaria (A, xvii, 252): Czechoslovakia (Kolubajiv, A, xxiii, 229): Italy (A, xix, 663): Spain (A, xi, 577; xii, 145, 146; xiv, 372): Japan (Schedl, A, xxiv, 345): U.S.A. (A, xx, 218; xxi, 222, 510; xxiii, 550; Britton, xxiv, 8; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).

Anilastus sp. (Hym. Ichneumonid) - Europe (Schedl, A, xxiv, 345).

Anilastus rapax Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).

Anilastus tricoloripes Vier. (Hym. Ichneumonid) - U.S.A. (Schedl, A, xxiv, 345).

Anisocyrta sp. (Hym. Braconid) - U.S.A. (Schedl, A, xxiv, 345).

Apanteles sp. (Hym. Braconid) - Jugoslavia (A, xxiv, 402): Spain-Algeria (A, xiv, 181, 587): U.S.A. (A, ii, 343).

Apanteles brevicornis Wesm. (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).

Apanteles fulvipes Hal. (Hym. Braconid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (Feytaud, A, xii, 126): Jugoslavia (Nunberg, A, xiii, 375): Jugoslavia-U.S.A. (A, xiii, 250): Poland (A, xxii, 495): Russia (A, i, 361, 481; ii, 333; Meier, xvi, 200; Meier, xviii, 131; xix, 597): U.S.A. (A, xi, 555; xii, 171): N. Africa (Stadler, A, xxi, 309).

Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497; Stadler, xxi, 309; Schedl, xxiv, 345): Jugoslavia (A, xiii, 99; Kovacevic, xiv, 502): Russia (A, i, 481): N. Africa (Stadler, A, xxi, 309).

Apanteles japonicus Ashm. (Hym. Braconid) - Japan (A, xviii, 33).

Apanteles lacteicolor Vier. (Hym. Braconid) - Europe (Muesebeck, A, ix, 169; Stadler, xxi, 309; Schedl, xxiv, 345): Canada (A, v, 331; vi, 83; vii, 78): N. America (A, iv, 178): U.S.A. (A, ii, 294, 343, 710; iii, 328, 507; iv, 525; v, 177; vi, 178, 458; Muesebeck, ix, 169, 292; Crossman & Webber, xii, 171): N. Africa (Stadler, A, xxi, 309).

Apanteles liparidis Bché. (Hym. Braconid) - Europe (Lyle, A, xiii, 370; Stadler, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Poland (Lyle, A, xiii, 370): Japan (Watanabe, A, xxi, 211; xxiii, 131): U.S.A. (Schedl, A, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).

Apanteles melanoscelus Ratz. (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Bulgaria (A, xiii, 601): Jugoslavia (Nunberg, A, xiii, 375): Sicily-U.S.A. (A, xiii, 250): Spain (A, xiv, 372): U.S.A. (A, v, 177; vii, 104; viii, 93; Muesebeck, ix, 169; x, 31, 403; xi, 555; Howard, xii, 165, 171; xiii, 412; Burgess, xiv, 288; xvi, 70; xix, 531; xxii, 359; Britton, xxiv, 8; Schedl, xxiv, 345): U.S.A.-Germany (A, xiii, 539): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).

Apanteles ocneriae Ivan (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Russia (Meier, A, xvi, 200): N. Africa (Stadler, A, xxi, 309).

Apanteles porthetriae Mues. (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Hungary (A, xvi, 324): U.S.A. (Schedl, A, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).

Apanteles punctiger Wesm. (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Apanteles solitarius Ratz. (Hym. Braconid) - Europe (Fahringer, A, x, 497; Trouvelot, xiii, 594; Stadler, xxi, 309): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (A, ix, 500): Germany (A, xiii, 539): Poland (A, xxv, 129): Russia (A, i, 361, 481; ii, 333; Meier, xvi, 200; xix, 597): Spain-Algeria (A, xiv, 6): Morocco (A, xvi, 314; Ferrière, xvi, 316; de Lepiney, xviii, 569): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Apanteles tenebrosus Wesm. (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): France (A, ix, 500): N. Africa (Stadler, A, xxi, 309).
Apanteles vitripennis Hal. (Hym. Braconid) - Europe (Schedl, A, xxiv, 345): Bulgaria (Tchorbadzhiev, A, xiii, 601): France (A, xi, 287): Jugoslavia (Nunberg, A, xiii, 375): Jugoslavia-U.S.A. (A, xiii, 250): Poland (A, xxv, 129): Spain (A, xi, 579; Feytaud, xii, 438; xiv, 372): U.S.A. (A, xii, 171; Burgess, xiv, 288).
Aplomya affinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Argyrophylax atropivora R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Argyrophylax bella Mg. (Dipt. Tachinid) - Europe (Schedl, A, xxiv, 345).
Astomaspis nanus Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): N. Africa (Stadler, A, xxi, 309).
Atoposomoidea ogimae How. (Hym. Eulophid) - Austria (Schedl, A, xxiv, 345): Spain (A, vi, 113; vii, 229).
Banchus femoralis Thoms. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Barylypa delictor Thnbg. (Hym. Ichneumonid) - Europe (Schedl, A, xxiv, 345): Jugoslavia (A, xiii, 99; Kovacevic, xiv, 502).
Brachymeria sp. (Hym. Chalcid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Brachymeria callipus Kirby (Hym. Chalcid) - Japan (Schedl, A, xxiv, 345).
Brachymeria fonscolombei Duf. (Hym. Chalcid) - Bulgaria (Tchorbadzhiev, A, xiii, 601).
Brachymeria intermedia Nees (Hym. Chalcid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Austria (Schedl, A, xxiv, 345): Bulgaria (A, xvii, 252): Jugoslavia-U.S.A. (A, xiii, 250): Spain (A, xi, 327; xiv, 372): U.S.A. (A, iv, 306; xxiii, 586; Schedl, xxiv, 345): Morocco (A, xvi, 315; Ferrière, xvi, 316; de Lepiney, xviii, 569): N. Africa (Stalder, A, xxi, 309): ? (Feytaud, A, xii, 126; xvi, 316; Burgess & Crossman, xviii, 170).
Brachymeria minuta L. (Hym. Chalcid) - Bulgaria (Tchorbadzhiev, A, xiii, 601).
Brachymeria obscurata Walk. (Hym. Chalcid) - Europe (Stadler, A, xxi, 309): Japan (Schedl, A, xxiv, 345): U.S.A. (Crossman & Webber, A, xii, 171; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).
Brachymeria obtusata Först. (Hym. Chalcid) - Japan (Schedl, A, xxiv, 345).
Campoplex sp. (Hym. Ichneumonid) - Europe (Schedl, A, xxiv, 345): Czechoslovakia, France (Burgess & Crossman, A, xviii, 170): U.S.A. (Schedl, A, xxiv, 345).

Campoplex conicus Ratz. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Campoplex difformis Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): N. Africa (Stadler, A, xxi, 309).
Carcelia cheloniae Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Jugoslavia (A, xiv, 502): N. Africa (Stadler, A, xxi, 309).
Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Czechoslovakia (Kolucajiv, A, xxiii, 229): N. Africa (Stadler, A, xxi, 309).
Carcelia gnava Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Trouvelot, xiii, 594): Bulgaria (Tchorbadzhiev, A, xiii, 601): Jugoslavia (Nunberg, A, xiii, 375): Jugoslavia-U.S.A. (A, xiii, 250): U.S.A. A, xii, 171): ? (Feytaud, A, xii, 126).
Carcelia laxifrons Vill. (Dipt. Tachinid) - U.S.A. (A, xii, 171).
Carcelia lucorum Mg. (Dipt. Tachinid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Russia (A, i, 481): N. Africa (Stadler, A, xxi, 309).
Carcelia separata Rond. (Dipt. Tachinid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Poland (A, xxv, 129): U.S.A. (Schedl, A, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).
Casinaria ischnogaster Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Casinaria tenuiventris Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Ceratochaeta erythrostoma Htg. (Dipt. Tachinid) - Europe (Schedl, A, xxiv, 345).
Chaetomyia crassiseta Rond. (Dipt. Tachinid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Trouvelot, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): France (A, ix, 500): Jugoslavia (Nunberg, A, xiii, 375): Jugoslavia-U.S.A. (A, xiii, 250): Russia (A, xxiii, 671): Canada (A, v, 331; vi, 83; vii, 178; viii, 3; Baird, xxiii, 479): N. America (A, iv, 179): U.S.A. (A, ii, 135, 294, 343, 710; iii, 328, 507; iv, 525; v, 177; vi, 172, 178, 458; vii, 428; viii, 93; ix, 292; x, 31; xi, 555; Howard, xii, 165, 171; xiv, 257; Burgess, xiv, 288; xix, 531; xxi, 510; xxii, 359; xxiii, 168, 550; Britton, xxiv, 8; Schedl, xxiv, 345; xxv, 431): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).
Crossocosmia flavoscutellata Schin. (Dipt. Tachinid) - Europe (Trouvelot, A, xiii, 594).
Cryptus cyanator Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Cryptus liparidis Rond. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Dexodes nigripes Fall. (Dipt. Tachinid) - Europe (Trouvelot, A, xiii, 594).
Dibrachys cavus Walk. (Hym. Pteromalid) - Europe (Stadler, A, xxi, 309): Bulgaria (A, xvii, 252): N. Africa (Stadler, A, xxi, 309): ? (A, xvi, 316).
Dohrniphora incisuralis Lw. (Dipt. Phorid) - U.S.A. (Schedl, A, xxiv, 345).
Encyrtus tardus Ratz. (Hym. Encyrtid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Enicospilus merdarius Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).

Epicampocera crassiseta Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ernestia consobrina Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Ernestia rudis Fall. (Dipt. Tachinid) - Czechoslovakia (Vimmer, A, xviii, 88).
Erycia fatua Mg. (Dipt. Tachinid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Eudoromyia magnicornis Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Russia (A, xiii, 69): U.S.A. (Crossman & Webber, A, xii, 171): N. Africa (Stadler, A, xxi, 309).
Eulimneria valida Cress. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Eupelmus annulatus Nees (Hym. Eupelmid) - Europe (Schedl, A, xxiv, 345): France (A, ix, 500).
Eupelmus spongipartus Först. (Hym. Eupelmid) - Europe (Schedl, A, xxiv, 345).
Eupteromalus nidulans Först. (Hym. Pteromalid) - U.S.A. (A, xii, 171).
Eurylabus dirus Wesm. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Eurytoma appendigaster Swed. (Hym. Eurytomid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Exorista japonica Tns. (Dipt. Tachinid) - Europe (Stadler, A, xxi, 309): Japan (A, xviii, 33; Schedl, xxiv, 345): U.S.A. (Crossman & Webber, A, xiv, 288): N. Africa (Stadler, A, xxi, 309).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Trouvelot, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Czechoslovakia (Kolubajiv, A, xxiii, 229): France (A, ix, 500): Jugoslavia-U.S.A. (A, xiii, 250): Poland (A, xxv, 129): Rumania (Suster, A, xix, 21): Russia (A, i, 481; xxiii, 671): Spain (Feytaud, A, xii, 438): U.S.A. (A, xii, 171; xx, 218; Britton, xxiv, 8; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126; Burgess & Crossman, xviii, 170).
Exorista noctuarum Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Exorista simulans Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Russia (A, i, 481): N. Africa (Stadler, A, xxi, 309).
Gelis agilis F. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Gelis apantelis Cush. (Hym. Ichneumonid) - U.S.A. (A, xvi, 70).
Gelis bucculatricis Ashm. (Hym. Ichneumonid) - U.S.A. (A, xvi, 70).
Gelis hortensis Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Gelis inutilis Cush. (Hym. Ichneumonid) - U.S.A. (A, xvi, 70).
Gelis nigritus Först. (Hym. Ichneumonid) - Morocco (Ferrière, A, xvi, 316).
Gelis nocuus Cush. (Hym. Ichneumonid) - U.S.A. (A, xvi, 70).
Gelis urbanus Brues. (Hym. Ichneumonid) - U.S.A. (A, xvi, 70).
Hadronotus howardi Mokr. & Ogln. (Hym. Scelionid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Russia (A, i, 361, 481; ii, 274, 333; Meier, xviii, 131; xix, 406): N. Africa (Stadler, A, xxi, 309).

Hemiteles apantelis Cush. (Hym. Ichneumonid) - U.S.A. (A, xvi, 70).
Hemiteles areator Panz. (Hym. Ichneumonid) - Poland (A, xiii, 375): Morocco (Ferrière, A, xvi, 316).
Hemiteles bicolorinus Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): N. Africa (Stadler, A, xxi, 309): ? (Thorpe, A, xix, 29).
Hemiteles cingulator Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): N. Africa (Stadler, A, xxi, 309).
Hemiteles pulchellus Grav. (Hym. Ichneumonid) - Europe, N. Africa (Stadler, A, xxi, 309).
Hyposoter sp. (Hym. Ichneumonid) - Europe (Burgess & Crossman, A, xviii, 170; Schedl, xxiv, 345): Jugoslavia-U.S.A. (A, xiii, 250): U.S.A. (Schedl, A, xxiv, 345).
Hyposoter disparis Vier. (Hym. Ichneumonid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): U.S.A. (A, ii, 343; xii, 171; xxi, 315; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126; Burgess & Crossman, A, xviii, 170).
Hyposoter tricoloripes Vier. (Hym. Ichneumonid) - Europe (Trouvelot, A, xiii, 594): ? (Feytaud, A, xii, 126).
Ichneumon sp. (Hym. Ichneumonid) - Europe (Schedl, A, xxiv, 345): France (A, ix, 500).
Ichneumon disparis Poda (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497; Trouvelot, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933); Bulgaria (Tchorbadzhiev, A, xiii, 601): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Ichneumon fabricator F. (Hym. Ichneumonid) - Europe (Schedl, A, xxiv, 345).
Ichneumon leucocerus Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Ichneumon pictus Gmel. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Ichneumon rubens Fonsc. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Ichneumon sarcitorius L. (Hym. Ichneumonid) - Russia (Meier, A, xviii, 131).
Ischnus assertorius Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Ischnus flavus Rond. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Isodromus niger Ashm. (Hym. Encyrtid) - U.S.A. (Timberlake, A, vii, 523).
Istochaeta marmorata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Lydella crassiseta Taschb. (Dipt. Tachinid) - Europe (Schedl, A, xxiv, 345).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Dowden, xxi, 563; Schedl, xxiv, 345): Jugoslavia (A, xiv, 502): Jugoslavia-U.S.A. (A, xiii, 250): Poland (A, xxv, 129): Russia (A, xxiii, 671): U.S.A. (A, xii, 171; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Lydella pinivora Ratz. (Dipt. Tachinid) - Europe (Schedl, A, xxiv, 345).

Marietta javensis How. (Hym. Aphelinid) - Japan (Schedl, A, xxiv, 345).
Masicera sylvatica Fall. (Dipt. Tachinid) - U.S.A. (Crossman & Webber, A, xii, 171).
Megaselia rufipes Mg. (Dipt. Phorid) - U.S.A. (Schedl, A, xxiv, 345).
Megaselia setacea Aldr. (Dipt. Phorid) - U.S.A. (Schedl, A, xxiv, 345).
Meigenia bisignata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Melittobia acasta Walk. (Hym. Eulophid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Mesochorus confusus Hlgr. (Hym. Ichneumonid) - Europe, N. Africa (Stadler, A, xxi, 309).
Mesochorus gracilis Brischke (Hym. Ichneumonid) - Europe, N. Africa (Stadler, A, xxi, 309).
Mesochorus pectoralis Ratz. (Hym. Ichneumonid) - Europe, N. Africa (Stadler, A, xxi, 309).
Mesochorus semirufus Hlgr. (Hym. Ichneumonid) - Europe, N. Africa (Stadler, A, xxi, 309).
Mesochorus splendidulus Grav. (Hym. Ichneumonid) - Europe, N. Africa (Stadler, A, xxi, 309).
Meteorus japonicus Ashm. (Hym. Braconid) - Europe (Stadler, A, xxi, 309). Japan (Burgess & Crossman, A, xviii, 170; Schedl, xxiv, 345): U.S.A. (Crossman & Webber, A, xii, 171; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Meteorus pulchricornis Wesm. (Hym. Braconid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): France, Italy (Burgess & Crossman, A, xviii, 170): U.S.A. (Schedl, A, xxiv, 345): Morocco (de Lepiney, A, xvi, 314; Ferrière, xvi, 316; de Lepiney, xviii, 570): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Meteorus scutellator Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497; Stadler, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (Kolubajiv, A, xxiii, 229): N. Africa (Stadler, A, xxi, 309).
Meteorus versicolor Wesm. (Hym. Braconid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Poland (A, xiii, 375): Canada (A, v, 331; Baird, xxiii, 479): N. America (A, iv, 178): U.S.A. (A, ii, 710; v, 177; vi, 178, 511; ix, 292): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Microbracon brevicornis Wesm. (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Genieys, A, xiii, 462).
Microgaster calceata Hal. (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Microgaster nigerrimus Rond. (Hym. Braconid) - Europe, N. Africa (Stadler, A, xxi, 309).
Microgaster pubescens Ratz. (Hym. Braconid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Microgaster tibialis Nees (Hym. Braconid) - Europe (Stadler, A, xxii, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Mokrzeckia pini Htg. (Hym. Pteromalid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Monodontomerus aereus Walk. (Hym. Torymid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Bulgaria (A, xvii, 522):

France (A, ix, 500): Jugoslavia (Kovacevic, A, xiv, 502): U.S.A. (A, ii, 343; vi, 172; ix, 292; Hartley, xi, 486, 555; Muesebeck, xx, 58; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126; Burgess & Crossman, xviii, 170).
Muscina stabulans Fall. (Dipt. Muscid) - Russia (A, xxiii, 671): U.S.A. (Schedl, A, xxiv, 345).
Neopales pavida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Trouvelot, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Ooencyrtus kuvanae How. (Hym. Encyrtid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Spain (A, vi, 113; vii, 229; xi, 577; xii, 145): Japan (Ishii, A, xviii, 258; Schedl, xxiv, 345): Japan-America (A, xiii, 433; xx, 458): U.S.A. (A, ii, 294, 343; iii, 507; iv, 525; v, 177; vi, 178; vii, 104; viii, 96; x, 31, 334; xi, 161, 483, 555; Howard, xii, 165, 422; xiii, 412; Burgess, xiv, 288; xxi, 222; Britton, xxiv, 8; Schedl, xxiv, 345): U.S.A.-Spain (A, xiii, 250; xiv, 372): U.S.A.-Morocco (A, xiii, 250; xviii, 85): Algiers (A, xxi, 254): Morocco (de Lepiney, A, xvi, 314; de Lepiney, xviii, 570): N. Africa (Stadler, A, xxi, 309): ? (A, xiv, 374; Burgess & Crossman, xviii, 170).
Ooencyrtus masii Mercet (Hym. Encyrtid) - Europe (Schedl, A, xxiv, 345): Spain (A, xiv, 374): Morocco (A, xvi, 314; Ferrière, xvi, 316; de Lepiney, xviii, 569).
Opheltes glaucopterus L. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Paniscus cephalotes Hlgr. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Perilampus sp. (Hym. Perilampid) - Europe (Schedl, A, xxiv, 345): Bulgaria (A, xvii, 252).
Perilampus cuprinus Först. (Hym. Perilampid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Schedl, A, xxiv, 345).
Phorocera sylvestris R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Trouvelot, xiii, 594; Burgess & Crossman, xviii, 170; Stadler, xxi, 309; Schedl, xxiv, 345): Austria (A, xxi, 140): France (A, ix, 500): Jugoslavia (Nunberg, A, xiii, 375): Jugoslavia-U.S.A. (A, xiii, 250): Poland (A, xvi, 236): U.S.A. (A, xii, 171; Burgess, xiv, 288; xx, 218; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Russia (A, xxiii, 671).
Pimpla sp. (Hym. Ichneumonid) - Europe (Schedl, A, xxiv, 345): France (A, ix, 500).
Pimpla aethiops Curt. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Japan (Schedl, A, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Pimpla compunctor L. (Hym. Ichneumonid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Pimpla conquisitor Say (Hym. Ichneumonid) - Japan (Schedl, A, xxiv, 345): ? (Schedl, A, xix, 725).
Pimpla disparis Vier. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Japan (Uchida, A, xvii, 191; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).

Pimpla examinator F. (Hym. Ichneumonid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Czechoslovakia (Kolubajiv, A, xxiii, 229): Jugoslavia (A, xiii, 99; Kovacevic, xix, 502): Russia (Meier, A, xviii, 131): U.S.A. (Crossman & Webber, A, xii, 171): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Pimpla holmgreni Schmk. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Pimpla inquisitor Scop. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497; Trouvelot, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (Kolubajiv, A, xxiii, 229): Jugoslavia (A, xiii, 99; Kovacevic, xiv, 502): Poland (A, xxv, 129): Russia (A, i, 481; Meier, xvi, 200; Meier, xviii, 131; xix, 289): U.S.A. (Crossman & Webber, A, xii, 171): Morocco (A, xvi, 314; Ferrière, xvi, 316; de Lepiney, xviii, 569): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Pimpla pedalis Cress. (Hym. Ichneumonid) - Japan (Schedl, A, xxiv, 345): N. America (Cushman, A, ix, 169): U.S.A. (Schedl, A, xxiv, 345): ? (Schedl, A, xix, 725).
Pimpla pluto Ashm. (Hym. Ichneumonid) - Japan (Schedl, A, xxiv, 345).
Pimpla rufata Gmel. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Pimpla spectabilis Mats. (Hym. Ichneumonid) - Japan (A, xxv, 224).
Pimpla tenuicornis Cress. (Hym. Ichneumonid) - Japan, U.S.A. (Schedl, A, xxiv, 345).
Pimpla viduata Grav. (Hym. Ichneumonid) - Russia (Meier, A, xviii, 131).
Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Russia (A, i, 361, 481; Meier, xvi, 200): N. Africa (Stadler, A, xxi, 309): Europe, Italy, Rumania, Japan, Korea, China (Chu & Hsia, A, xxv, 508).
Psychophagus omnivorus Walk. (Hym. Pteromalid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Jugoslavia (Kovacevic, A, xiv, 502): U.S.A. (Schedl, A, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Pteromalus egregius Först. (Hym. Pteromalid) - U.S.A. (A, ii, 343; ix, 262).
Pteromalus halidayanus Brischke (Hym. Pteromalid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Racodineura antiqua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Russia (A, i, 371, 481): N. Africa (Stadler, A, xxi, 309).
Sarcophaga sp. (Dipt. Sarcophagid) - Bulgaria (Tchorbadzhiev, A, xiii, 601): Jugoslavia (A, xiv, 502).
Sarcophaga affinis Fall. (Dipt. Sarcophagid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Czechoslovakia (Kolubajiv, A, xxiii, 229): Jugoslavia (A, xiv, 502): Poland (A, xvi, 256): Russia (A, i, 361, 481; xxiii, 671): N. Africa (Stadler, A, xxi, 309).
Sarcophaga albiceps Mg. (Dipt. Sarcophagid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Russia (A, i, 481): N. Africa (Stadler, A, xxi, 309).
Sarcophaga aldrichi Park. (Dipt. Sarcophagid) - Europe (Stadler, A, xxi, 309): U.S.A. (A, iv, 452; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Sarcophaga uliginosa Kram. (Dipt. Sarcophagid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).

Spilocryptus amoenus Grav. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Stenichneumon pictus Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Sturmia inconspicua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; xx, 675; Stadler, xxi, 309; Schedl, xxiv, 345): Bulgaria (A, xvii, 252): Jugoslavia (Nunberg, A, xiii, 375): Poland (A, xviii, 570): U.S.A. (Schedl, A, xxiv, 345): Morocco (A, xvi, 314; xviii, 570): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).
Sturmia inconspicua gilva Htg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Trouvelot, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Bulgaria (Tchorbadzhiev, A, xiii, 601): Jugoslavia-U.S.A. (A, xiii, 250): U.S.A. (A, xii, 171): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Sturmia nidicola Tns. (Dipt. Tachinid) - U.S.A. (A, v, 177; ix, 292; xi, 555; Crossman & Webber, xiv, 288).
Sturmia scutellata R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Trouvelot, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Jugoslavia (Nunberg, A, xiii, 375): Jugoslavia-U.S.A. (A, xiii, 250): Poland (A, xxv, 129): Russia (A, xxv, 203): U.S.A. (A, vii, 104; viii, 93; x, 31; xi, 555; Howard, xii, 165, 171; Burgess, xiv, 288; xix, 531; xxi, 510; xxii, 359; xxiii, 550; Britton, xxiv, 8; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126; Burgess & Crossman, xviii, 170).
Syntomosphyrum esurus Riley (Hym. Eulophid) - U.S.A. (Schedl, A, xxiv, 345).
Tachina fera L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Russia (A, i, 481; xiii, 69): N. Africa (Stadler, A, xxi, 309).
Tachina larvincola Ratz. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Tachina monacha Ratz. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Tachina quinquevitalata Htg. (Dipt. Tachinid) - Europe (Schedl, A, xxiv, 345).
Telenomus phalaenarum Nees (Hym. Scelionid) - Europe (Girault, A, ii, 310; Schedl, xxiv, 345): U.S.A. (Crossman & Webber, A, xii, 171): Morocco (A, xvi, 314; Ferrière, xvi, 316; de Lepiney, xviii, 569).
Theronia atalantae Poda (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497; Trouvelot, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Bulgaria (A, xvii, 252): Czechoslovakia (Kolubajiv, A, xxiii, 229): Jugoslavia (Kovacevic, A, xiv, 502): Russia (A, i, 481; Meier, xvi, 200; xix, 289; Romanova, xix, 563): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).
Theronia fulvescens Cress. (Hym. Ichneumonid) - Japan (Schedl, A, xxiv, 345).
Theronia melanocephala Brulle (Hym. Ichneumonid) - U.S.A. (Cushman, A, viii, 509; Schedl, xxiv, 345).
Thrycolyga grandis Zett. (Dipt. Tachinid) - Europe (Trouvelot, A, xiii, 594; Stadler, xxi, 309; Schedl, xxiv, 345): Bulgaria (Tchorbadzhiev, A, xiii, 601): Jugoslavia-U.S.A. (A, xiii, 250): Russia (A, i, 361, 481): Spain (A, xiv, 372): N. Africa (Stadler, A, xxi, 309): ? (Feytaud, A, xii, 126).

Thrycolyga segregata Rond. (Dipt. Tachinid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): U.S.A. (Schedl, A, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Rumania (Suster, A, xix, 21): N. Africa (Stadler, A, xxi, 309).
Trichogramma sp. (Hym. Trichogrammid) - U.S.A. (Crossman & Webber, A, xii, 171).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Europe (Schedl, A, xxiv, 345).
Trichomma enecator Rossi (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): N. Africa (Stadler, A, xxi, 309).
Trogus lutorius F. (Hym. Ichneumonid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Tyndarichus sp. (Hym. Encyrtid) - Europe (Schedl, A, xxiv, 345): Spain (A, vii, 229).
Tyndarichus navae How. (Hym. Encyrtid) - Japan (Ishii, A, xviii, 258).
Ugimyia sericariae Cornalia (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309): Japan (Schedl, A, xxiv, 345): U.S.A. (Crossman & Webber, A, xii, 171; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).
Winthemia amoena Mg. (Dipt. Tachinid) - Rumania (Suster, A, xix, 21).
Winthemia speciosa Egg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Zenillia blanda O.S. (Dipt. Tachinid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): U.S.A. (Schedl, A, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Zenillia libatrix Panz. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): Czechoslovakia (Kolubajiv, A, xxiii, 229): Hungary (A, xxii, 321): Jugoslavia-U.S.A. (A, xiii, 250): Russia (A, xxiii, 671): U.S.A. (A, xii, 171; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309): ? (Burgess & Crossman, A, xviii, 170).
Zenillia mitis Mg. (Dipt. Tachinid) - Europe (Stadler, A, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Zenillia recusata Pand. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Stadler, xxi, 309; Schedl, xxiv, 345): N. Africa (Stadler, A, xxi, 309).
Zenillia sussurans Rond. (Dipt. Tachinid) - Europe (Schedl, A, xxiv, 345).
Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (A, xix, 65).

Porthetria dispar japonica Mats. (Lymantriid)
Pimpla aethiops Curt. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 456).
Pimpla disparis Vier. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 456).
Pimpla instigator F. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Pratapa deva Moore - See Camena

Prays endocarpa Meyr. (Hyponomeutid)
Euderus malayensis Ferr. (Hym. Eulophid) - Malaya (A, xix, 28, 742; Corbett & Miller, xxi, 676).

Prays oleellus F. (Hyponomeutid)
Ageniaspis fuscicollis Dalm. (Hym. Encyrtid) - Spain (A, vi, 113). Sweden (A, iii, 147): Tunisia (A, x, 525).
Ageniaspis fuscicollis praysincola Silv. (Hym. Encyrtid) - Greece (Isaakides, A, xxiv, 611): Spain (A, x, 598): ? (Parker, A, xix, 466).
Amblymerus mediterraneus Mayr (Hym. Pteromalid) - ? (Mercet, A, xii, 146).
Apanteles dilectus Hal. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).
Apanteles xanthostigmus Hal. (Hym. Braconid) - Greece (Isaakides, A, xxiv 611).
Elasmus flabellatus Fonsc. (Hym. Elasmid) - Spain (A, vi, 113).
Rogas circumscriptus Nees (Hym. Braconid) - France (A, xiv, 379).

Precis coenia Hb. (Nymphalid)
Apanteles junoniae Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169)

Prenes ares Feld. - See Panoquina nyctelius Latr.

Prenes nero F. - See Panoquina

Prionoxystus sp. (Cossid)
Amersibia prionoxysti Rohw. (Hym. Ichneumonid) - U.S.A. (A, iii, 658).

Prionoxystus robiniae Peck. (Cossid)
Amersibia prionoxysti Rohw. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 12).

Proceras argyrolepida Hmps. (Crambid)
Syzeuctus sp. (Hym. Ichneumonid) - Tanganyika (A, xxi, 106).

Proceras infuscatellus Sn. (Crambid)
Xanthopimpla stemmator Thnbg. (Hym. Ichneumonid) - Philippines, Formosa, Japan, Java, Batjan, Kei Is., India, America (Chu & Hsia, A, xxv, 508).

Proceras polychrysa Meyr. (Crambid)
Apanteles flavipes Cam. (Hym. Braconid) - Malaya (Corbett & Miller, A, xxi, 676).
Paranagrus optabilis Perk. (Hym. Mymarid) - Malaya (Corbett & Miller, A, xxi, 676).
Telenomus beneficiens Zehnt. (Hym. Scelionid) - Malaya (Corbett & Miller, A, xxi, 676).
Trichogramma nana Gir. (Hym. Trichogrammid) - Malaya (Corbett & Miller, A, xxi, 676).

Proceras sacchariphagus Bojer (Crambid)
Diatraeophaga striatalis Tns. (Dipt. Tachinid) - Java (A, xx, 568).
Enicospilus antankarus Sauss. (Hym. Ichneumonid) - Mauritius (A, iii, 382).
Telenomus beneficiens Zehnt. (Hym. Scelionid) - Dutch E. Indies (A, iv, 86): Formosa (A, xvi, 481): Java (A, iii, 62, 382).
Trichogramma australicum Gir. (Hym. Trichogrammid) - Formosa (A, xvi, 481): Java (A, iii, 382).
Trichogramma minutum Riley (Hym. Trichogrammid) - Java (A, iii, 382): ? (Martin, A, xvi, 441).
Trichogramma nana Gir. (Hym. Trichogrammid) - Formosa (A, xvi, 481): Java (A, iii, 26).

Proceras shariinensis Eguchi (Crambid)

Chelonus munakatae Mun. (Hym. Braconid) - Korea (A, xxii, 58).
Microbracon chinensis Szep. (Hym. Braconid) - Korea (A, xxii, 58).
Microbracon onukii Watan. (Hym. Braconid) - Korea (A, xxii, 58).

Proceras venosatus Walk. (Crambid)

Amauromorpha schoenobii Vier. (Hym. Ichneumonid) - Formosa (A, xviii, 8; xxii, 521).
Apanteles flavipes Cam. (Hym. Braconid) - Formosa (A, xx, 606; xxii, 521): India (A, xxv, 529): Japan (Watanabe, A, xxi, 211): Madagascar (Moutia, A, xxiii, 243): Mauritius (A, v, 440; xxii, 260; Moutia, xxiii, 243; xxv, 602).
Diatraeophaga striatalis Tns. (Dipt. Tachinid) - Java-Formosa (A, xvii, 467).
Enicospilus antankarus Sauss. (Hym. Ichneumonid) - Mauritius (A, v, 440; xxii, 260; xxv, 602).
Gambrus rufithorax Uchida (Hym. Ichneumonid) - Formosa (A, xix, 713; xxii, 521).
Macrocentrus jacobsoni Szep. (Hym. Braconid) - Formosa (A, xxiii, 207).
Mesostenus longicornis Ishida (Hym. Ichneumonid) - Formosa (A, xxii, 521).
Stauropoctonus mauritii Sauss. (Hym. Ichneumonid) - Mauritius (A, xxii, 260).
Telenomus sp. (Hym. Scelionid) - Mauritius (A, v, 440).
Telenomus alecto Crwf. (Hym. Scelionid) - Mauritius (A, xxii, 260; Moutia, xxiii, 243): Madagascar (Moutia, A, xxiii, 243).
Telenomus beneficiens Zehnt. (Hym. Scelionid) - Dutch E. Indies (A, xvii, 243; Leefmans, xviii, 456): Far East (A, v, 574): Formosa (A, xxii, 521): Java-Formosa (A, xvii, 467).
Telenomus beneficiens elongatus Ishida (Hym. Scelionid) - Dutch E. Indies (A, xvii, 629).
Trichogramma sp. (Hym. Trichogrammid) - Dutch E. Indies (A, xvii, 233, 629).
Trichogramma australicum Gir. (Hym. Trichogrammid) - Dutch E. Indies (Leefmans, A, xviii, 456): Formosa (A, xxii, 521): Madagascar (Moutia, A, xxiii, 243): Mauritius (A, v, 440; xxii, 259; Moutia, xxiii, 243).
Trichogramma minutum Riley (Hym. Trichogrammid) - Dutch E. Indies (Leefmans, A, xviii, 456).
Trichogramma nana Gir. (Hym. Trichogrammid) - Dutch E. Indies (Leefmans, A, xviii, 456): Formosa (A, xxii, 521): Java (A, iii, 382).
Xanthopimpla stemmator Thnbg. (Hym. Ichneumonid) - Formosa (A, xviii, 8; xxii, 521; Chu & Hsia, xxv, 508).

Prochoerodes forficaria Gn. (Geometrid)

Amblyteles coeruleus Cress. (Hym. Ichneumonid) - U.S.A. (Flanders, A, xiv, 358).
Amblyteles zebratus Cress. (Hym. Ichneumonid) - U.S.A. (Flanders, A, xiv, 358).
Euplectrus sp. (Hym. Eulophid) - U.S.A. (Flanders, A, xiv, 358).

Prochoerodes forficaria catenulata Grote (Geometrid)

Pimpla sanguineipes Cress. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169).

Prochoerodes transversata Drury (Geometrid)
Apanteles murtfeldtae Ashm. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Procris ampelophaga Bayle - See Theresimima

Procris cognata H.-S. - See Adscita

Procris geryon Hb. - See Adscita

Prodenia sp. (Phalaenid)
Actia monticola Mall. (Dipt. Tachinid) - India (Records from British Museum).
Apanteles marginiventris Cress. (Hym. Braconid) - U.S.A. (Vickery, A, xiii, 622).
Chelonus texanus Cress. (Hym. Braconid) - U.S.A. (Vickery, A, xiii, 622).
Euplectrus platyhypenae How. (Hym. Eulophid) - U.S.A. (Vickery, A, xiii, 622).
Gymnopareia aegyptiaca Vill. (Dipt. Tachinid) - Egypt (Adair, A, vii, 164).
Meteorus laphygmae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447; Vickery, xiii, 622).
Neopristomerus appalachianus Vier. (Hym. Ichneumonid) - U.S.A. (Vickery, A, xiii, 622).
Podomyia setosa Dol. (Dipt. Tachinid) - India (Records from British Museum).
Sagaritis provancheri D.T. (Hym. Ichneumonid) - U.S.A. (Vickery, A, xiii, 622).
Trichogramma minutum Riley (Hym. Trichogrammid) - Dutch E. Indies (A, i, 13).

Prodenia eridania Cram. (Phalaenid)
Eucelatoria australis Tns. (Dipt. Tachinid) - Peru (A, xxii, 274).
Meteorus autographae Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447).
Ophion sp. (Hym. Ichneumonid) - U.S.A. (A, viii, 235).

Prodenia litura F. (Phalaenid)
Actia aegyptia Vill. (Dipt. Tachinid) - Egypt (A, xxii, 674).
Angitia argenteopilosa Cam. (Hym. Ichneumonid) - India (A, xxiii, 209).
Apanteles prodeniae Vier. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xvi, 48; xvii, 153; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Apanteles ruficrus Hal. (Hym. Braconid) - Formosa (A, xxv, 336).
Chelonus sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209): Malaya (Corbett & Miller, A, xvii, 413; xxi, 261; Corbett & Miller, xxi, 676).
Chelonus formosanus Sonan (Hym. Braconid) - Formosa (A, xx, 433; xxv, 336).
Exorista larvarum L. (Dipt. Tachinid) - Egypt (A, xxii, 674).
Metopius discolor Tosq. (Hym. Ichneumonid) - Nigeria (A, ii, 106): Nyasaland (A, iv, 6).
Metopius kakogawanus Mats. (Hym. Ichneumonid) - Formosa (A, xxv, 336).

Metopius rufus Cam. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105): Formosa (A, xiii, 292): Japan (Uchida, A, xviii, 208).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Assam, India (Beeson & Chatterjee, A, xxiv, 197).
Perilampus nesiotes Crwf. (Hym. Perilampid) - Dutch E. Indies (Leefmans, A, xviii, 456).
Podomyia setosa Dol. (Dipt. Tachinid) - Malaya (A, xiii, 605; Corbett & Miller, xvii, 413; xxi, 261; Corbett & Miller, xxi, 676).
Sturmia sp. (Dipt. Tachinid) - Nyasaland (A, xviii, 422).
Sturmia inconspicuoides Bar. (Dipt. Tachinid) - Br. Solomon Is. (A, xxiv, 328): Malaya (Corbett & Miller, A, xxi, 676).
Telenomus nawaii Ashm. (Hym. Scelionid) - Fiji (A, xiv, 97; Swezey, xviii, 255).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - China (A, xxv, 597).
Trichogramma minutum Riley (Hym. Trichogrammid) - Dutch E. Indies (Leefmans, A, xviii, 456).
Trichospilus pupivora Ferr. (Hym. Eulophid) - India (A, xxii, 262).
Zele nigricornis Walk. (Hym. Braconid) - Egypt (Adair, A, vii, 164).

Prodenia ornithogalli Guen. (Phalaenid)
Archytas analis F. (Dipt. Tachinid) - U.S.A. (A, xiv, 281).
Euplectrus platyhypenae How. (Hym. Eulophid) - Nevis (Myers, A, xxiii, 499).
Hyposoter interjectus Gahan (Hym. Ichneumonid) - U.S.A. (A, iii, 151).
Winthemia quadripustulata F. (Dipt. Tachinid) - N. America (Allen, A, xvi, 162).

Prodenia praefica Grote (Phalaenid)
Apanteles marginiventris Cress. (Hym. Braconid) - U.S.A. (A, xx, 693).
Archytas analis F. (Dipt. Tachinid) - U.S.A. (A, xx, 693).
Chelonus texanus Cress. (Hym. Braconid) - U.S.A. (A, xx, 693).
Cryptus tejonensis Cress. (Hym. Ichneumonid) - U.S.A. (A, xx, 693).
Eucelatoria armigera Coq. (Dipt. Tachinid) - U.S.A. (A, xx, 693).
Hyposoter exiguae Vier. (Hym. Ichneumonid) - U.S.A. (A, xx, 693).
Ichneumon difficilis Cress. (Hym. Ichneumonid) - U.S.A. (A, xx, 693).
Megaselia sp. (Dipt. Phorid) - U.S.A. (A, xx, 693).
Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (A, xx, 693).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, xx, 693).

Prodenia sunia Guen. (Phalaenid)
Eucelatoria australis Tns. (Dipt. Tachinid) - Peru (A, xxii, 474).
Nemorilla floralis Fall. (Dipt. Tachinid) - St. Croix (A, xi, 512).

Prodoxus decipiens Riley - See P. quinquepunctellus Chamb.

Prodoxus quinquepunctellus Chamb. (Prodoxid)
Decatoma flamminneiventris Gir. (Hym. Eurytomid) - U.S.A. (Girault, A, viii, 521).

Proleucoptera albella Chamb. - See Paraleucoptera

Proserpinus proserpina Pall. (Sphingid)
Carcelia excisa Fall. (Dipt. Tachinid) - Czechoslovakia (Vimmer, A, xviii, 88).

Erycia gyrovaga Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - France (A, xii, 390).
Metopius croceicornis Thoms. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Prosopolopha jourdanaria Vill. - See Campsoptera

Protambulyx strigilis L. (Sphingid)
Apanteles congregatus Say (Hym. Braconid) - W.Indies (Wolcott, A, xxii, 65).

Proteides clarus Cram. (Hesperiid)
Achaetoneura aletiae Riley (Dipt. Tachinid) - N. America (Webber, A, xix, 112): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Amblyteles duplicatus Say (Hym. Ichneumonid) - U.S.A. (Champlain, A, x, 457).
Apanteles argynnidis Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Campoplex sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; Schaffner & Griswold, xxii, 688).
Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; Schaffner & Griswold, xxii, 688).

Proteodes carnifex Butl. (Oecophorid)
Cerosomyia nefaria Hutt. (Dipt. Tachinid) - New Zealand (Gourlay, A, xviii, 653).

Proteopteryx bolliana Sling. - See Gretchena

Proteoteras aesculana Riley (Olethreutid)
Angitia obliterata Cress. (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 372, 450).
Pimpla pterophori Ashm. (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 450).

Protexarnis fugax L. (Phalaenid)
Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Protoleucania albilinea Hb. (Phalaenid)
Apanteles laeviceps Ashm. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).
Meteorus hyphantriae Riley (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).
Microgaster auripes Prov. (Hym. Braconid) - U.S.A. (Muesebeck, A, x, 551).
Microplitis melianae Vier. (Hym. Braconid) - N. America (Muesebeck, A, x, 551).
Winthemia quadripustulata F. (Dipt. Tachinid) - N. America (Allen, A, xvi, 162).

Protoparce sp. (Sphingid)
Apanteles paphi Schrottky (Hym. Braconid) - Argentina (Blanchard, A, xxv, 787).
Apanteles reedi Porter (Hym. Braconid) - Argentina (A, x, 344).

Protoparce celeus Hb. - See P. quinquemaculata Haw.

Protoparce cingulata F. (Sphingid)
Sturmia protoparcis Tns. (Dipt. Tachinid) - Barbados (A, ix, 322): Porto Rico (A, xi, 76).
Trichogramma semifumatum Perk. (Hym. Trichogrammid) - Hawaii (Swezey, A, iii, 681).

Protoparce convolvuli L. - See Herse

Protoparce paphus Cram. - See P. sexta paphus Cram.

Protoparce quinquemaculata Haw. (Sphingid)
Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Apanteles congregatus Say (Hym. Braconid) - Canada (Treherne, A, iv, 527): N. America (Muesebeck, A, ix, 169): U.S.A. (A, viii, 364; xiv, 257; xv, 186; Schaffner & Griswold, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, xiv, 257; Schaffner & Griswold, xxii, 688).
Sturmia incompta Wulp (Dipt. Tachinid) - U.S.A. (A, iii, 268).
Winthemia quadripustulata F. (Dipt. Tachinid) - N. America (Allen, A, xvi, 162): U.S.A. (A, viii, 364; xvi, 402).

Protoparce sexta Joh. (Sphingid)
Apanteles congregatus Say (Hym. Braconid) - Brazil (A, xxiv, 619): N. America (Muesebeck, A, ix, 169): U.S.A. (A, i, 54; v, 141; viii, 364; xv, 165; Poos, xvii, 88; Schaffner & Griswold, xxii, 688; xxiii, 313).
Belvosia bifasciata F. (Dipt. Tachinid) - Brazil (A, xxiv, 619).
Eupteromalus viridescens Walsh (Hym. Pteromalid) - U.S.A. (A, v, 141; Poos, xvii, 88).
Mesochorus aprilinus Ashm. (Hym. Ichneumonid) - U.S.A. (A, v, 141).
Metavoria orientalis Tns. (Dipt. Tachinid) - U.S.A. (A, xiv, 64).
Sarcophaga lambens Wd. (Dipt. Sarcophagid) - U.S.A. (Aldrich, A, xvi, 82).
Telenomus connectans Ashm. (Hym. Scelionid) - Santo Domingo (A, xviii, 285).
Telenomus sphingis Ashm. (Hym. Scelionid) - Santo Domingo, Porto Rico, U.S.A. (A, xviii, 285).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, xxiii, 313): ? (Martin, A, xvi, 441).
Winthemia quadripustulata F. (Dipt. Tachinid) - U.S.A. (A, viii, 364).

Protoparce sexta caestri Blanch. (Sphingid)
Apanteles riverae Porter (Hym. Braconid) - Chile (A, vii, 253).

Protoparce sexta jamaicensis Kirby (Sphingid)
Apanteles americanus L. (Hym. Braconid) - Jamaica (A, xiv, 147).
Apanteles congregatus Say (Hym. Braconid) - Jamaica (A, xii, 8).

Sturmia protoparcis Tns. (Dipt. Tachinid) - Jamaica (A, xii, 8; xv, 52).
Telenomus sphingis Ashm. (Hym. Scelionid) - Porto Rico (A, xi, 58).

Protoparce sexta paphus Cram. (Sphingid)
Apanteles sp. (Hym. Braconid) - Uruguay (A, xii, 133).
Apanteles congregatus Say (Hym. Braconid) - Brazil (A, xiii, 199, 407).
Argyrophylax albincisa Wd. (Dipt. Tachinid) - Brazil (A, xiii, 197).
Belvosia bifasciata F. (Dipt. Tachinid) - Brazil (A, xiii, 199, 407).
Telenomus sphingis Ashm. (Hym. Scelionid) - Brazil (A, xiii, 197).

Proutia betulina Zell. (Psychid)
Angitia cylindrica Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles sp. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Psalis securis Hb. - See Dasychira pennatula F.

Psammotis hyalinalis Hb. (Pyraustid)
Angitia armillata Grav. (Hym. Ichneumonid) - Serbia (Voukassovitch, A, xvii, 210).
Brachymeria intermedia scirropoda Först. (Hym. Chalcid) - Serbia (Voukassovitch, A, xvii, 210).
Eulimneria rufifemur Thoms. (Hym. Ichneumonid) - Serbia (Voukassovitch, A, xvii, 210).
Hemiteles sp. (Hym. Ichneumonid) - Serbia (Voukassovitch, A, xvii, 210).
Hormius moniliatus Nees (Hym. Braconid) - Serbia (Voukassovitch, A, xvii, 210).
Macrocentrus abdominalis F. (Hym. Braconid) - Serbia (A, xv, 206; Voukassovitch, xvii, 210): ? (Parker, A, xix, 436).
Microgaster tibialis Nees (Hym. Braconid) - Serbia (Voukassovitch, A, xvii, 210).
Nemorilla floralis Fall. (Dipt. Tachinid) - Serbia (Voukassovitch, A, xvii, 210): ? (A, xv, 341).
Pimpla compunctor L. (Hym. Ichneumonid) - Serbia (Voukassovitch, A, xvii, 210).
Theronia atalantae Poda (Hym. Ichneumonid) - Serbia (Voukassovitch, A, xvii, 210).

Psara bipunctalis F. - See Pachyzancla

Psara marginalis Warr. - See Pachyzancla

Psara periusalis Walk. - See Pachyzancla

Psara stultalis Walk. - See Pachyzancla

Psecadia bipunctella F. - See Ethmia

Pseudodura dasychiroides Strand (Lymantriid)
Enicospilus striatus Cam. (Hym. Ichneumonid) - Formosa (A, xvi, 482).
Exorista larvarum L. (Dipt. Tachinid) - Formosa (A, xvi, 482).

Pseudohazis eglanterina Boisd. (Saturniid)
Apanteles electrae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Pseudohazis hera Harr. (Saturniid)
Apanteles electrae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Pseudopanthera petraria Hb. (Geometrid)
Pimpla examinator F. (Hym. Ichneumonid) - Britain (Jackson, A, xxv, 767).

Pseudoterpna pruinata Hufn. (Geometrid)
Apanteles immunis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
? Apanteles infimus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles spurius Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Apanteles triangulator Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Canidiella tristis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus brevipetiolatus Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ophion obscurus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pseudothyatira cymatophoroides Guen. (Thyatirid)
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Psilocorsis sp. (Oecophorid)
Bassus calcaratus Cress. (Hym. Braconid) - U.S.A. (Muesebeck, A, xv, 294).

Psilogramma menephron Cr. (Sphingid)
Callajoppa pepsoides Smith (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727).

Psiloreta calida Butl. - See Oreta

Psoricoptera gibbosella Zell. (Gelechiid)
Eubadizon extensor L. (Hym. Braconid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla strigipleuris Thoms. (Hym. Ichneumonid) - England (Haines, Trans. Ent. Soc. S. England, vii, 18).

Psorosina hammondi Riley (Phycitid)
Apanteles canarsiae Ashm. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).
Apanteles etiellae Vier. (Hym. Braconid) - U.S.A. (A, vii, 307; Muesebeck, ix, 169).
Chlorolycorina albomarginata Cress. (Hym. Ichneumonid) - U.S.A. (Cushman, A, viii, 509).

Meteorus tetralophae Mues. (Hym. Braconid) - U.S.A. (Marshall & Musgrave, A, xxv, 655).
Meteorus vulgaris Cress. (Hym. Braconid) - N. America (Muesebeck, A, xi 447).
Microbracon gelechiae Ashm. (Hym. Braconid) - France, America, Canada (Chu & Hsia, A, xxv, 508).
Microgaster ecdytolophae Mues. (Hym. Braconid) - N. America (A, x, 551).

Psyche albipes Moore - See Manatha

Psyche atra Esp. - See Oeropsyche angustella H.-S.

Psyche calvella Ochs. - See Sterrhopterix fusca Haw.

Psyche graminella Schiff. - See Canephora unicolor Hufn.

Psyche hirsutella Hb. - See Sterrhopterix fusca Haw.

Psyche nitidella Hb. - See Fumea casta Pall.

Psyche stettinensis Hering (Psychid)
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): ? (Jackson, A, xxv, 767).

Psyche viciella Schiff. (Psychid)
Ceratochaeta prima B B. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pimpla examinator F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): ? (Meyer, A, xiii, 479; Jackson, xxv, 767).

Psyche viciella stettinensis Hering - See P. stettinensis Hering

Psyche vitrea Hmps. - See Chalioides

PSYCHID sp.
Clemelis pullata Mg. (Dipt. Tachinid) - Palestine (Records from British Museum).
Goryphus nursei Cam. (Hym. Ichneumonid) India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).
Hemiteles insignis Grav. (Hym. Ichneumonid) Russia (Romanova, A, xix, 563).
Phanerotoma sp. (Hym. Braconid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).
Sarcophaga antilope Boettcher (Dipt. Sarcophagid) - Malaya (Corbett & Miller, A, xxi, 676).
Sturmia inconspicua Mg. (Dipt. Tachinid) - Palestine (Records from British Museum).
Thrycolyga aberrans Strobl (Dipt. Tachinid) - Palestine (Records from British Museum).
Thrycolyga psychidarum Bar. (Dipt. Tachinid) - Sumatra (Baranoff, A, xxii, 555).
Zenillia quadrimaculata Bar. (Dipt. Tachinid) - Ceylon, Malaya, Sumatra (Baranoff, A, xxii, 555): India (Records from British Museum).

Psychomorpha epimenis Drury (Phalaenid)
Zenillia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pterogon proserpina Pall. - See Proserpinus

Pterophorus sp. - See Oidaematophorus

Pterophorus heterodactylus Vill. (Pterophorid)
Anilastus barrettii Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Anilastus rapax Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meloboris crassicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Stictopisthus complanatus Hal. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pterophorus homodactylus Walk. - See Oidaematophorus

Pterophorus lithodactylus Tr. - See Oidaematophorus

Pterophorus microdactylus Hb. - See Oidaematophorus

Pterophorus monodactylus L. - See Oidaematophorus

Pterophorus periscelidactylus Fitch (Pterophorid)
Phorocera tortricis Coq. (Dipt. Tachinid) - Canada (Putnam, A, xxiii, 450).
Pimpla conquisitor Say (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Schedl, xix, 725; Chu & Hsia, xxv, 508).

Pterophorus tephradactylus Hb. - See Oidaematophorus

Pterostoma palpina L. (Notodontid)
Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ichneumon fusorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pygostolus sticticus F. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pterotocera declinata Stgr. (Geometrid)
Gonia bimaculata Wd. (Dipt. Tachinid) - Russia (A, xxii, 459).

Pycnarmon cribrata F. (Pyraustid)
Pristocelus fumipennis Wlkn. (Hym. Ichneumonid) - Malaya (A, xv, 462; Corbett & Miller, xxi, 676).

Pycnarmon marginalis Sn. (Pyraustid)
Microgaster botydis Wlkn. (Hym. Braconid) - Sumatra (A, xix, 26).

Pygaera anachoreta F. (Notodontid)

Apanteles glomeratus L. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Erycia aurulenta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Megaplectes monticola Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Petalodes unicolor Wesm. (Hym. Braconid) - Russia (Telenga, A, xxv, 703): China (A, xxiv, 244).
Zenillia libatrix Panz. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Hungary (Dowden, A, xxii, 321).

Pygaera anastomosis L. (Notodontid)

Apanteles congestus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Apanteles fulvipes Hal. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211).
Casinaria anastomosis Uch. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 286).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Melalophacharops tamanukii Uch. (Hym. Ichneumonid) - Japan (Uchida, A, xvi, 692).
Pimpla hakonensis Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Pygaera curtula L. (Notodontid)

Campylochaeta inepta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Labrorychus tenuicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla rufipleura Bignl. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas circumscriptus Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Pygaera pigra Hufn. (Notodontid)

Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Ichneumon nigritarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Petalodes unicolor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phytodietus coryphaeus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla graminellae Schrank (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Tetrastichus sp. (Hym. Eulophid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Zenillia libatrix Panz. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Hungary (Dowden, A, xxii, 321).

Pygolopha lugubrana Tr. (Olethreutid)
Zenillia tritaeniata Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

PYRALID sp.
Apanteles fistulae Wlkn. (Hym. Braconid) - India (Beeson & Chatterjee, A, xxiv, 197).
Cremastus flavoorbitalis Cam. (Hym. Ichneumonid) - Fiji (A, xxv, 323).
Microbracon pictus Ram. Ayy. (Hym. Braconid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).

Pyralis farinalis L. (Pyralid)
Melanophora roralis L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Metacoelus mansuetor Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microbracon hebetor Say (Hym. Braconid) - Japan (A, xxii, 240; Chu & Hsia, xxv, 508).
Tetrastichus sp. (Hym. Eulophid) - U.S.A. (A, xiii, 257).
Trichogramma japonicum Ashm. (Hym. Trichogrammid) - Japan (A, xviii, 139).

Pyralis mauritialis Boisd. (Pyralid)
Hockeria sp. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).

Pyrameis - See Vanessa

Pyrausta sp. (Pyraustid)
Macrocentrus nigridorsis Vier. (Hym. Braconid) - Canada (Viereck, A, xii, 249).

Pyrausta ainsliei Heinr. (Pyraustid)
Apanteles sp. (Hym. Braconid) - U.S.A. (A, xix, 434).
Apanteles thompsoni Lyle (Hym. Braconid) - Europe, France, Hungary, Belgium, Russia,America, Canada, Orient, China (Chu & Hsia, A, xxv, 508).
Bassus agilis Cress. (Hym. Braconid) - U.S.A. (Poos, A, xv, 450; xix, 434; Chu & Hsia, xxv, 508).
Chelonus sp. (Hym. Braconid) - U.S.A. (A, xix, 434).
Dibrachys cavus Walk. (Hym. Pteromalid) - U.S.A. (Poos, A, xv, 450).
Diplazon laetatorius F. (Hym. Ichneumonid) - U.S.A. (A, xix, 434).
Ephialtes notandus Cress. (Hym. Ichneumonid) - U.S.A. (A, xix, 434).
Eupelmus rosae Ashm. (Hym. Eupelmid) - U.S.A. (A, xix, 434).
Macrocentrus sp. (Hym. Braconid) - U.S.A. (A, xix, 434).
Macrocentrus utilis Nees (Hym. Braconid) - U.S.A. (A, xx, 596).
Microbracon brevicornis Wesm. (Hym. Braconid) - U.S.A. (A, xvi, 458): C. Europe, France, America (Chu & Hsia, A, xxv, 508).
Microbracon caulicola Gahan (Hym. Braconid) - U.S.A. (A, x, 422; Poos, xv, 450; xix, 434; Chu & Hsia, xxv, 508).
Microbracon gelechiae Ashm. (Hym. Braconid) - France, America, Canada (Chu & Hsia, A, xxv, 508).
Microgaster epagoges Gahan (Hym. Braconid) - U.S.A. (Poos, A, xv, 450).
Microgaster harnedi Mues. (Hym. Braconid) - N. America (A, x, 551; Poos, xvii, 88).
Microgaster zonaria Say (Hym. Braconid) - U.S.A. (A, xix, 434).

Nemorilla floralis Fall. (Dipt. Tachinid) - U.S.A. (Poos, A, xv, 450).
Pimpla roborator F. (Hym. Ichneumonid) - Persia, Japan, France, Sweden, Canada, Guam, Dalmatia, Sicily (Chu & Hsia, A, xxv, 508).
Pyraustomyia penitalis Coq. (Dipt. Tachinid) - U.S.A. (A, ix, 294; xi, 26; Poos, xv, 450; xix, 434).
Rogas sp. (Hym. Braconid) - U.S.A. (A, x, 45).
Rogas rileyi Cress. (Hym. Braconid) - U.S.A. (Poos, A, xv, 450).
Rogas testaceus Spin. (Hym. Braconid) - France, Germany, Italy (Chu & Hsia, A, xxv, 508).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, xix, 434).

Pyrausta alpinalis Schiff. (Pyraustid)
Meteorus ictericus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pyrausta asinalis Hb. (Pyraustid)
Lissonota bellator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Lissonota nitida Brdg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pyrausta aurata Scop. (Pyraustid)
Bassus rufipalpis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Siphona cristata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Pyrausta celatalis Walk. (Pyraustid)
Apanteles ruidis Wlkn. (Hym. Braconid) - India (Beeson & Chatterjee, A, xxiv, 197).
Cedria paradoxa Wlkn. (Hym. Braconid) - India (Beeson & Chatterjee, A, xxiv, 197).

Pyrausta cingulata L. (Pyraustid)
Eulimneria geniculata Grav. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).
Mesostenus grammicus Grav. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).

Pyrausta coclesalis Walk. (Pyraustid)
Carcelia octava Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).
Cedria paradoxa Wlkn. (Hym. Braconid) - India (Beeson & Chatterjee, A, xxiv, 197).
Microgaster kuchingensis Wlkn. (Hym. Braconid) - Borneo (Beeson & Chatterjee, A, xxiv, 197): India (Wilkinson, A, xvii, 608; Beeson & Chatterjee, xxiv, 197).
Prosopodopsis fasciatus Wd. (Dipt. Tachinid) India (Beeson & Chatterjee, A, xxiv, 197).

Pyrausta constricta Btlr. (Pyraustid)
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Pyrausta dryadopa Meyr. (Pyraustid)
Casinaria infesta Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, xiv, 543).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681)

Pyrausta futilalis Led. (Pyraustid)
Apanteles podunkorum Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Apanteles pyralidis Mues. (Hym. Braconid) - U.S.A. (A, ix, 169).
Apanteles pyraustae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Mesostenus thoracicus Cress. (Hym. Ichneumonid) - U.S.A. (Cushman, A, xvii, 303).
Meteorus loxostegei Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447; Chu & Hsia, xxv, 508).

Pyrausta latipennis Warren (Pyraustid)
Pimpla persimilis Ashm. (Hym. Ichneumonid) - Japan (A, xxiv, 481).

Pyrausta machaeralis Walk. (Pyraustid)
Actia hyalinata Mall. (Dipt. Tachinid) - India, Malaya (Beeson & Chatterjee, A, xxiv, 197): ? (Records from British Museum).
Agrypon sp. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).
Angitia argenteopilosa Cam. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).
Apanteles machaeralis Wlkn. (Hym. Braconid) - India (A, xvii, 153; xxiii, 207, Ramakrishna Ayyar & Margabandu, 209; Beeson & Chatterjee, xxiv, 197).
Apanteles ruidis Wlkn. (Hym. Braconid) - India (A, xvii, 153; Beeson & Chatterjee, xxiv, 197).
Apatagium melleum Cush. (Hym. Ichneumonid) - India (A, xxiii, 207; Beeson & Chatterjee, xxiv, 197).
Bessa remota Aldr. (Dipt. Tachinid) - Burma, India, Java, Malaya (Beeson & Chatterjee, A, xxiv, 197).
Bracon sp. (Hym. Braconid) - Burma (A, xxi, 262).
Bracon desertor L. (Hym. Braconid) - Burma (Beeson & Chatterjee, A, xxiv, 197).
Cadurcia vanderwulpi Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).
Cedria anomala Wlkn. (Hym. Braconid) - Burma (A, xxiii, 278; Beeson & Chatterjee, xxiv, 197).
Cedria paradoxa Wlkn. (Hym. Braconid) - India (A, xxii, 311).
Chelonus sp. (Hym. Braconid) - India (Beeson & Chatterjee, A, xxiv, 197).
Cremastus hapaliae Cush. (Hym. Ichneumonid) - India (A, xxiii, 207; Beeson & Chatterjee, xxiv, 197).
Dolichocolon orbitale Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).
Elasmus brevicornis Gahan (Hym. Elasmid) - India (A, xviii, 198; Ramakrishna Ayyar, xxii, 380).
Exorista civiloides Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Hapalioloemus machaeralis Bar. (Dipt. Tachinid) - India (A, xxii, 660; Beeson & Chatterjee, xxiv, 197).
Mesostenus sp. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).
Microgaster indica Wlkn. (Hym. Braconid) - India (A, xvi, 157; Wilkinson, xvii, 608; Beeson & Chatterjee, xxiv, 197).
Nemorilla floralis Fall. (Dipt. Tachinid) - Burma (Records from British Museum): India (Beeson & Chatterjee, A, xxiv, 197).
Phanerotoma hendecasisella Cam. (Hym. Braconid) - Ceylon, India, Australia, Egypt (Beeson & Chatterjee, A, xxiv, 197).
Sturmia inconspicuella Bar. (Dipt. Tachinid) - Burma, Formosa, India (Beeson & Chatterjee, A, xxiv, 197).
Sturmia nigribarbis Bar. (Dipt. Tachinid) - Burma (Baranoff, A, xxii, 555; Beeson & Chatterjee, xxiv, 197): India (Beeson & Chatterjee, A, xxiv, 197).
Sturmia parachrysops Bezzi (Dipt. Tachinid) - India, Malaya (Beeson & Chatterjee, A, xxiv, 197).
Trichogramma sp. (Hym. Trichogrammid) - Burma (A, xxiv, 241).
Trophocampa indubia Morl. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).
Xanthopimpla cera Cam. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).
Zenillia heterusiae Coq. (Dipt. Tachinid) - Ceylon, India (Beeson & Chatterjee, A, xxiv, 197).
Zenillia roseanella Bar. (Dipt. Tachinid) - Burma (Records from British Museum).

Pyrausta nubilalis Hb. (Pyraustid)
Agrypon sp. (Hym. Ichneumonid) - U.S.A. (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Amblyteles brevicinctor Say (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445): U.S.A. (A, vii, 411, 481): America, Philippines (Chu & Hsia, A, xxv, 508).
Amblyteles rubicundus Cress. (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Angitia armillata Grav. (Hym. Ichneumonid) - France-U.S.A. (A, xvii, 726).
Angitia punctoria Roman (Hym. Ichneumonid) - Europe-U.S.A. (A, xvi, 528): Carpathians (A, xix, 147): France (A, xii, 130; xvii, 726): France-U.S.A. (A, xii, 176): Hungary (A, xvii, 216; xviii, 40, 147; xix, 151): Italy (A, xvii, 726; Goidanich, xx, 445): Jugoslavia (A, xviii, 149; xix, 154; xx, 666): Russia (A, xvii, 726; xix, 146; xxv, 540): Japan (A, xxiii, 247): Korea, Manchuria (A, xxii, 114): Canada (Gibson, A, xxii, 188, 303; xxiii, 456, Baird, 479; Baird, xxv, 42): U.S.A. (A, xiii, 244; xvi, 273; xvii, 94, Jones, 363; xxi, 237, 452; xxiii, 456): Italy, France, Hungary, Jugoslavia, America, Chosen, Japan, China (Chu & Hsia, A, xxv, 508).
Angitia pyraustae Uchida (Hym. Ichneumonid) - Japan (A, xviii, 286; xix, 144; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Apanteles sp. (Hym. Braconid) - Hungary (A, xviii, 147): Russia (A, xxv, 540): China, Chosen, Japan (Chu & Hsia, A, xxv, 508): Japan, Korea, Manchuria (A, xxii, 114): U.S.A. (A, xv, 82).
Apanteles picipes Bche. (Hym. Braconid) - France (A, xix, 377; Goidanich, xx, 445; Chu & Hsia, xxv, 508): Germany (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).

Apanteles ruficrus Hal. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).
Apanteles thompsoni Lyle (Hym. Braconid) - Europe (Thompson & Parker, A, xvi, 528): Europe-Canada (A, xviii, 118): Europe-U.S.A. (A, xvii, 363): France (A, xv, 462; xvii, 726; Goidanich, xx, 445): France-U.S.A., Belgium, Hungary, Russia (A. xix, 454): Russia (A, xvii, 726; Telenga, xxv, 703): China (Chu, A, xxiv, 105): Japan-U.S.A. (A, xxiii, 247): Canada (A, xv, 664; xvii, 394; Goidanich, xx, 445; Gibson, xxii, 188; Baird, xxv, 42): U.S.A. (A, xvi, 273; xvii, 94; Goidanich, xx, 445): Europe, France, Hungary, Belgium, Russia, America, Canada, Orient, China (Chu & Hsia, A, xxv, 508).
Aplomya caesar Aldr. (Dipt. Tachinid) - Canada (A, xi, 499; xv, 42; Baird, xxv, 42): U.S.A. (A, vii, 411, 481; xii, 177, Aldrich & Webber, 214): Canada, U.S.A. (Goidanich, A, xx, 445).
Bassus agilis Cress. (Hym. Braconid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508): U.S.A. (Muesebeck, A, xv, 294).
Brachymeria sp. (Hym. Chalcid) - Formosa (A, xii, 114; Chu & Hsia, xxv, 508).
Brachymeria euploeae Westw. (Hym. Chalcid) - India (Goidanich, A, xx, 445): Japan-U.S.A. (A, xxiii, 247): Philippines (A, xvii, 265; Goidanich, xx, 445): China, Japan, India, Philippines (Chu & Hsia, A, xxv, 508).
Bracon atricornis Smith (Hym. Braconid) - Japan (A, xxii, 114; xxiii, 248): Europe, China, Japan (Chu & Hsia, A, xxv, 508).
Campoplex sp. (Hym. Ichneumonid) - Japan (A, xxiii, 248): N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508): U.S.A. (A, xvi, 273; xvii, 94).
Campoplex ensator Grav. (Hym. Ichneumonid) - France-U.S.A. (A, xvii, 726).
Campoplex lugubrinus Hlgr. (Hym. Ichneumonid) - France-U.S.A. (A, xvii, 726).
Campoplex multicinctus Grav. (Hym. Ichneumonid) - U.S.A. (A, xxiii, 283).
Campoplex pyraustae Smith (Hym. Ichneumonid) - France (Goidanich, A, xx, 445): France, America (Chu & Hsia, A, xxv, 508): U.S.A. (A, xxiii, 283).
Campoplex rothi Hlgr. (Hym. Ichneumonid) - France (Goidanich, A, xx, 445): France-U.S.A. (A, xvii, 726): France, America (Chu & Hsia, A, xxv, 508).
Ceromasia interrupta Macq. (Dipt. Tachinid) - Hungary (A, i, 409).
Ceromasia juvenilis Girschn. (Dipt. Tachinid) - Jugoslavia (A, xix, 131).
Ceromasia lepida Mg. (Dipt. Tachinid) - Canada (Gibson, A, xxii, 188; Baird, xxv, 42).
Ceromasia senilis Mg. (Dipt. Tachinid) - Europe (Thompson & Parker, A, xvi, 528): Bulgaria (A, xviii, 225; xix, 147): France (A, viii, 120; x, 271; xi, 235, 238; xvii, 726): Hungary (A, xvii, 215, 218; xviii, 40, 147; xix, 151): Jugoslavia (A, xvii, 215, 219; xviii, 40, 149; xix, 153, 154; xx, 666): Rumania (A, xvii, 215; xviii, 40; xix, 147): Russia (A, xvii, 220, 726; xviii, 145, Filip'ev, 606; xix, 146; xxv, 540): Spain (A, xvii, 217; xxiv, 84): Guam (A, xxii, 687): Japan, Korea, Manchuria (A, xxii, 114): Canada (Gibson, A, xxii, 188; Baird, xxiii, 479; Baird, xxv, 42): U.S.A. (A, xvi, 273; xvii, 94, 363, 612; xxi, 237, 452).
Charops decipiens Grav. (Hym. Ichneumonid) - Europe, Italy (Goidanich, A, xx, 445): France, Italy, India, America (Chu & Hsia, A, xxv, 508).
Chelonus sp. (Hym. Braconid) - Europe-U.S.A. (A, xvi, 528): Italy (Chu & Hsia, A, xxv, 508): Java (A, xxi, 65).

Chelonus annulipes Wesm. (Hym. Braconid) - Italy (Goidanich, A, xx, 445; xx, 477): Jugoslavia (A, xix, 153): Russia (A, xxv, 540, Telenga, 703): Canada (Gibson, A, xxii, 188, 303, 527; Baird, xxiii, 479; Baird, xxv, 42): U.S.A. (A, xxi, 237): Italy, Russia, France, Germany, Switzerland, Hungary, Jugoslavia, Belgium (Chu & Hsia, A, xxv, 508).
Chelonus communis Baker (Hym. Braconid) - Philippines (A, xvii, 265; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Chelonus inanitus L. (Hym. Braconid) - Europe, Asia Minor, Algeria (Goidanich, A, xx, 445): Europe, Asia Minor, Japan, America, Algeria (Chu & Hsia, A, xxv, 508).
Clemelis pullata Mg. (Dipt. Tachinid) - Russia (A, xix, 146): Europe, Russia (Goidanich, A, xx, 445).
Colpognathus celerator Grav. (Hym. Ichneumonid) - Europe, Italy (Goidanich, A, xx, 445): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): England, France, Italy (Chu &Hsia, A, xxv, 508).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe, Italy, U.S.A. (Goidanich, A, xx, 445): U.S.A. (A, viii, 97; xiv, 257).
Cremastus sp. (Hym. Ichneumonid) - Russia (A, xviii, 607).
Cremastus flavoorbitalis Cam. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105): Guam (A, xxii, 687): Japan (A, xxii, 114; xxiii, 247): Canada (A, xxii, 303; Baird, xxv, 42): U.S.A. (A, xxi, 237, 422; xxiii, 245): India, Ceylon, Burma, Philippines, Singapore, Formosa, Japan, Chosen, China, America, Canada, Hawaii (Chu & Hsia, A, xxv, 508).
Cremastus hierochonticus Schmied. (Hym. Ichneumonid) - Europe (Chu & Hsia, A, xxv, 508): Russia (A, xviii, 145): Palestine (Goidanich, A, xx, 445).
Cryptus sp. (Hym. Ichneumonid) - Japan (A, xix, 144; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Dibrachys cavus Walk. (Hym. Pteromalid) - Russia (Meier, A, xviii, 131).
Eugnomus pyraustae Mats. (Hym. Ichneumonid) - Japan (A, xix, 144; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Eulimneria sp. (Hym. Ichneumonid) - Guam (A, xxii, 687): Japan (Kuwayama, A, xix, 144; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Eulimneria albida Gmel. (Hym. Ichneumonid) - France (A, x, 271): Europe, France, Italy (Goidanich, A, xx, 445): France, Italy (Chu & Hsia, A, xxv, 508).
Eulimneria alkae E. & S. (Hym. Ichneumonid) - Europe (A, xvii, 215; xviii, 369): Europe-Canada (A, xviii, 118): Europe-U.S.A. (A, xvi, 528): Europe, Italy (Goidanich, A, xx, 445): Bulgaria (A, xix, 147, 426): France (A, xi, 238; xvi, 472, 653; xvii, 214): France-U.S.A. (A, xii, 176); Germany (A, xvi, 56; xvii, 216; xix, 148): Hungary (A, xvii, 218; xviii, 40, 147; xix, 151): Jugoslavia (A, xvii, 219; xviii, 148; xix, 154; xx, 666): Rumania (A, xix, 147): Russia (A, xvii, 220, 726; Meier, xviii, 131, 145; xix, 146; xxv, 540): Japan (A, xxiii, 247): Manchuria (A, xxii, 114): Canada (A, xvii, 394; Gibson, xxii, 188; Baird, xxv, 42): U.S.A. (A, xiii, 244; xv, 82; xvi, 152, 273; xvii, 94, Jones, 363; xxi, 506): Italy, France, Sweden, Spain, Germany, C. Europe, America, India, Ceylon, Japan, China (Chu & Hsia, A, xxv, 508): ? (A, xii, 38).
Eulimneria fuscicarpus Thoms. (Hym. Ichneumonid) - Russia (A, xviii, 145): Europe, France, Germany, Italy, Russia, Switzerland (Goidanich, A, xx, 445): France, Italy, Russia, India (Chu & Hsia, A, xxv, 508).
Eulimneria geniculata Grav. (Hym. Ichneumonid) - Russia (A, xxv, 540).
Eulimneria pleuralis Thoms. (Hym. Ichneumonid) - Russia (A, xviii, 145): Europe, Bulgaria, Italy, Russia, Switzerland (Goidanich, A, xx, 445): Bulgaria, Hungary, Italy, Russia (Chu & Hsia, A, xxv, 508).

Eulimneria rufifemur Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xviii, 131, 607; xxv, 540): Europe, Italy, Russia (Goidanich, A, xx, 445): Italy, Russia (Chu & Hsia, A, xxv, 508).
Eulimneria xanthostoma Grav. (Hym. Ichneumonid) - Italy (Goidanich, A, xx, 445): Russia (A, xviii, 145): Italy, Russia (Chu & Hsia, A, xxv, 508).
Eulophus sp. (Hym. Eulophid) - Italy (A, xvii, 330; Chu & Hsia, xxv, 508): Russia (A, xviii, 607).
Eulophus viridulus Thoms. (Hym. Eulophid) - Bulgaria (A, xix, 147, 426): Hungary (A, xvii, 218, 215; xviii, 40, 147; xix, 151): Italy (A, xxi, 300): Jugoslavia (A, xviii, 149; xx, 666): Rumania (A, xvii, 215; xviii, 40; xix, 147): Russia (A, xxv, 540): Canada (Gibson, A, xxii, 188; Baird, xxv, 42): Czechoslovakia, France, Italy, Rumania (Goidanich, A, xx, 445): Czechoslovakia, France, Hungary, Italy, Jugoslavia, Rumania (Chu & Hsia, A, xxv, 508).
Exetastes illusor Grav. (Hym. Ichneumonid) - Jugoslavia (A, xx, 666).
Exorista civilis Rond. (Dipt. Tachinid) - Europe, Russia (Goidanich, A, xx, 445).
Exorista noctuarum Rond. (Dipt. Tachinid) - Russia (A, xxv, 540).
Glyptomorpha inscriptor corsica Marsh. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).
Hemiptarsenus unguicellus Zett. (Hym. Eulophid) - Europe (Goidanich, A, xx, 445): Dalmatia, Italy (Chu & Hsia, A, xxv, 508).
Holocremnus sp. (Hym. Ichneumonid) - France (A, xvii, 725; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Hoplocryptus incertulus Cush. (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Hygrocryptus carnifex Grav. (Hym. Ichneumonid) - Russia (A, xxv, 540).
Labrorychus prismaticus Nort. (Hym. Ichneumonid) - Canada (A, xviii, 118): N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Labrorychus tenuicornis Grav. (Hym. Ichneumonid) - Japan (A, xxiii, 248).
Lixophaga variabilis Coq. (Dipt. Tachinid) - N. America (Goidanich, A, xx, 445): U.S.A. (Poos, A, xv, 450).
Lydella grisescens R.-D. (Dipt. Tachinid) - Europe, N. America (Goidanich, A, xx, 445): Italy (Goidanich, A, xx, 445): Japan (A, xxiii, 247): Canada (A, xviii, 118; xxiii, 456; Baird, xxv, 42): U.S.A. (A, vii, 411, 481; xxiii, 456).
Lydella stabulans Mg. (Dipt. Tachinid) - France (A, viii, 120).
Macrocentrus sp. (Hym. Braconid) - Jugoslavia (A, xx, 666).
Macrocentrus abdominalis F. (Hym. Braconid) - Russia (A, xxv, 540; Telenga, 703): Europe, China, Japan, America (Chu & Hsia, A, xxv, 508): ? (A, xix, 436).
Macrocentrus gifuensis Ashm. (Hym. Braconid) - Europe (Thompson & Parker, A, xvi, 528; xvii, 726): Europe-Canada (A, xviii, 118): France, Russia (A, xvii, 726): France, Jugoslavia, Russia, Japan (A, xix, 436): Jugoslavia (A, xviii, 149): China (Chu, A, xxiv, 105): Japan, Korea, Manchuria (A, xxii, 114): Korea (A, xvii, 648; xxiii, 247): Canada (A, xvii, 394; Gibson, xxii, 188, 303; Baird, xxiii, 479; Baird, xxv, 42): U.S.A. (A, xvi, 273; xvii, 94, 726, Jones, 363; xxi, 237): France, Italy, Jugoslavia, Russia, Japan, Korea, Canada, U.S.A. (Goidanich, A, xx, 445): France, Jugoslavia, Russia, China, Chosen, Japan, America, Canada (Chu & Hsia, A, xxv, 508).
Macrocentrus robustus Mues. (Hym. Braconid) - U.S.A. (A, xx, 596).

Megaselia goidanichi Schmitz (Dipt. Phorid) - Italy (A, xvii, 330; Goidanich, xx, 445).
Meteorus deceptor Wesm. (Hym. Braconid) - Russia (A, xxv, 540).
Meteorus loxostegei Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Meteorus nigricollis Thoms. (Hym. Braconid) - France (A, xix, 496; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Microbracon sp. (Hym. Braconid) - Japan (A, xxiii, 248): Canada (A, xviii, 118; Goidanich, xx, 445): America, Canada (Chu & Hsia, A, xxv, 508).
Microbracon brevicornis Wesm. (Hym. Braconid) - Europe (Thompson & Parker, A, xvi, 528): Europe-Canada (A, xiii, 581; xviii, 118): Bulgaria (A, xviii, 225; xix, 147): France (A, xi, 238; xvi, 472; xvii, 214): France-U.S.A. (A, xii, 176): Germany (A, xvii, 215, 216; xviii, 40; xix, 148): Hungary (A, xvii, 215, 218; xviii, 40, 147; xix, 151): Italy (A, xxii, 508): Jugoslavia (A, xvii, 219; xviii, 149; xix, 154; xx, 666): Rumania (A, xvii, 215, 219; xviii, 40; xix, 147): Russia (A, xvii, 220; Meier, xviii, 131, 145, Filip'ev, 606; Telenga, xxv, 703): Canada (A, xv, 42, 664; Gibson, xxii, 188; Baird, xxv, 42): U.S.A. (A, xiii, 244, Huber & Neiswander, 328; xv, 82, 396; xvi, 273, 458; xvii, 94, 185, Jones, 363): U.S.A.-Canada (A, xi, 476): Europe, Italy, N. America (Goidanich, A, xx, 445): C. Europe, France, America (Chu & Hsia, A, xxv, 508): ? (Genieys, A, xiii, 462; xiv, 604).
Microbracon caulicola Gahan (Hym. Braconid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Microbracon gelechiae Ashm. (Hym. Braconid) - Canada (A, xviii, 118): U.S.A. (Poos, A, xv, 450): France, N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Microbracon hebetor Say (Hym Braconid) - Japan (Chu & Hsia, A, xxv, 508).
Microbracon mellitor Say (Hym. Braconid) - Canada (A, xviii, 118): Hawaii, Canada, U.S.A. (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Microcryptus abdominator Grav. (Hym. Ichneumonid) - Europe, Italy (Goidanich, A, xx, 445): France, Italy (Chu & Hsia, A, xxv, 508).
Microgaster sp (Hym. Braconid) - Japan (A, xix, 144; Goidanich, xx, 445): Manchuria (A, xxii, 114): Canada (A, xv, 664).
Microgaster globata L. (Hym. Braconid) - Italy (A, xvii, 330; Goidanich, xx, 445; Chu & Hsia, xxv, 508): Russia (A, xxv, 540; Telenga, 703).
Microgaster tibialis Nees (Hym. Braconid) - Europe (A, xx, 364): Europe-Canada (A, xviii, 118): Europe-U.S.A. (A, xvi, 528; xvii, 363): France (A, xvii, 726): France-U.S.A. (A, xii, 176): Germany (A, xvi, 56; xvii, 132, 215, 216; xviii, 40; xix, 148): Russia (A, xvii, 726): Japan (A, xxii, 114): Canada (A, xvii, 394; xviii, 120; Gibson, xxii, 188; Baird, xxv, 42): U.S.A. (A, xiii, 244; xv, 82; xvi, 152, 273; xvii, 94; xxi, 452, 506; xxv, 414): Italy, Canada, U.S.A. (Goidanich, A, xx, 445): Baden, France, Italy, Spain, Japan, America, Canada (Chu & Hsia, A, xxv, 508).
Microgaster zonaria Say (Hym. Braconid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Mormoniella vitripennis Walk (Hym. Pteromalid) - Germany (A, xix, 302).
Nemorilla floralis Fall. (Dipt. Tachinid) - Europe (Thompson & Parker, A, xvi, 528; xix, 131; Goidanich, xx, 445): Italy (Goidanich, A, xx, 445): Russia (A, xxv, 540): Japan-U.S.A. (A, xxiii, 247): Canada (Baird, A, xxv, 42): N. America (Goidanich, A, xx, 445): U.S.A. (A, vii, 411, 481).

Nemorilla floralis maculosa Mg. (Dipt. Tachinid) - Europe, Italy, N. America (Goidanich, A, xx, 445).
Nemorilla maculosa Mg. (Dipt. Tachinid) - Europe (Thompson & Parker, A, xvi, 528): Canada (Baird, A, xxv, 42).
Phaeogenes sp. (Hym. Ichneumonid) - Japan, Korea (A, xxii, 114): Japan, America (Chu & Hsia, A, xxv, 508).
Phaeogenes eguchii Uch. (Hym. Ichneumonid) - China, Korea (A, xxiii, 292; Chu & Hsia, xxv, 508).
Phaeogenes nigridens Wesm. (Hym. Ichneumonid) - Europe-U.S.A. (A, xvi, 528; xvii, 726): Hungary (A, xix, 151): Italy (A, xvii, 330): Canada (Baird, A, xxv, 42): U.S.A. (A, xiii, 244; xvi, 273; xvii, 94, Jones, 363, 726; xxiii, 283): Europe, Italy, U.S.A. (Goidanich, A, xx, 445): Belgium, France, Germany, Hungary, Italy, Sweden (A, xxi, 169): Italy, America (Chu & Hsia, A, xxv, 508).
Phaeogenes planifrons Wesm. (Hym. Ichneumonid) - Europe (Goidanich, A, xx, 445): France, Italy, America (Chu & Hsia, A, xxv, 508).
Phorocera erecta Coq. (Dipt. Tachinid) - Japan-U.S.A. (A, xxiii, 247): Canada (A, xviii, 118; Goidanich, xx, 445; Baird, xxv, 42): U.S.A. (A, vii, 411, 481; Aldrich & Webber, xii, 214; Goidanich, xx, 445).
Phytodietus segmentator Grav. (Hym. Ichneumonid) - Russia (A, xxv, 540).
Pimpla aequalis Prov. (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445): Canada, U.S.A. (Chu & Hsia, A, xxv, 508).
Pimpla conquisitor Say (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508): U.S.A. (A, xxi, 383).
Pimpla indagatrix Cress. (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Pimpla pterophori Ashm. (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445): U.S.A. (A, vii, 411, 481; xvi, 324): America, Philippines (Chu & Hsia, A, xxv, 508).
Pimpla pyraustae Mats. (Hym. Ichneumonid) - Japan (A, xix, 144; Goidanich, xx, 445; Chu & Hsia, xxv, 508).
Pimpla roborator F. (Hym. Ichneumonid) - Europe-Canada (A, xiii, 581; xviii, 118): Europe-U.S.A. (A, xvi, 528): France (A, xvii, 214): France-U.S.A. (A, xii, 177): Jugoslavia (A, xix, 153): Rumania (A, xix, 149; xxv, 540): Guam (A, xx, 306; xxii, 687): Canada (A, xv, 42, 664; xvi, 503; Gibson, xxii, 188; Baird, xxv, 42): U.S.A. (A, xiii, 244, 328; xv, 82; xvi, 273; xvii, 94, 185, Jones, 363; xxiii, 309): U.S.A.-Guam (A, xvii, 48; xix, 197): Europe, Italy, Guam, Canada, U.S.A. (Goidanich, A, xx, 445): France, Dalmatia, Italy, Sweden, Persia, Guam, Japan (Chu & Hsia, A, xxv, 508): ? (A, xix, 324).
Pimpla tecumseh, Vier. (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Italy (A, xvii, 330): Europe, Italy (Goidanich, A, xx, 445): Europe, Italy, Rumania, China, Japan, Korea (Chu & Hsia, A, xxv, 508).
Pseudoperichaeta insidiosa R.D. (Dipt. Tachinid) - Europe (Thompson & Parker, A, xvi, 528): Dalmatia (A, xvii, 726): France (A, ix, 443; x, 271; xi, 235, 238): France-U.S.A. (A, xii, 176): Jugoslavia (A, xviii, 149; xix, 131, 153, 154): Russia (A, xix, 146): Canada (Gibson, A, xxii, 188; Baird, xxv, 42): U.S.A. (A, xiii, 244; xvi, 273, 472; xvii, 94, Jones, 363): England, Italy, Russia (Goidanich, A, xx, 445).
Pyraustomyia penitalis Coq. (Dipt. Tachinid) - N. America (Goidanich, A, xx, 445).

Rogas testaceus Spin. (Hym. Braconid) - France (A, xi, 238): Europe, Italy (Goidanich, A, xx, 445): France, Germany, Italy (Chu & Hsia, A, xxv, 508).
Sagaritis provancheri D.T. (Hym. Ichneumonid) - N. America (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).
Tachinid sp. (Dipt.) - Celebes (A, xxi, 65).
Theronia atalantae Poda (Hym. Ichneumonid) - Europe (Thompson & Parker, A, xvi, 528): Europe, Italy (Goidanich, A, xx, 445): France, Germany, Greece, Italy, Switzerland, China, Korea, Siberia (Chu & Hsia, A, xxv, 508).
Triaspis pallidipes Nees (Hym. Braconid) - Russia (A, xxv, 540).
Trichogramma sp. (Hym. Trichogrammid) - Russia (A, xviii, 145): Orient (Chu & Hsia, A, xxv, 508).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Europe (Thompson & Parker, A, xvi, 528): France (A, xi, 238; Chu & Hsia, xxv, 508): Germany (A, xix, 302): Jugoslavia (A, xviii, 149): Russia (Meier, A, xviii, 131; xxiii, 567; xxv, 151, 152, 153): Serbia (A, xix, 129): China (A, xxv, 597): Europe, Italy (Goidanich, A, xx, 445): France, China (Chu & Hsia, A, xxv, 508): ? (A, xviii, 146).
Trichogramma minutum Riley (Hym. Trichogrammid) - Canada (A, xv, 42, 666; xviii, 118; Baird, xxv, 42): U.S.A. (A, viii, 97; xii, 176; xiii, 271; Poos, xv, 450; xxiv, 660; Chu & Hsia, xxv, 508): ? (Martin, A, xvi, 441).
Trichomma cnaphalocrocis Uch. (Hym. Ichneumonid) - Japan-U.S.A. (A, xxiii, 247): Formosa, Japan, America (Chu & Hsia, A, xxv, 508).
Xanthopimpla modesta Smith (Hym. Ichneumonid) - Celebes (A, xxi, 65).
Xanthopimpla punctata F. (Hym. Ichneumonid) - Formosa (A, xxii, 114): China, Formosa, Japan, India, Ceylon, Amboina, Java, Singapore, Philippines, Sumatra, Celebes, Borneo, Kei Is. (Chu & Hsia, A, xxv, 508).
Xanthopimpla stemmator Thnbg. (Hym. Ichneumonid) - Formosa (A, xviii, 8; xxii, 114): Philippines (A, xvii, 265): Formosa, Philippines (Goidanich, A, xx, 445): Philippines, Formosa, Japan, Java, Batjan, Kei Is., India, America (Chu & Hsia, A, xxv, 508).
Zenillia sp. (Dipt. Tachinid) - Japan (A, xix, 144; Goidanich, xx, 445).
Zenillia futilis O.S. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).
Zenillia mitis Mg. (Dipt. Tachinid) - Europe (Thompson & Parker, A, xvi, 528; xix, 131): France (A, xviii, 265): Rumania (A, xix, 147; xxv, 540): Canada (Gibson, A, xxii, 188; Baird, xxv, 42): U.S.A. (A, xxiii, 283): Europe, Italy (Goidanich, A, xx, 445).
Zenillia ochracea Wulp (Dipt. Tachinid) - U.S.A. (Goidanich, A, xx, 445).
Zenillia tritaeniata Rond. (Dipt. Tachinid) - Japan (A, xix, 144): Europe, Italy, Japan (Goidanich, A, xx, 445).

Pyrausta olivalis Schiff. (Pyraustid)
Exochus prosopius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pyrausta penitalis Grote (Pyraustid)
Apanteles harti Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; xi, 481; Poos, xv, 450).
Apanteles thompsoni Lyle (Hym. Braconid) - Europe, France, Hungary, Belgium, Russia, America, Canada, Orient, China (Chu & Hsia, A, xxv, 508).
Bassus agilis Cress. (Hym. Braconid) - America (Chu & Hsia, A, xxv, 508): U.S.A. (Poos, A, xv, 450).

Brachymeria ovata Say (Hym. Chalcid) - U.S.A. (A, xi, 481).
Cremastus facialis Cress. (Hym. Ichneumonid) - U.S.A. (A, vii, 116).
Labrorychus prismaticus Nort. (Hym. Ichneumonid) - U.S.A. (Poos, A, xv, 450): America, Canada (Chu & Hsia, A, xxv, 508).
Lixophaga variabilis Coq. (Dipt. Tachinid) - U.S.A. (A, vii, 116; Poos, xv, 450).
Meteorus sp. (Hym. Braconid) - U.S.A. (Poos, A, xv, 450).
Meteorus loxostegei Vier. (Hym. Braconid) - America (Chu & Hsia, A, xxv, 508): U.S.A. (Poos, A, xv, 450).
Microbracon sp. (Hym. Braconid) - U.S.A. (A, xi, 481).
Microbracon brevicornis Wesm. (Hym. Braconid) - U.S.A. (A, xvi, 458): C. Europe, France, America (Chu & Hsia, A, xxv, 508).
Microbracon caulicola Gahan (Hym. Braconid) - America (Chu & Hsia, A, xxv, 508): U.S.A. (Poos, A, xv, 450).
Microbracon gelechiae Ashm. (Hym. Braconid) - America, Canada, France (Chu & Hsia, A, xxv, 508).
Microbracon mellitor Say (Hym. Braconid) - U.S.A. (A, vii, 116).
Microgaster sp. (Hym. Braconid) - U.S.A. (Poos, A, xv, 450).
Microgaster epagoges Gahan (Hym. Braconid) - U.S.A. (Poos, A, xv, 450).
Microgaster zonaria Say (Hym. Braconid) - America (Chu & Hsia, A, xxv, 508).
Nemorilla floralis Fall. (Dipt. Tachinid) - U.S.A. (Poos, A, xv, 450).
Phorocera comstocki Will. (Dipt. Tachinid) - U.S.A. (A, vii, 116; Aldrich & Webber, xii, 214).
Phryxe vulgaris Fall. (Dipt. Tachinid) - U.S.A. (A, vii, 116; Aldrich & Webber, xii, 214).
Pimpla roborator F. (Hym. Ichneumonid) - Persia, Japan, France, Sweden, Canada, Guam, Dalmatia, Sicily (Chu & Hsia, A, xxv, 508).
Pyraustomyia penitalis Coq. (Dipt. Tachinid) - U.S.A. (A, vii, 116; Poos, xv, 450).
Rogas rileyi Cress. (Hym. Braconid) - U.S.A. (Poos, A, xv, 450).
Rogas testaceus Spin. (Hym. Braconid) - France, Germany, Italy (Chu & Hsia, A, xxv, 508).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, xi, 481).

Pyrausta pertextalis Led. (Pyraustid)
Bassus sanctus Say (Hym. Braconid) - U.S.A. (Muesebeck, A, xv, 294).

Pyrausta prophyralis Schiff. (Pyraustid)
Feria prolixa Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Pyrausta purpuralis L. (Pyraustid)
Bassus brevisetis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Eulimneria geniculata Grav. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).

Pyrausta repandalis Schiff. (Pyraustid)
Mesostenus grammicus Grav. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).

Pyrausta stachydalis Zinck. (Pyraustid)
Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Anilastus tricinctus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pyrausta tyralis Guen. (Pyraustid)
Nemorilla maculosa Mg. (Dipt. Tachinid) - U.S.A. (A, xiv, 64).

Pyreferra hesperidago Guen. (Phalaenid)
Campoplegine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Eulasiona spinosa Coq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Paniscus geminatus sayi Cush. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Winthemia fumiferanae Toth. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pyroderces rileyi Wlsm. (Cosmopterygid)
Bassus hawaiicola Ashm. (Hym. Braconid) - Hawaii (Swezey, A, iii, 681).
Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (A, xviii, 257).
Idechthis sp. (Hym. Ichneumonid) - Oahu (A, xxii, 546).
Perisierola emigrata Rohw. (Hym. Bethylid) - Hawaii (A, vii, 435).
Pimpla sp. (Hym. Ichneumonid) - U.S.A. (A, iv, 291).

Pyroderces simplex Wlsm. (Cosmopterygid)
Brachymeria olethrius Wtstn. (Hym. Chalcid) - Nigeria (A, iii, 164, 168).

Pyrophila pyramidoides Guen. - See Amphipyra

Pyrrharctia isabella A. & S. - See Isia

Pyrrhia umbra Hufn. (Phalaenid)
Campoplex bucculentus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex pugillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hyposoter annulipes Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Ophion luteus L. (Hym. Ichneumonid) - Japan (A, xxiii, 515).
Paniscus ocellaris Thoms. (Hym. Ichneumonid) - Japan (A, xxiii, 515).